



Results Report

Order ID: 1G04445

Karl Environmental Group
20 Lauck Road
Mohnton, PA 19540

Project: 21-0652B Allendale BOE

Attn: Jake Edwards

Regulatory ID:

Sample Number: 1G04445-01	Site: BS-BLANK	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 6:49 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 21:36	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-02	Site: BS-WC-1FL-HALLRM34	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 6:50 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 21:38	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-03	Site: BS-WC-2FL-HALLRM102-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 6:54 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 19:49	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-04	Site: BS-WC-2FL-HALLRM102-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 6:54 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 19:59	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-05	Site: BS-WC-1FL-HALLRM2-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:00 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:01	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 07/21/2021 3:11 pm 1G04445
STL_Results Revision #1.9 Effective: 04/16/2020





SUBURBAN TESTING LABS

Sample Number: 1G04445-06	Site: BS-WC-1FL-HALLRM2-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:00 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:03	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-07	Site: BS-NS-1FL-NURSE	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:03 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.74	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:05	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-08	Site: BS-WC-1FI-HALLRM37-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:05 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:08	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-09	Site: BS-WC-2FI-HALLRM106	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:08 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:10	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-10	Site: BS-WC-1FL-HALLRM29-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:10 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:12	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-11	Site: BS-WC-1FL-HALLRM29-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:10 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:14	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-12	Site: BS-FP-1FL-KITCH	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:12 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	8.60	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:20	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 07/21/2021 3:11 pm 1G04445
 STL_Results Revision #1.9 Effective: 04/16/2020





SUBURBAN TESTING LABS

Sample Number: 1G04445-13	Site: BS-WC-1FL-HALLRM40-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:16 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:22	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-14	Site: BS-WC-1FL-HALLRM40-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:16 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:24	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-15	Site: BS-WC-1FL-HALLLIB-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:18 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:26	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-16	Site: BS-WC-1FL-HALLLIB-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:19 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:28	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-17	Site: BS-TL-1FL-FAC	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:22 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	2.55	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:30	MKR
------	------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-18	Site: BS-WC-1FL-HALLRM43-1	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:23 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:32	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Sample Number: 1G04445-19	Site: BS-WC-1FL-HALLRM43-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:23 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
-------------------------------	--------	-------	--------	------	----	-----------	----	---------------	----

Metals

Lead	< 1.00	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:34	MKR
------	--------	------	-----------	------	---	----------	-----	----------------	-----

Report Generated On: 07/21/2021 3:11 pm 1G04445
 STL_Results Revision #1.9 Effective: 04/16/2020





Sample Number: 1G04445-20	Site: BS-WC-1FL-HALLRM51	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:25 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
<u>Metals</u>									
Lead	71.7	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:36	MKR

Sample Number: 1G04445-21	Site: BS-WC-1FL-HALLRM37-2	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:05 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By	
<u>Metals</u>										
Lead	< 1.00	B3	µg/L	EPA 200.8	1.00	1	07/15/21	RPV	07/20/21 21:09	RPV

Sample Number: 1G04445-22	Site: BS-WC-1FL-HALLRM43-3	Sample ID: Brookside School
Collector: JE	Collect Date: 07/14/2021 7:23 am	Sample Type: Grab

Department / Test / Parameter	Result	Units	Method	R.L.	DF	Prep Date	By	Analysis Date	By
<u>Metals</u>									
Lead	11.0	µg/L	EPA 200.8	1.00	1	07/15/21	MKR	07/15/21 20:39	MKR

Data Qualifiers:

B3 The target analyte was detected in the Method, Dilution Water, Instrument or Extraction Blank or Sterility Check at or above the MRL or applicable method, client, or regulatory requirement. Possibility of high bias in the sample result, however it is ND.

Sample Receipt Conditions:

All samples met the sample receipt requirements for the relevant analyses.

The test *pH, Lab* is performed in the Laboratory as soon as possible. These results are not appropriate for compliance with NPDES, SDWA, or other regulatory programs that require analysis within 15 minutes of sample collection and should be considered for informational purposes only.

**pH, Final* for ASTM leachate is performed by method SM 4500-H-B.

All results meet the requirements of STL's TNI (NELAC) Accredited Quality System unless otherwise noted. If your results contain any data qualifiers or comments, you should evaluate useability relative to your needs.

If collectors initials include "STL", samples have been collected in accordance with STL SOP SL0015.

All results reported on an As Received (Wet Weight) basis unless otherwise noted.

This laboratory report may not be reproduced, except in full, without the written approval of STL.

Results are considered Preliminary unless report is signed by authorized representative of STL.

Reviewed and Released By:


Ryan F Knerr
Project Manager II

Report Generated On: 07/21/2021 3:11 pm 1G04445
STL_Results Revision #1.9 Effective: 04/16/2020





61



1G04445
Ryan F. Kneir

Client Name: Karl Environmental Group
Address: 20 Lauck Road
Mohnton, PA 19540
Contact Name: Jake Edwards

21-0652B Allendale BOE
ookside School

100 Brookside Avenue, Allendale, NJ

Payment / P.O. Info:

Fax: 610-856-5040

Email: jedwards@karlenv.com

Comments:

NJ DOE Lead in Drinking Water Samples - PG 1

(7) 250 ml P HDPE w/ HNO3

SWTL Sample Number	Sample Description / Site ID	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested	See Codes Below			Comments / Field Data	
						Bottle Quantity	Matrix	Sample Type		Bottle Type
★ BS-BLANK		7/14/21	649	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	Blank
BS-WC-1FL-HALLRM34		7/14/21	650	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	
BS-WC-2FL-HALLRM102-1		7/14/21	654	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	
BS-WC-2FL-HALLRM102-2		7/14/21	654	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	
BS-WC-1FL-HALLRM2-2		7/14/21	700	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	
BS-WC-1FL-HALLRM2-3		7/14/21	700	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	Removed
BS-WC-1FL-HALLRM2-1		7/14/21	700	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	
BS-NS-1FL-NURSE		7/14/21	703	JE	Lead, 200.8, NJ DOE	1	PW G	P	H	

Matrix	Sample Type	Bottle Type	Preservative
PW G	P	H	Blank
PW G	P	H	
PW G	P	H	
PW G	P	H	
PW G	P	H	
PW G	P	H	
PW G	P	H	
PW G	P	H	
PW G	P	H	

Relinquished By: *[Signature]*

Received By: *[Signature]*

Relinquished By: *[Signature]*

Received in Lab By: *[Signature]*

Date: 7/14/21
Time: 12:00

Date: 7/14/21
Time: 12:10

Temp °C: _____
Acceptable: Y / N

Temp °C: _____
Acceptable: Y / N

Temp °C: 14.6
Acceptable: N

Sample Conditions:
Submitted with COC? *(Y) N*
Number of containers match number on COC? *(Y) N*
All containers in tact? *(Y) N*
Tests within holding times *(Y) N*
40 mL VOA vials free of headspace? *(Y) N*

Matrix Key:
NPW = Non-Potable Water
Solid = Raw/Sludge, Dewatered sludge, soil, etc (reported as mg/kg)
PW = Potable Water (not for SDWA compliance)
SDWA = Safe Drinking Water Act Potable Sample

Sample Type Key:
G = Grab
8HC = 8 Hr Composite
24HC = 24 Hr Composite

SDWA Sample Types:
D = Distribution
E = Entry Point
R = Raw
S = Check
C = Special
M = Maximum Residence

Bottle Type Key:
P = Plastic
G = Glass
O = Other

Preservative Key:
N = Sodium Thiosulfate
A = Ascorbic Acid
H = HNO₃
C = HCl
S = H₂SO₄
OH = NaOH
O = Other
NA = None Required

Reporting Options:
 SDWA Reporting
PMSID: _____
 Fax
 Email
 Other
 Return a copy of this form with Report

Signing this form indicates your agreement with SWTL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.4 Effective November 12, 2014
Shaded areas are for SWTL use only.



Client Name: Karl Environmental Group
 Address: 20 Lauck Road
Mohnton, PA 19540
 Contact Name: Jake Edwards

1G04445
 Ryan F. Knerr



Fax: 610-856-5040
 Email: jedwards@karlenv.com

Comments:

NJ DOE Lead in Drinking Water Samples - PG 2

SWTL Sample Number	Sample Description / Site ID:	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested:	See Codes Below			Comments / Field Data:
						Matrix	Sample Type	Bottle Type	
<i>A-(8) 250 mL HDPE w/ 10003</i>	<i>BS-WC-1FL-HALLRM37-1</i>	7/14/21	<i>703</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
<i>+ 15 drops HNO3</i>	<i>BS-WC-2FL-HALLRM106</i>	7/14/21	<i>708</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
<i>pH=2</i>	<i>BS-WC-1FL-HALLRM29-1</i>	7/14/21	<i>710</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
<i>NR 7/14/21</i>	<i>BS-WC-1FL-HALLRM29-2</i>	7/14/21	<i>710</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
	<i>BS-FP-1FL-KITCH</i>	7/14/21	<i>712</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
	<i>BS-WC-1FL-HALLRM40-1</i>	7/14/21	<i>715</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
	<i>BS-WC-1FL-HALLRM40-2</i>	7/14/21	<i>716</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	
	<i>BS-WC-1FL-HALLLIB-1</i>	7/14/21	<i>718</i>	JE	Lead, 200.8, NJ DOE	PW	G	P	

TAT (Check One): Standard 24hr 48hr 72hr Other
 (Additional charges may apply for rush TAT. If not specified, standard TAT will apply.)

Order ID: _____

Name: 21-0652B Allendale BOE
Brookside School
100 Brookside Avenue, Allendale, NJ

Payment / P.O. Info: _____

Relinquished By: _____	Date: <u>7/14/21</u>	Sample Conditions: <u>Y/N</u>	Matrix Key: NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludge, soil, etc. PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	Bottle Type Key: P = Plastic G = Glass O = Other Preservative Key: N = Sodium Thiosulfate A = Ascorbic Acid H = HNO ₃ C = HCl S = H ₂ SO ₄ OH = NaOH O = Other NA = None Required	Reporting Options: <input type="checkbox"/> SDWA Reporting PWSID: _____ <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email <input type="checkbox"/> Other <input type="checkbox"/> Return a copy of this form with Report
Received By: _____	Date: <u>7/14/21</u> Time: <u>1210</u>	Submitted with COC? <u>Y/N</u> Number of containers match number on COC? <u>Y/N</u> All containers in tact? <u>Y/N</u> Tests within holding times <u>Y/N</u> 40 mL VOA vials free of headspace? <u>Y</u>	Sample Type Key: G = Grab 8HC = 8 Hr. Composite 24HC = 24 Hr. Composite	SDWA Sample Types: D=Distribution E=Entry Point R=Raw C=Check S=Special N=Maximum Residence	
Relinquished By: _____	Date: _____	Temp °C: _____ Acceptable: Y/N			
Received in Lab By: <u>JAK E</u>	Date: <u>7/14/21</u> Time: <u>1210</u>	Temp °C: _____ Acceptable: _____			

Signing this form indicates your agreement with SWTL's Standard Terms and Conditions unless otherwise specified in writing. SLF-059 Rev. 1.4 Effective November 12, 2014
 Shaded areas are for SWTL use only.



61

TAT (Check One): Standard 24hr 48hr 72hr Other
 (Additional charges may apply for rush TAT. If not specified, standard TAT will apply.)

Order ID

1G04445
Ryan F Knerr

Client Name: Karl Environmental Group

Address: 20 Lauck Road
Mohnton, PA 19540

Contact Name: Jake Edwards

Phone: 610-856-5040
 Fax: 610-856-5040
 Email: jedwards@karlenv.com

21-0652B Allendale BOE

Address: Brookside School
100 Brookside Avenue, Allendale, NJ

Payment / P.O. Info:

Comments: NJ DOE Lead in Drinking Water Samples - PG 3

SMTL Sample Number	Sample Description / Site ID	Date Sampled	Time Sampled	Samplers Initials	Test(s) Requested	See Codes Below			Comments / Field Data
						Bottle Quantity	Matrix	Sample Type	
★	<u>(7) 250 mL HPPE w/HNO3</u> <u>+15 drops HNO3 - pH < 2</u> <u>ID#: S951058 NR 7/14/21</u>	7/14/21	719	JE	Lead, 200.8, NJ DOE	1	PW G	P H	
	BS-WC-1FL-HALLIB-2	7/14/21	722	JE	Lead, 200.8, NJ DOE	1	PW G	P H	
	BS-TL-1FL-FAC	7/14/21	723	JE	Lead, 200.8, NJ DOE	1	PW G	P H	
	BS-WC-1FL-HALLRM43-1	7/14/21	723	JE	Lead, 200.8, NJ DOE	1	PW G	P H	
	BS-WC-1FL-HALLRM43-2	7/14/21	723	JE	Lead, 200.8, NJ DOE	1	PW G	P H	
	BS-WC-1FL-HALLRM51	7/14/21	725	JE	Lead, 200.8, NJ DOE	1	PW G	P H	
	<u>BS-WC-1FL-HallRm37-2</u>		<u>705</u>						
	<u>BS-WC-1FL-HallRm43-3</u>		<u>723</u>						

Relinquished By: <u>[Signature]</u>	Date: <u>7/14/21</u>	Sample Conditions	Matrix Key	Bottle Type Key	Reporting Options
Received By: <u>[Signature]</u>	Time: <u>1210</u>	Submitted with COC? <u>Y/N</u>	NPW = Non-Potable Water Solid = Raw Sludge, Dewatered sludges, soil, etc. PW = Potable Water (not for SDWA compliance) SDWA = Safe Drinking Water Act Potable Sample	P = Plastic G = Glass O = Other	<input type="checkbox"/> SDWA Reporting PWSID: _____ <input type="checkbox"/> Fax <input checked="" type="checkbox"/> Email <input type="checkbox"/> Other
Relinquished By:	Date:	Number of containers match number on COC? <u>Y/N</u>	Sample Type Key	Preservative Key	<input type="checkbox"/> Return a copy of this form with Report
Received in Lab By: <u>[Signature]</u>	Time: <u>1210</u>	All containers in tact? <u>Y/N</u>	G = Grab 8HC = 8 Hr Composite 24HC = 24 Hr Composite	N = Sodium Thiosulfate A = Ascorbic Acid H = HNO ₃ C = HCl S = H ₂ SO ₄ OH = NaOH O = Other NA = None Required	
	Date: <u>7/14/21</u>	Tests within holding times? <u>Y/N</u>			
	Time: <u>1210</u>	40 mL VOA vials free of headspace? <u>Y/N</u>			

Signing this form indicates your agreement with SWTL's Standard Terms and Conditions unless otherwise specified in writing. SLF059 Rev. 1.4 Effective November 12, 2014. Shaded areas are for SWTL use only.