



Healthy Youth Survey



# Healthy Youth Survey 2014

## Report of Results

Bainbridge Island School District  
Grade 10

March 1, 2015

Looking Glass Analytics  
215 Legion Way SW  
Olympia, WA 98502

More information about the Healthy Youth Survey is available at [www.AskHYS.net](http://www.AskHYS.net)

## Report Contents

Introduction and Overview .....	2
Survey Participation in this Report .....	2
Caution about Participation Rates and Bias .....	2
Small Numbers: Caution about Number of Students Participating .....	2
Key to the Notes .....	2
Highlights of the Local Results .....	3
Selected Results by Gender .....	4
Understanding Your Report .....	5
N's .....	5
Confidence Intervals .....	6
More Information .....	6
Individual Question Results .....	7
Demographics and General Information (Questions 1–15) .....	7
Alcohol, Tobacco, and Other Drug (ATOD) Use .....	9
Lifetime Use (Questions 16-24) .....	9
30-Day Use (Questions 25-37) .....	10
Other Tobacco-Related Questions (Questions 38–42) .....	13
Other Alcohol-Related Questions (Questions 43–54) .....	13
Other Marijuana-Related Questions (Questions 55–60) .....	16
Other Alcohol- and Drug-Related Questions (Questions 61-65) .....	17
Other Health Concerns .....	18
Nutrition and Fitness (Questions 66–87) .....	18
Health Conditions and Health Care (Questions 88–99) .....	22
Sexual Behavior (Questions 100-104) .....	24
Behaviors Related to Unintentional Injuries (Questions 105–115) .....	25
Behaviors Related to Intentional Injuries (Questions 116–121) .....	27
Physical, Emotional and Sexual Abuse (Questions 122–126) .....	27
Mental Health (Questions 127–136) .....	28
Social and Emotional Learning (Questions 137–141) .....	29
Gambling (Question 142) .....	30
School Climate (Questions 143-156) .....	30
Quality of Life (Questions 157–163) .....	32
Risk and Protective Factors .....	35
Risk and Protective Factor: Reporting Schedule .....	35
Risk and Protective Factor: Domain Scale Results and Graphs .....	36
Risk and Protective Factor: All Scale Graph .....	40
Risk and Protective Factor: Individual Question Results .....	41
Community Domain (Questions 164–180) .....	41
Family Domain (Questions 181–198) .....	43
School Domain (Questions 199–216) .....	45
Peer and Individual Domain (Questions 217–249) .....	48
Questions by Topic .....	55
Core Questions .....	56

For a detailed list of all of the survey questions by topic - please use the Questions by Topic section in the back of this report.

# Bainbridge Island School District

Grade 10

## Introduction and Overview

This report presents results from the fall 2014 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health, the Office of Superintendent of Public Instruction, the Department of Social and Health Services and the Liquor Control Board in cooperation with schools throughout the state of Washington.

Survey questions covering the same topics are grouped together when possible but be sure to consult the index for related questions when you are searching for information on a specific topic. The numbering in this report is not the same as the question order on the survey itself.

Additional information may be found in the Interpretive Guide posted to the Healthy Youth Survey web site: [www.AskHYS.net/Reports](http://www.AskHYS.net/Reports)

## Survey Participation in this Report

Number of students surveyed:	273
Number of valid responses:	266
Number of enrolled students*:	346
Your survey participation rate**:	77%

\* The estimate of enrolled students is based on figures from the 2014-2015 school year, provided by OSPI.

\*\* The survey participation rate is the number of valid responses divided by the number of enrolled students.

## Caution about Participation Rates and Bias

Please use the following guidance when reviewing your results:

- 70% or greater participation—Results are probably representative of students in this grade.
- 40–69% participation—Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results. It is important to acknowledge the potential limitations when using the results in this report. For reports summarizing results at the county or School District level, you should also consider whether the schools that participated represent all students in that area.

## Small Numbers: Caution about Number of Students Participating

Results based on small numbers of students answering a question are unstable---that is, they could easily change with the absence from school of only a couple of students. This is especially the case when only a few students choose a particular answer option. Also, in this situation, the reported 95% confidence interval might be too narrow. Thus, use caution if fewer than 30 students answered a question and fewer than 5 students selected a given response option.

*For example, if 20 students answered a question and of those 20 only 3 students answered “Yes”, the estimate is unreliable.*

See the Understanding Your Report section later in this report for a discussion of “confidence intervals” to help guide your interpretation of the results.

## Key to the Notes

Five versions of the survey were used in the administration of the 2014 HYS. Forms A and B were given to secondary students (grades 8, 10, and 12). Some questions on the Forms were available on enhanced versions of the survey and used at the discretion of the school. Form A-enhanced included one optional question on sexual orientation and Form B-enhanced included six optional questions on sexual orientation, behavior and abuse. Form C was given to elementary students (grade 6).

A list of the topics asked and their location in the report are provided in the Questions by Topic section at the end of this report. The Questions by Form Type section provides a list of which Form each question was on.

The following notes are used throughout this report to document the differences between the questions on different versions and indicate the optional questions:


A = wording on Form A; B = wording on Form B; C = wording on Form C

† = additional question on the enhanced survey forms


## Highlights of the Local Results

Your students and students statewide reported the following behaviors and attitudes:

<b>Substance Use</b>	<b>Your Students</b>		<b>Statewide</b>	
	<b>% (±CI)</b>		<b>% (±CI)</b>	
Smoked cigarettes in past 30 days	5.3%	(±2.7)	7.9%	(±1.1)
Drank alcohol in past 30 days	18.5%	(±4.7)	20.6%	(±1.6)
Used marijuana or hashish in past 30 days	18.9%	(±4.7)	18.1%	(±1.7)
Binge drinking in past 2 weeks	8.3%	(±3.3)	10.6%	(±1.1)



<b>Bullying and School Climate</b>	<b>Your Students</b>		<b>Statewide</b>	
	<b>% (±CI)</b>		<b>% (±CI)</b>	
Carried a weapon at school in the past 30 days	3.4%	(±2.2)	5.7%	(±0.7)
Bullied in the past 30 days	16.2%	(±4.5)	22.6%	(±1.3)
Enjoyed being at school over the past year	34.5%	(±5.8)	37.5%	(±2.0)
Felt safe at school	94.0%	(±2.9)	84.6%	(±2.5)



For more information on specific HYS topics, see the Fact Sheets at [www.AskHYS.net](http://www.AskHYS.net), under HYS Results – Fact Sheets

## Selected Results by Gender

Selected survey questions are presented by gender to highlight any differences between females and males.

The p-values reported after each question, calculated from a chi-square test, can be used to examine whether differences between females and males are statistically significant.

A p-value of less than 0.05 means there is a significant difference between females and males (that is, if there really is no difference between females and males, the probability of observing a difference at least this large is less than 5%).

To ensure student anonymity, we do not report results by gender for any question unless a minimum of students answer each response option. These results are “suppressed”.

For your student results by gender, a minimum of 10 students need to answer each response option:

*For example, to report smoking cigarettes in the past 30 days for your students by gender – surveys are needed for at least 10 females who smoke, 10 females who don't smoke, 10 males who smoke, and 10 males who don't smoke.*

For state results by gender, a minimum of 5 students need to answer each response option.

Results that are suppressed are marked with asterisks “\*\*\*”. Many small counties, districts and schools may not have enough students to report results by gender for all or some questions.


	Your Students			Statewide		
	Female %	Male %	p-value	Female %	Male %	p-value
Smoked cigarettes in past 30 days	(n=265)			(n=8,603)		
	***	***	***	7.8%	8.0%	0.7537
Drank alcohol in past 30 days	(n=265)			(n=8,588)		
	23.4%	13.9%	0.0450	21.7%	19.4%	0.0074
Used marijuana or hashish in past 30 days	(n=265)			(n=8,563)		
	16.4%	21.2%	0.3222	17.3%	19.0%	0.0421
Binge drinking in past 2 weeks	(n=265)			(n=8,546)		
	7.8%	8.8%	0.7802	10.4%	10.8%	0.5538
Carried a weapon at school in the past 30 days	(n=264)			(n=8,521)		
	***	***	***	3.7%	7.7%	<.0001
Bullied in the past 30 days	(n=265)			(n=8,724)		
	23.4%	9.5%	0.0021	26.6%	18.3%	<.0001
Enjoyed being at school over the past year	(n=264)			(n=8,466)		
	32.0%	36.8%	0.4187	36.0%	39.2%	0.0027
Felt safe at school	(n=266)			(n=8,714)		
	***	***	***	85.1%	84.0%	0.1299

## Understanding Your Report

### N's

In this report “n” is shorthand for “number”---the number of students who took this survey or who answered a survey question. N's are important! We also report the point estimates (%), and the 95% confidence intervals (CI).

Here is an example of how results are displayed in the report tables and charts.



### How many students took this survey?

Look on page 2, under Survey Participation. The “number of students surveyed” is the number of surveys that we received. We have careful procedures for “cleaning” to remove surveys with many inconsistent or false answers – the “clean” surveys are the “number of valid surveys”. Only valid surveys are presented in this report.

### How many students answered each survey question?

The n's for each question vary. Why? There are several reasons:

- There are four versions of the grades 8, 10, and 12 survey – A, A-enhanced, B, and B-enhanced. Core questions are on all versions, so the n's for those questions are about the same as the number of valid surveys. For non-Core questions the n's will be about half, or less.
- Some versions of the survey had additional questions about sexual orientation, behavior and abuse. Schools that chose to not ask those additional questions will have no responses for those questions. [District and county reports may include some schools that DID ask those questions and some that DID NOT.]
- Not all students finish the survey, so questions near the end have smaller n's. [NOTE: the order of the questions in the report is not the same as on the survey itself.] Also, some students may decide to skip certain questions.

Here are examples from a district with 400 valid surveys --- notice how the n's change with each question type.

<b>17. Have you ever, even once in your life: Used marijuana?</b>	(n=398)	(n=4,000)	N for a core question (almost all students)
a. Yes	49.0% (±3.0)	46.0% (±1.0)	
b. No	51.0% (±3.0)	54.0% (±1.0)	
<b>18. Have you ever, even once in your life: Used inhalants (things you sniff to get high)?</b>	(n=200)	(n=2,000)	N for a question on only one version (about half the students)
a. Yes	11.0% (±4.0)	12.0% (±2.0)	
b. No	89.0% (±4.0)	88.0% (±2.0)	
<b>100. How old were you when you had sexual intercourse for the first time?†</b>	(n=100)	(n=1,500)	N for an additional sexual behavior question (about half, or less if some schools requested surveys without the questions)
a. I have never had sexual intercourse.	70.0% (±8.0)	75.0% (±4.0)	
b. 11 years old or younger	2.0% (±2.0)	2.0% (±1.0)	
c. 12 years old	2.0% (±2.0)	1.0% (±1.0)	
d. 13 years old	5.0% (±2.0)	4.0% (±1.0)	
e. 14 years old	8.0% (±6.0)	7.0% (±2.0)	
f. 15 years old	9.0% (±5.0)	8.0% (±2.0)	
g. 16 years old	3.0% (±3.0)	2.0% (±1.0)	
h. 17 years old or older	1.0% (±1.0)	1.0% (±1.0)	
<b>150. Does your school have a counselor</b>	(n=375)	(n=3,750)	N for a core question near the end of the survey (almost all, except students who don't finish the survey)
a. Yes	90.0% (±3.0)	95.0% (±1.0)	
b. No	5.0% (±2.0)	2.0% (±1.0)	
c. Not sure	5.0% (±2.0)	3.0% (±1.0)	

### How many students are we talking about?

N's are only provided for the total number of students who answered a question, not the individual answer options. Some people find it useful to translate their point estimates (%) into the number of students.

*For example, if 200 students are enrolled in the district and 10% ( $\pm 2\%$ ) reported "Yes" they used inhalants in their lifetime, then an estimated 20 ( $\pm 4$ ) students in the school use inhalants ( $200 \times .10 = 20$ ; and  $200 \times .02 = 4$ ). Enrollment numbers are available on page 2 under Survey Participation.*

### Confidence Intervals

It is unlikely that the point estimate (%) reported for each question is *exactly* the same as the "true" value for all your students. This report includes 95% confidence intervals (CI) to describe this uncertainty. If there is no bias in the data, then there is a 95% chance that the CI will include the true value. So for example, if the point estimate and CI are 51.5% ( $\pm 1.5\%$ ), then there is a 95% chance that the true percentage is between 50.0% and 53.0%.

The size of your CIs depend in part on the n for each question – as more students answer a question, your point estimate is likely to be closer to the "true" value. If you are a small school, district or county your CIs will be large. The confidence interval does not take into account the participation rate – in other words, a low participation rate can create bias which will not be reflected in the CI.

### How can you "use" confidence intervals?

CIs help you to decide if the differences between your students and the state are statistically significant.

*For an example, let's say your students report 25%  $\pm 5\%$ . That means that the CI is between 20% and 30%  
Here is the math:  $25\% - 5\% = 20\%$ , and  $25\% + 5\% = 30\%$*

Using CIs, you can decide if the difference between your students and the state results are statistically significant:

1. A significant difference:

- Your students report 25%  $\pm 5\%$ , so the point estimate is 25% and the CI is 20% to 30%
- Students statewide report 36%  $\pm 3\%$ , so the point estimate is 36% and the CI is 33% to 39%
- The CIs don't overlap, so the difference is significant



2. Not a significant difference:

- Your students report 25%  $\pm 5\%$ , so the point estimate is 25% and the CI is 20% to 30%
- Statewide students report 28%  $\pm 3\%$ , so the point estimate is 28% and the CI is 25% to 31%
- The CI for your students overlaps the point estimate for students statewide, so the difference is not significant



3. Not sure if there is a difference:

- Your students report 25%  $\pm 5\%$ , so the point estimate is 25% and the CI is 20% to 30%
- Statewide students report 32%  $\pm 3\%$ , so the point estimate is 32% and the CI is 29% to 35%
- The CIs overlap, but don't include the other point estimates, so you don't know for sure if they are really different without using the significance testing tool described in the next paragraph.



More information about interpreting CIs is available on the HYS Training web page at [www.AskHYS.net/Training](http://www.AskHYS.net/Training). The Training web page includes past HYS trainings materials and a "Tool for Determining HYS Statistical Significance". Use the "tool" to find out if your results are significantly different.

### More Information

Much of the information on the Healthy Youth Survey is available online at [www.AskHYS.net](http://www.AskHYS.net).

- Under HYS Results, you can find these "Frequency Reports". Also included is the 2012 Interpretive Guide with a detailed overview of the reports, information on statistical issues and how to use your data. There are also topical fact sheets and a data query system where you can run your own simple analysis.
- Under Training, there are copies of past HYS training workshop materials and the tool for testing significant differences.

Technical information is also at [www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey](http://www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey)

## Frequency Results

### Demographics and General Information

1. How old are you?	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=266)		(n=8,829)	
a. 12 or younger	0.0%	( $\pm$ 0.0)	0.1%	( $\pm$ 0.1)
b. 13	0.0%	( $\pm$ 0.0)	0.1%	( $\pm$ 0.1)
c. 14	2.6%	( $\pm$ 1.9)	1.4%	( $\pm$ 0.3)
d. 15	72.2%	( $\pm$ 5.4)	73.7%	( $\pm$ 1.6)
e. 16	24.8%	( $\pm$ 5.2)	24.0%	( $\pm$ 1.6)
f. 17	0.4%	( $\pm$ 0.7)	0.7%	( $\pm$ 0.2)
g. 18	0.0%	( $\pm$ 0.0)	0.1%	( $\pm$ 0.0)
h. 19 or older	0.0%	( $\pm$ 0.0)	0.0%	( $\pm$ 0.0)

[Question 2 appears only on the elementary version of the survey.]

3. Are you:	(n=266)		(n=8,817)	
a. Female	48.1%	( $\pm$ 6.0)	51.6%	( $\pm$ 1.0)
b. Male	51.9%	( $\pm$ 6.0)	48.4%	( $\pm$ 1.0)

4. How do you describe yourself? (Select one or more responses.)	(n=265)		(n=8,794)	
a. American Indian or Alaskan Native	0.4%	( $\pm$ 0.7)	2.4%	( $\pm$ 0.6)
b. Asian or Asian American	5.7%	( $\pm$ 2.8)	9.3%	( $\pm$ 2.8)
c. Black or African-American	1.5%	( $\pm$ 1.5)	4.9%	( $\pm$ 1.6)
d. Hispanic or Latino/Latina	2.6%	( $\pm$ 1.9)	11.8%	( $\pm$ 4.7)
e. Native Hawaiian or other Pacific Islander	0.4%	( $\pm$ 0.7)	2.2%	( $\pm$ 0.7)
f. White or Caucasian	80.4%	( $\pm$ 4.8)	56.0%	( $\pm$ 6.2)
g. Other	3.0%	( $\pm$ 2.1)	5.6%	( $\pm$ 0.6)
More than one race/ethnicity marked	6.0%	( $\pm$ 2.9)	7.8%	( $\pm$ 1.0)

5. What language is usually spoken at home?	(n=266)		(n=8,608)	
a. English	95.5%	( $\pm$ 2.5)	82.0%	( $\pm$ 4.1)
b. Spanish	0.4%	( $\pm$ 0.7)	7.4%	( $\pm$ 3.2)
c. Russian	1.5%	( $\pm$ 1.5)	1.5%	( $\pm$ 0.5)
d. Ukrainian	1.1%	( $\pm$ 1.3)	0.9%	( $\pm$ 0.3)
e. Vietnamese	0.4%	( $\pm$ 0.7)	1.5%	( $\pm$ 0.7)
f. Chinese	0.0%	( $\pm$ 0.0)	1.2%	( $\pm$ 1.0)
g. Korean	0.0%	( $\pm$ 0.0)	0.6%	( $\pm$ 0.4)
h. Japanese	0.0%	( $\pm$ 0.0)	0.3%	( $\pm$ 0.1)
i. Other	1.1%	( $\pm$ 1.3)	4.6%	( $\pm$ 1.1)

[Question 6 appears only on the elementary version of the survey.]



	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=260)		(n=8,413)	
<b>7. How far did your mother get in school?</b>				
a. Did not finish high school	1.5%	(±1.5)	11.4%	(±2.9)
b. Graduated from high school or GED	6.5%	(±3.0)	18.1%	(±2.3)
c. Had some college or technical training after high school	8.1%	(±3.3)	21.4%	(±2.0)
d. Graduated from a 4-year college	49.2%	(±6.1)	22.9%	(±3.6)
e. Earned an advanced graduate degree	27.3%	(±5.5)	12.5%	(±3.0)
f. Don't know	6.5%	(±3.0)	11.6%	(±1.4)
g. Does not apply	0.8%	(±1.1)	2.1%	(±0.4)
<b>8. How far did your father get in school?</b>				
	(n=261)		(n=8,397)	
a. Did not finish high school	2.7%	(±2.0)	11.2%	(±2.6)
b. Graduated from high school or GED	5.7%	(±2.8)	18.1%	(±2.4)
c. Had some college or technical training after high school	9.6%	(±3.6)	16.5%	(±1.7)
d. Graduated from a 4-year college	35.6%	(±5.8)	20.2%	(±3.3)
e. Earned an advanced graduate degree	37.2%	(±5.9)	15.1%	(±3.9)
f. Don't know	7.7%	(±3.2)	15.8%	(±2.1)
g. Does not apply	1.5%	(±1.5)	3.2%	(±0.6)
<b>9. Which of the following best describes you? †</b>				
	(n=131)		(n=1,733)	
a. Heterosexual (straight)	84.7%	(±6.2)	87.7%	(±1.6)
b. Gay or lesbian	1.5%	(±2.1)	1.5%	(±0.7)
c. Bisexual	6.1%	(±4.2)	6.2%	(±0.9)
d. Not sure	7.6%	(±4.6)	4.6%	(±1.0)
<b>10. Who did you live with most of the time in the last 30 days?</b>				
	(n=265)		(n=8,593)	
a. Parent(s) and/or step-parent(s)	96.2%	(±2.3)	93.5%	(±0.8)
b. Relatives—like a grandparent, an aunt, an older brother—but NOT your parents	2.3%	(±1.8)	3.5%	(±0.6)
c. Foster care parent(s)	0.4%	(±0.7)	0.6%	(±0.2)
d. An adult friend(s) of your family	0.4%	(±0.7)	0.6%	(±0.1)
e. Friends of yours with no adults present	0.4%	(±0.7)	0.5%	(±0.2)
f. On your own	0.4%	(±0.7)	0.4%	(±0.1)
g. Other	0.0%	(±0.0)	0.9%	(±0.2)
<b>11. Where did you live most of the time in the last 30 days?</b>				
	(n=265)		(n=8,616)	
a. In a house, apartment, or mobile home	97.7%	(±1.8)	97.5%	(±0.4)
b. In a motel or hotel	0.0%	(±0.0)	0.4%	(±0.2)
c. In a group home	0.4%	(±0.7)	0.4%	(±0.1)
d. In a shelter	0.4%	(±0.7)	0.3%	(±0.1)
e. In a car, park, or campground	0.4%	(±0.7)	0.3%	(±0.1)
f. On the street	0.4%	(±0.7)	0.3%	(±0.1)
g. Moved from place to place	0.8%	(±1.0)	0.4%	(±0.2)
h. Other	0.0%	(±0.0)	0.5%	(±0.1)

	Your Students % ( $\pm$ CI) (n=263)	Statewide % ( $\pm$ CI) (n=8,521)
<b>12. Are your current living arrangements the result of losing your home because your family cannot afford housing?</b>		
a. No	95.1% ( $\pm$ 2.6)	88.5% ( $\pm$ 1.1)
b. Yes	2.3% ( $\pm$ 1.8)	5.2% ( $\pm$ 0.5)
c. Not sure	2.7% ( $\pm$ 2.0)	6.2% ( $\pm$ 0.9)
<b>13. Has your parent or guardian served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, and Reserves)?</b>	(n=132)	(n=4,203)
a. No	82.6% ( $\pm$ 6.6)	74.2% ( $\pm$ 3.3)
b. Yes	15.9% ( $\pm$ 6.3)	21.9% ( $\pm$ 3.5)
c. Not sure	1.5% ( $\pm$ 2.1)	3.8% ( $\pm$ 0.7)
<b>14. Has your military parent or guardian been sent to Iraq, Afghanistan, or other combat zone?</b>	(n=132)	(n=4,196)
a. I do not have a parent or guardian who has ever served in the military.	80.3% ( $\pm$ 6.9)	70.1% ( $\pm$ 3.2)
b. No	11.4% ( $\pm$ 5.5)	15.7% ( $\pm$ 1.6)
c. Yes	6.1% ( $\pm$ 4.1)	8.2% ( $\pm$ 2.0)
d. Not sure	2.3% ( $\pm$ 2.6)	6.0% ( $\pm$ 0.8)
<b>15. How honest were you in filling out this survey?</b>	(n=247)	(n=7,591)
a. I was very honest.	84.2% ( $\pm$ 4.6)	83.0% ( $\pm$ 1.4)
b. I was honest pretty much of the time.	14.2% ( $\pm$ 4.4)	14.5% ( $\pm$ 1.1)
c. I was honest some of the time	1.6% ( $\pm$ 1.6)	2.5% ( $\pm$ 0.4)
d. I was honest once in a while.		surveys pulled
e. I was not honest at all.		surveys pulled

## Alcohol, Tobacco and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

### Lifetime Use

*Have you ever, even once in your life:*

<b>16. Smoked a cigarette, even just a puff? (Computed from question 222)</b>	(n=131)	(n=4,146)
a. No	83.2% ( $\pm$ 6.5)	78.0% ( $\pm$ 2.6)
b. Yes	16.8% ( $\pm$ 6.5)	22.0% ( $\pm$ 2.6)
<b>17. Drank more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from question 17 or 223)</b>	(n=265)	(n=8,579)
a. No	57.4% ( $\pm$ 6.0)	49.9% ( $\pm$ 2.1)
b. Yes	42.6% ( $\pm$ 6.0)	50.1% ( $\pm$ 2.1)
<b>18. Used marijuana? (Computed from question 18 or 221)</b>	(n=265)	(n=8,565)
a. No	75.8% ( $\pm$ 5.2)	70.6% ( $\pm$ 2.5)
b. Yes	24.2% ( $\pm$ 5.2)	29.4% ( $\pm$ 2.5)

	Your Students % ( $\pm$ CI) (n=131)	Statewide % ( $\pm$ CI) (n=4,095)
<b>19. Used inhalants (things you sniff to get high)?</b>		
a. No	94.7% ( $\pm$ 3.9)	92.4% ( $\pm$ 0.9)
b. Yes	5.3% ( $\pm$ 3.9)	7.6% ( $\pm$ 0.9)
<b>20. Used heroin?</b>		
a. No	99.2% ( $\pm$ 1.5)	96.6% ( $\pm$ 0.7)
b. Yes	0.8% ( $\pm$ 1.5)	3.4% ( $\pm$ 0.7)
<b>21. Used methamphetamines (meth, crystal meth, ice, crank)? Do not include other types of amphetamines.</b>		
a. No	98.5% ( $\pm$ 2.1)	95.9% ( $\pm$ 0.8)
b. Yes	1.5% ( $\pm$ 2.1)	4.1% ( $\pm$ 0.8)
<b>22. Used cocaine?</b>		
a. No	94.7% ( $\pm$ 3.9)	95.8% ( $\pm$ 0.8)
b. Yes	5.3% ( $\pm$ 3.9)	4.2% ( $\pm$ 0.8)
<b>23. Used steroids (muscle builders) without a doctor's prescription?</b>		
a. No	98.5% ( $\pm$ 2.1)	96.8% ( $\pm$ 0.6)
b. Yes	1.5% ( $\pm$ 2.1)	3.2% ( $\pm$ 0.6)

[Question 24 appears only on the elementary version of the survey.]

### 30-Day Use (Use in the Past 30 Days)

*During the past 30 days, on how many days did you:*

	(n=265)	(n=8,619)
<b>25. Smoke cigarettes?</b>		
a. None	94.7% ( $\pm$ 2.7)	92.1% ( $\pm$ 1.1)
b. 1-2 days	3.0% ( $\pm$ 2.1)	2.8% ( $\pm$ 0.4)
c. 3-5 days	0.8% ( $\pm$ 1.0)	1.4% ( $\pm$ 0.3)
d. 6-9 days	0.8% ( $\pm$ 1.0)	1.0% ( $\pm$ 0.2)
e. 10-29 days	0.4% ( $\pm$ 0.7)	1.2% ( $\pm$ 0.3)
f. All 30 days	0.4% ( $\pm$ 0.7)	1.5% ( $\pm$ 0.4)
<i>Any use in past 30 days</i>	5.3% ( $\pm$ 2.7)	7.9% ( $\pm$ 1.1)
<b>26. Use chewing tobacco, snuff, or dip?</b>		
a. None	99.3% ( $\pm$ 1.5)	96.3% ( $\pm$ 0.6)
b. 1-2 days	0.7% ( $\pm$ 1.5)	1.7% ( $\pm$ 0.4)
c. 3-5 days	0.0% ( $\pm$ 0.0)	0.4% ( $\pm$ 0.2)
d. 6-9 days	0.0% ( $\pm$ 0.0)	0.4% ( $\pm$ 0.2)
e. 10-29 days	0.0% ( $\pm$ 0.0)	0.5% ( $\pm$ 0.2)
f. All 30 days	0.0% ( $\pm$ 0.0)	0.6% ( $\pm$ 0.3)
<i>Any use in past 30 days</i>	0.7% ( $\pm$ 1.5)	3.7% ( $\pm$ 0.6)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=134)		(n=4,445)	
<b>27. Smoke cigars, cigarillos, or little cigars?</b>				
a. None	100.0%	( $\pm$ 0.0)	94.9%	( $\pm$ 0.7)
b. 1-2 days	0.0%	( $\pm$ 0.0)	2.8%	( $\pm$ 0.5)
c. 3-9 days	0.0%	( $\pm$ 0.0)	1.2%	( $\pm$ 0.3)
d. 10-29 days	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.3)
e. All 30 days	0.0%	( $\pm$ 0.0)	0.5%	( $\pm$ 0.2)
<i>Any use in past 30 days</i>	0.0%	( $\pm$ 0.0)	5.1%	( $\pm$ 0.7)
<b>28. Use an electronic cigarette, also called e-cigs, or vape pens?</b>				
	(n=134)		(n=4,440)	
a. None	91.0%	( $\pm$ 4.9)	82.0%	( $\pm$ 1.6)
b. 1-2 days	9.0%	( $\pm$ 4.9)	8.1%	( $\pm$ 1.0)
c. 3-9 days	0.0%	( $\pm$ 0.0)	4.9%	( $\pm$ 0.7)
d. 10-29 days	0.0%	( $\pm$ 0.0)	2.9%	( $\pm$ 0.6)
e. All 30 days	0.0%	( $\pm$ 0.0)	2.0%	( $\pm$ 0.6)
<i>Any use in past 30 days</i>	9.0%	( $\pm$ 4.9)	18.0%	( $\pm$ 1.6)
<b>29. Smoke tobacco or flavored tobacco in a hookah, even just a puff?</b>				
	(n=134)		(n=4,443)	
a. None	97.8%	( $\pm$ 2.5)	90.0%	( $\pm$ 1.3)
b. 1-2 days	2.2%	( $\pm$ 2.5)	5.1%	( $\pm$ 0.8)
c. 3-9 days	0.0%	( $\pm$ 0.0)	2.8%	( $\pm$ 0.6)
d. 10-29 days	0.0%	( $\pm$ 0.0)	1.1%	( $\pm$ 0.3)
e. All 30 days	0.0%	( $\pm$ 0.0)	0.9%	( $\pm$ 0.3)
<i>Any use in past 30 days</i>	2.2%	( $\pm$ 2.5)	10.0%	( $\pm$ 1.3)
<b>30. Not including menthols – during the past 30 days on how many days did you use tobacco that tastes like candy, fruit or alcohol (tobacco includes: little cigars, bidis, cloves, chew, spit, snus, hookah)?</b>				
	(n=134)		(n=4,444)	
a. None	98.5%	( $\pm$ 2.1)	90.9%	( $\pm$ 1.0)
b. 1-2 days	1.5%	( $\pm$ 2.1)	4.3%	( $\pm$ 0.5)
c. 3-9 days	0.0%	( $\pm$ 0.0)	2.8%	( $\pm$ 0.5)
d. 10-29 days	0.0%	( $\pm$ 0.0)	1.5%	( $\pm$ 0.3)
e. All 30 days	0.0%	( $\pm$ 0.0)	0.5%	( $\pm$ 0.2)
<i>Any use in past 30 days</i>	1.5%	( $\pm$ 2.1)	9.1%	( $\pm$ 1.0)
<b>31. Are the cigarettes that you usually smoke menthol cigarettes?</b>				
	(n=134)		(n=4,441)	
a. I do not smoke cigarettes.	98.5%	( $\pm$ 2.1)	91.8%	( $\pm$ 1.2)
b. Yes	0.0%	( $\pm$ 0.0)	3.2%	( $\pm$ 0.7)
c. No	1.5%	( $\pm$ 2.1)	5.0%	( $\pm$ 0.7)

**During the past 30 days, on how many days did you:**

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=265)		(n=8,604)	
<b>32. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard liquor)?</b>				
a. None	81.5%	( $\pm$ 4.7)	79.4%	( $\pm$ 1.6)
b. 1-2 days	10.6%	( $\pm$ 3.7)	12.9%	( $\pm$ 1.1)
c. 3-5 days	6.4%	( $\pm$ 3.0)	4.3%	( $\pm$ 0.6)
d. 6-9 days	1.5%	( $\pm$ 1.5)	1.7%	( $\pm$ 0.3)
e. 10 or more days	0.0%	( $\pm$ 0.0)	1.7%	( $\pm$ 0.3)
<i>Any use in past 30 days</i>	18.5%	( $\pm$ 4.7)	20.6%	( $\pm$ 1.6)
<b>33. Use marijuana or hashish (weed, hash, pot)?</b>	(n=265)		(n=8,579)	
a. None	81.1%	( $\pm$ 4.7)	81.9%	( $\pm$ 1.7)
b. 1-2 days	10.2%	( $\pm$ 3.7)	6.7%	( $\pm$ 0.7)
c. 3-5 days	4.9%	( $\pm$ 2.6)	3.6%	( $\pm$ 0.5)
d. 6-9 days	0.4%	( $\pm$ 0.7)	2.0%	( $\pm$ 0.4)
e. 10 or more days	3.4%	( $\pm$ 2.2)	5.9%	( $\pm$ 0.9)
<i>Any use in past 30 days</i>	18.9%	( $\pm$ 4.7)	18.1%	( $\pm$ 1.7)
<b>34. Not counting alcohol, tobacco, or marijuana, use another illegal drug?</b>	(n=265)		(n=8,572)	
a. None	94.0%	( $\pm$ 2.9)	95.6%	( $\pm$ 0.5)
b. 1-2 days	4.5%	( $\pm$ 2.5)	2.3%	( $\pm$ 0.3)
c. 3-5 days	0.8%	( $\pm$ 1.0)	1.0%	( $\pm$ 0.2)
d. 6-9 days	0.0%	( $\pm$ 0.0)	0.4%	( $\pm$ 0.2)
e. 10 or more days	0.8%	( $\pm$ 1.0)	0.6%	( $\pm$ 0.2)
<i>Any use in past 30 days</i>	6.0%	( $\pm$ 2.9)	4.4%	( $\pm$ 0.5)
<b>35. Use any illegal drug, including marijuana? (Computed from questions 33 and 34)</b>	(n=265)		(n=8,544)	
None	79.6%	( $\pm$ 4.9)	81.1%	( $\pm$ 1.7)
<i>Any use in past 30 days</i>	20.4%	( $\pm$ 4.9)	18.9%	( $\pm$ 1.7)
<b>36. Use a pain killer TO GET HIGH, like Vicodin, OxyContin (sometimes called Oxy or OC) or Percocet (sometimes called Percs)?</b>	(n=265)		(n=8,565)	
a. None	96.6%	( $\pm$ 2.2)	95.4%	( $\pm$ 0.6)
b. 1-2 days	2.3%	( $\pm$ 1.8)	2.4%	( $\pm$ 0.4)
c. 3-5 days	0.8%	( $\pm$ 1.0)	1.3%	( $\pm$ 0.3)
d. 6-9 days	0.0%	( $\pm$ 0.0)	0.5%	( $\pm$ 0.2)
e. 10 or more days	0.4%	( $\pm$ 0.7)	0.4%	( $\pm$ 0.1)
<i>Any use in past 30 days</i>	3.4%	( $\pm$ 2.2)	4.6%	( $\pm$ 0.6)
<b>37. Use prescription drugs not prescribed to you?</b>	(n=131)		(n=4,129)	
a. None	95.4%	( $\pm$ 3.6)	92.4%	( $\pm$ 0.9)
b. 1-2 days	3.8%	( $\pm$ 3.3)	5.0%	( $\pm$ 0.7)
c. 3-5 days	0.0%	( $\pm$ 0.0)	1.3%	( $\pm$ 0.4)
d. 6-9 days	0.8%	( $\pm$ 1.5)	0.5%	( $\pm$ 0.2)
e. 10 or more days	0.0%	( $\pm$ 0.0)	0.8%	( $\pm$ 0.3)
<i>Any use in past 30 days</i>	4.6%	( $\pm$ 3.6)	7.6%	( $\pm$ 0.9)

### Other Tobacco-Related Questions

	Your Students % ( $\pm$ CI) (n=132)	Statewide % ( $\pm$ CI) (n=4,100)
<b>38. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?</b>		
a. 0 days	84.1% ( $\pm$ 6.3)	72.0% ( $\pm$ 2.8)
b. 1–2 days	10.6% ( $\pm$ 5.3)	14.4% ( $\pm$ 1.5)
c. 3–4 days	4.5% ( $\pm$ 3.6)	5.3% ( $\pm$ 0.9)
d. 5–6 days	0.0% ( $\pm$ 0.0)	2.8% ( $\pm$ 0.5)
e. 7 days	0.8% ( $\pm$ 1.5)	5.6% ( $\pm$ 1.1)
<b>39. During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?</b>	(n=132)	(n=4,098)
a. 0 days	92.4% ( $\pm$ 4.6)	81.7% ( $\pm$ 2.5)
b. 1–2 days	5.3% ( $\pm$ 3.9)	8.7% ( $\pm$ 1.3)
c. 3–4 days	1.5% ( $\pm$ 2.1)	3.6% ( $\pm$ 0.7)
d. 5–6 days	0.8% ( $\pm$ 1.5)	2.8% ( $\pm$ 0.6)
e. 7 days	0.0% ( $\pm$ 0.0)	3.2% ( $\pm$ 0.8)
<b>40. Does anyone who lives with you now smoke cigarettes?</b>	(n=132)	(n=4,092)
a. No	90.2% ( $\pm$ 5.2)	74.0% ( $\pm$ 3.0)
b. Yes	9.8% ( $\pm$ 5.2)	26.0% ( $\pm$ 3.0)
<b>41. Which of these best describes the rules about smoking inside the house where you live? Smoking is...</b>	(n=131)	(n=4,070)
a. Never allowed inside my house	96.2% ( $\pm$ 3.3)	88.3% ( $\pm$ 1.6)
b. Allowed only at some times or in some places	1.5% ( $\pm$ 2.1)	8.5% ( $\pm$ 1.2)
c. Always allowed inside my house	2.3% ( $\pm$ 2.6)	3.3% ( $\pm$ 0.8)
<b>42. How wrong do your friends feel it would be for you to: Use tobacco?</b>	(n=121)	(n=3,674)
a. Very wrong	76.9% ( $\pm$ 7.6)	59.3% ( $\pm$ 2.5)
b. Wrong	14.9% ( $\pm$ 6.4)	23.3% ( $\pm$ 1.7)
c. A little bit wrong	5.0% ( $\pm$ 3.9)	10.5% ( $\pm$ 1.1)
d. Not at all wrong	3.3% ( $\pm$ 3.2)	6.9% ( $\pm$ 1.3)

### Other Alcohol-Related Questions

	Your Students % ( $\pm$ CI) (n=265)	Statewide % ( $\pm$ CI) (n=8,562)
<b>43. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)</b>		
a. None	91.7% ( $\pm$ 3.3)	89.4% ( $\pm$ 1.1)
b. Once	4.5% ( $\pm$ 2.5)	5.0% ( $\pm$ 0.6)
c. Twice	2.6% ( $\pm$ 1.9)	2.6% ( $\pm$ 0.4)
d. 3–5 times	1.1% ( $\pm$ 1.3)	1.9% ( $\pm$ 0.4)
e. 6–9 times	0.0% ( $\pm$ 0.0)	0.6% ( $\pm$ 0.1)
f. 10 or more times	0.0% ( $\pm$ 0.0)	0.5% ( $\pm$ 0.2)

	Your Students		Statewide	
	%(±CI)		%(±CI)	
	(n=265)		(n=8,555)	
<b>44. Drinking Categories Variable (computed from questions 32 and 43)</b>				
No drinking past 30 days and no binge past 2 weeks	80.8%	(±4.8)	78.1%	(±1.7)
1–2 days drinking past 30 days and no binge past 2 weeks	9.4%	(±3.5)	9.2%	(±0.9)
3–5 days drinking past 30 days and/or 1 binge past 2 weeks	5.7%	(±2.8)	5.8%	(±0.7)
6+ days drinking past 30 days and/or 2+ binge past 2 weeks	4.2%	(±2.4)	6.9%	(±0.8)
<b>45. During the past 30 days, what type of alcohol did you usually drink?</b>	(n=125)		(n=3,806)	
a. I did not drink alcohol during the past 30 days.	76.8%	(±7.5)	79.1%	(±2.2)
b. I do not have a usual type.	3.2%	(±3.1)	2.8%	(±0.5)
c. Beer	0.8%	(±1.6)	4.5%	(±1.1)
d. Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	2.4%	(±2.7)	2.7%	(±0.7)
e. Wine coolers, such as Bartles & Jaymes or Seagrams	1.6%	(±2.2)	0.5%	(±0.2)
f. Wine	0.8%	(±1.6)	1.6%	(±0.4)
g. Liquor, such as vodka, rum, scotch, bourbon or whiskey	13.6%	(±6.1)	8.1%	(±1.1)
h. Some other type	0.8%	(±1.6)	0.8%	(±0.3)
<b>46. During the past 30 days, how did you get alcohol (beer, wine or hard liquor)? Choose all that apply.</b>	(n=146)		(n=4,352)	
a. I did not get alcohol in the past 30 days.	75.0%	(±7.5)	70.1%	(±3.1)
b. I bought it from a store.	0.0%	(±0.0)	1.4%	(±0.3)
c. I stole it from a store.	2.3%	(±2.6)	1.3%	(±0.3)
d. I got it from friends.	8.3%	(±4.8)	7.5%	(±1.2)
e. I got it at a party.	5.3%	(±3.9)	5.3%	(±1.2)
f. I got it from an older brother or sister.	0.8%	(±1.5)	1.8%	(±0.4)
g. I gave money to someone to get it for me.	5.3%	(±3.9)	3.1%	(±0.5)
h. I took it from home without my parents' permission.	6.1%	(±4.1)	4.2%	(±0.8)
i. I got it at home with my parents' permission.	2.3%	(±2.6)	2.9%	(±0.6)
j. I got it some other way.	5.3%	(±3.9)	2.2%	(±0.4)
<b>47. NOT including talks on drinking and driving, in the past year have your parents or guardians talked to you about why you should not drink alcohol?</b>	(n=132)		(n=4,245)	
a. Yes, a number of times	34.8%	(±8.2)	38.4%	(±1.7)
b. Yes, once	25.0%	(±7.5)	21.3%	(±1.1)
c. No	25.8%	(±7.6)	28.9%	(±1.7)
d. I don't remember.	14.4%	(±6.1)	11.3%	(±0.9)
<b>48. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?</b>	(n=132)		(n=4,342)	
a. Very wrong	91.7%	(±4.8)	84.0%	(±1.6)
b. Wrong	6.8%	(±4.4)	11.6%	(±1.4)
c. A little bit wrong	1.5%	(±2.1)	3.0%	(±0.4)
d. Not wrong at all	0.0%	(±0.0)	1.4%	(±0.5)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=126)		(n=3,848)	
<b>49. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?</b>				
a. 0 days	92.9%	( $\pm$ 4.6)	93.9%	( $\pm$ 1.0)
b. 1–2 days	5.6%	( $\pm$ 4.1)	3.3%	( $\pm$ 0.6)
c. 3–9 days	1.6%	( $\pm$ 2.2)	1.4%	( $\pm$ 0.4)
d. 10–29 days	0.0%	( $\pm$ 0.0)	0.6%	( $\pm$ 0.3)
e. All 30 days	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.3)
<b>50. How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?</b>				
	(n=121)		(n=3,670)	
a. Very wrong	58.7%	( $\pm$ 8.9)	51.3%	( $\pm$ 2.6)
b. Wrong	25.6%	( $\pm$ 7.9)	25.6%	( $\pm$ 1.4)
c. A little bit wrong	11.6%	( $\pm$ 5.8)	14.6%	( $\pm$ 1.5)
d. Not at all wrong	4.1%	( $\pm$ 3.6)	8.6%	( $\pm$ 1.3)
<b>51. Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly?</b>				
	(n=129)		(n=4,027)	
a. Very wrong	7.0%	( $\pm$ 4.5)	10.2%	( $\pm$ 1.7)
b. Wrong	26.4%	( $\pm$ 7.7)	26.0%	( $\pm$ 2.3)
c. A little bit wrong	45.0%	( $\pm$ 8.7)	44.9%	( $\pm$ 1.9)
d. Not wrong at all	21.7%	( $\pm$ 7.2)	18.8%	( $\pm$ 2.6)
<b>52. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week?</b>				
	(n=132)		(n=4,216)	
a. No risk	0.0%	( $\pm$ 0.0)	3.4%	( $\pm$ 0.6)
b. Slight risk	6.8%	( $\pm$ 4.4)	8.8%	( $\pm$ 1.3)
c. Moderate risk	33.3%	( $\pm$ 8.1)	28.7%	( $\pm$ 1.8)
d. Great risk	56.1%	( $\pm$ 8.6)	56.2%	( $\pm$ 2.5)
e. Not sure	3.8%	( $\pm$ 3.3)	3.0%	( $\pm$ 0.6)
<b>53. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?</b>				
	(n=130)		(n=3,981)	
a. Neither approve nor disapprove	14.6%	( $\pm$ 6.2)	21.6%	( $\pm$ 1.7)
b. Somewhat disapprove	20.8%	( $\pm$ 7.1)	21.0%	( $\pm$ 1.3)
c. Strongly disapprove	61.5%	( $\pm$ 8.5)	50.3%	( $\pm$ 2.4)
d. Don't know or can't say	3.1%	( $\pm$ 3.0)	7.2%	( $\pm$ 1.2)



54. In the past year, which of the following happened because you drank alcohol or used drugs? Choose all that apply.	Your Students		Statewide	
	% ( $\pm$ CI) (n=144)		% ( $\pm$ CI) (n=4,130)	
a. I did not use alcohol or drugs in the past year.	63.6%	( $\pm$ 8.3)	59.9%	( $\pm$ 3.1)
b. I did not have any problems from drinking alcohol or using drugs in the past year.	23.5%	( $\pm$ 7.3)	18.0%	( $\pm$ 1.7)
c. I missed classes or school.	0.8%	( $\pm$ 1.5)	1.5%	( $\pm$ 0.4)
d. I failed classes or dropped out of school.	0.8%	( $\pm$ 1.5)	0.9%	( $\pm$ 0.3)
e. I got sick (vomited) or had a hangover.	3.8%	( $\pm$ 3.3)	4.4%	( $\pm$ 0.9)
f. I felt depressed, anxious, scared, or had other emotional problems.	0.8%	( $\pm$ 1.5)	2.3%	( $\pm$ 0.6)
g. I got hurt or injured.	3.8%	( $\pm$ 3.3)	1.0%	( $\pm$ 0.3)
h. I hurt or injured someone else.	2.3%	( $\pm$ 2.6)	0.6%	( $\pm$ 0.3)
i. I got in trouble with my parents or family.	5.3%	( $\pm$ 3.9)	3.0%	( $\pm$ 0.8)
j. I did things I didn't want to do or regretted afterward.	4.5%	( $\pm$ 3.6)	3.0%	( $\pm$ 0.6)

### Other Marijuana-Related Questions

55. During the past 30 days, if you used marijuana, how did you usually use it?	(n=125)		(n=3,784)	
	a. I did not use marijuana during the past 30 days.	79.2%	( $\pm$ 7.2)	81.8%
b. Smoked it (in a joint, bong, pipe, blunt)	12.8%	( $\pm$ 5.9)	13.5%	( $\pm$ 1.6)
c. Ate it (in brownies, cakes, cookies, candy)	1.6%	( $\pm$ 2.2)	2.7%	( $\pm$ 0.7)
d. Drank it (tea, cola, alcohol)	1.6%	( $\pm$ 2.2)	0.5%	( $\pm$ 0.2)
e. Vaporized it	4.8%	( $\pm$ 3.8)	1.0%	( $\pm$ 0.3)
f. Used it some other way	0.0%	( $\pm$ 0.0)	0.5%	( $\pm$ 0.2)

56. During the past 30 days, how did you get marijuana? Choose all that apply.	(n=137)		(n=4,183)	
	a. I did not get marijuana in the past 30 days.	75.8%	( $\pm$ 7.4)	70.9%
b. I bought it from a store.	0.8%	( $\pm$ 1.5)	1.9%	( $\pm$ 0.4)
c. I stole it from a store.	0.8%	( $\pm$ 1.5)	1.0%	( $\pm$ 0.3)
d. I got it from friends.	12.1%	( $\pm$ 5.6)	9.8%	( $\pm$ 1.3)
e. I got it at a party.	3.8%	( $\pm$ 3.3)	3.0%	( $\pm$ 0.6)
f. I got it from an older brother or sister.	2.3%	( $\pm$ 2.6)	1.6%	( $\pm$ 0.4)
g. I gave money to someone to get it for me.	4.5%	( $\pm$ 3.6)	3.1%	( $\pm$ 0.6)
h. I took it from home without my parents' permission.	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.3)
i. I got it at home with my parents' permission.	0.0%	( $\pm$ 0.0)	1.1%	( $\pm$ 0.3)
j. I got it some other way.	3.8%	( $\pm$ 3.3)	2.7%	( $\pm$ 0.6)

57. In the past year, have your parents or guardians talked to you about why you should not use marijuana?	(n=132)		(n=4,235)	
	a. Yes, a number of times	32.6%	( $\pm$ 8.1)	38.0%
b. Yes, once	24.2%	( $\pm$ 7.4)	22.9%	( $\pm$ 1.1)
c. No	37.9%	( $\pm$ 8.4)	32.1%	( $\pm$ 1.3)
d. I don't remember.	5.3%	( $\pm$ 3.9)	7.1%	( $\pm$ 0.8)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=125)		(n=3,766)	
<b>58. Does anyone who lives with you now use marijuana?</b>				
a. No	79.2%	(±7.2)	79.9%	(±2.0)
b. Yes	20.8%	(±7.2)	20.1%	(±2.0)
<b>59. During the past 30 days, on how many days did you use marijuana on school property?</b>				
	(n=126)		(n=3,838)	
a. 0 days	92.9%	(±4.6)	92.9%	(±1.2)
b. 1–2 days	2.4%	(±2.7)	3.5%	(±0.8)
c. 3–9 days	2.4%	(±2.7)	1.7%	(±0.5)
d. 10–29 days	1.6%	(±2.2)	1.0%	(±0.3)
e. All 30 days	0.8%	(±1.6)	0.9%	(±0.3)
<b>60. How wrong do your friends feel it would be for you to: Use marijuana?</b>				
	(n=121)		(n=3,673)	
a. Very wrong	41.3%	(±8.9)	46.4%	(±2.7)
b. Wrong	19.0%	(±7.1)	18.7%	(±1.3)
c. A little bit wrong	20.7%	(±7.3)	17.2%	(±1.4)
d. Not at all wrong	19.0%	(±7.1)	17.6%	(±1.7)

### Other Alcohol- and Drug-Related Questions

<b>61. How many times in the past year (12 months) have you been drunk or high at school?</b>				
	(n=131)		(n=4,126)	
a. Never	88.5%	(±5.5)	86.1%	(±1.7)
b. 1–2 times	6.1%	(±4.2)	6.4%	(±0.9)
c. 3–5 times	2.3%	(±2.6)	2.7%	(±0.5)
d. 6–9 times	0.0%	(±0.0)	1.8%	(±0.4)
e. 10 or more times	3.1%	(±3.0)	3.0%	(±0.6)
<b>62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs?</b>				
	(n=131)		(n=4,230)	
a. Never	9.2%	(±5.0)	17.9%	(±2.7)
b. Once	17.6%	(±6.6)	26.3%	(±2.0)
c. 2–3 times	32.8%	(±8.1)	32.4%	(±2.6)
d. 4 or more times	40.5%	(±8.5)	23.4%	(±2.5)
<b>63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you?</b>				
	(n=131)		(n=4,332)	
a. Very wrong	88.5%	(±5.5)	83.0%	(±1.6)
b. Wrong	10.7%	(±5.4)	11.7%	(±1.3)
c. A little bit wrong	0.0%	(±0.0)	3.5%	(±0.6)
d. Not at all wrong	0.8%	(±1.5)	1.8%	(±0.4)
<b>64. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you?</b>				
	(n=121)		(n=3,662)	
a. Very wrong	72.7%	(±8.0)	65.0%	(±1.9)
b. Wrong	20.7%	(±7.3)	20.8%	(±1.3)
c. A little bit wrong	4.1%	(±3.6)	9.7%	(±1.1)
d. Not at all wrong	2.5%	(±2.8)	4.6%	(±0.8)

65. How much do you think people risk harming themselves if they: Use prescription drugs that are not prescribed to them?	Your Students		Statewide	
	% ( $\pm$ CI) (n=132)		% ( $\pm$ CI) (n=4,212)	
a. No risk	0.8%	( $\pm$ 1.5)	2.8%	( $\pm$ 0.7)
b. Slight risk	5.3%	( $\pm$ 3.9)	5.9%	( $\pm$ 0.9)
c. Moderate risk	21.2%	( $\pm$ 7.1)	18.9%	( $\pm$ 1.3)
d. Great risk	68.9%	( $\pm$ 8.0)	67.6%	( $\pm$ 2.2)
e. Not sure	3.8%	( $\pm$ 3.3)	4.8%	( $\pm$ 0.8)

## Other Health Concerns

### Nutrition and Fitness

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, depression, and gambling behavior. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

66. Obese or overweight? (Computed from numeric responses to "How tall are you without your shoes on?" and "How much do you weigh without your shoes on?")	(n=125)		(n=4,126)	
	Obese	3.2%	( $\pm$ 3.1)	11.2%
Overweight	10.4%	( $\pm$ 5.4)	13.8%	( $\pm$ 1.6)
Normal weight	83.2%	( $\pm$ 6.6)	71.3%	( $\pm$ 2.6)
Underweight	3.2%	( $\pm$ 3.1)	3.7%	( $\pm$ 0.6)

67. Which of the following are you trying to do about your weight?	(n=133)		(n=4,361)	
	a. I am not trying to do anything about my weight.	36.8%	( $\pm$ 8.3)	30.3%
b. Lose weight	30.8%	( $\pm$ 8.0)	40.1%	( $\pm$ 2.4)
c. Gain weight	13.5%	( $\pm$ 5.9)	13.4%	( $\pm$ 1.1)
d. Stay the same weight	18.8%	( $\pm$ 6.7)	16.2%	( $\pm$ 1.2)

68. How often do you eat dinner with your family?	(n=133)		(n=4,361)	
	a. Never	3.0%	( $\pm$ 2.9)	6.3%
b. Rarely	6.8%	( $\pm$ 4.3)	13.6%	( $\pm$ 1.4)
c. Sometimes	14.3%	( $\pm$ 6.0)	19.0%	( $\pm$ 1.4)
d. Most of the time	47.4%	( $\pm$ 8.6)	34.3%	( $\pm$ 2.2)
e. Always	28.6%	( $\pm$ 7.8)	26.8%	( $\pm$ 1.6)

69. How often in the past 12 months did you or your family have to cut meal size or skip meals because there wasn't enough money for food?	(n=262)		(n=8,434)	
	a. Almost every month	1.9%	( $\pm$ 1.7)	3.9%
b. Some months but not every month	3.1%	( $\pm$ 2.1)	4.7%	( $\pm$ 0.6)
c. Only 1–2 months	0.8%	( $\pm$ 1.1)	4.7%	( $\pm$ 0.7)
d. Did not have to skip or cut the size of meals.	94.3%	( $\pm$ 2.8)	86.8%	( $\pm$ 1.5)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=132)		(n=4,382)	
<b>70. Number of servings of fruits and vegetables eaten per day (Computed from FV1 – FV6)</b>				
a. Less than 1	3.8%	(±3.3)	10.2%	(±1.4)
b. 1 to less than 3	41.7%	(±8.5)	45.1%	(±1.8)
c. 3 to less than 5	28.8%	(±7.8)	23.2%	(±1.8)
d. 5 or more	25.8%	(±7.6)	21.5%	(±1.5)
<b>71. Did you eat breakfast today?</b>	(n=134)		(n=4,365)	
a. Yes	77.6%	(±7.1)	65.0%	(±3.1)
b. No	22.4%	(±7.1)	35.0%	(±3.1)
<b>72. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe)? Do not include diet drinks.</b>	(n=134)		(n=4,381)	
a. 0 times	32.8%	(±8.1)	20.2%	(±1.9)
b. 1–3 times	48.5%	(±8.6)	40.5%	(±1.2)
c. 4–6 times	9.0%	(±4.9)	19.8%	(±1.5)
d. 1 time per day	5.2%	(±3.8)	8.5%	(±1.1)
e. 2 times per day	3.7%	(±3.3)	5.8%	(±0.9)
f. 3 times per day	0.0%	(±0.0)	2.5%	(±0.5)
g. 4 or more times per day	0.7%	(±1.5)	2.7%	(±0.6)
<b>73. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and weekend activities)? Do not include diet drinks.</b>	(n=134)		(n=4,390)	
a. 0 times	65.7%	(±8.1)	51.4%	(±2.8)
b. 1–3 times	31.3%	(±8.0)	35.4%	(±2.1)
c. 4–6 times	2.2%	(±2.5)	9.4%	(±1.0)
d. 7–9 times	0.0%	(±0.0)	2.1%	(±0.5)
e. 10 times or more	0.7%	(±1.5)	1.6%	(±0.3)
<b>74. During the past 7 days, where did you usually get the soda or other sweetened drinks that you drank at school? (Choose only one answer.)</b>	(n=134)		(n=4,373)	
a. I did not drink sodas, sports drinks, or other flavored drinks at school.	53.7%	(±8.6)	48.0%	(±2.6)
b. I brought them from home.	15.7%	(±6.2)	23.0%	(±1.9)
c. I got them from friends.	3.0%	(±2.9)	5.3%	(±0.7)
d. I bought them at school.	17.9%	(±6.6)	13.1%	(±2.7)
e. Other	9.7%	(±5.1)	10.7%	(±2.5)

[Questions 75-76 appear only on the elementary version of the survey.]

<b>77. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school (including any after-school and weekend activities)? Do not include reduced fat or fat-free items.</b>	<b>Your Students</b> % ( $\pm$ CI) (n=133)	<b>Statewide</b> % ( $\pm$ CI) (n=4,368)
a. 0 times	37.6% ( $\pm$ 8.3)	45.1% ( $\pm$ 2.4)
b. 1–3 times	48.9% ( $\pm$ 8.6)	38.8% ( $\pm$ 1.8)
c. 4–6 times	10.5% ( $\pm$ 5.3)	11.7% ( $\pm$ 1.1)
d. 7–9 times	1.5% ( $\pm$ 2.1)	2.9% ( $\pm$ 0.6)
e. 10 times or more	1.5% ( $\pm$ 2.1)	1.5% ( $\pm$ 0.3)

<b>78. During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer)</b>	<b>(n=132)</b>	<b>(n=4,363)</b>
a. I did not eat potato chips or similar snack foods at school.	36.4% ( $\pm$ 8.3)	43.7% ( $\pm$ 2.5)
b. I brought them from home	28.8% ( $\pm$ 7.8)	28.9% ( $\pm$ 2.2)
c. I got them from friends	3.8% ( $\pm$ 3.3)	6.9% ( $\pm$ 0.8)
d. I bought them at school	22.7% ( $\pm$ 7.2)	11.3% ( $\pm$ 2.2)
e. Other	8.3% ( $\pm$ 4.8)	9.1% ( $\pm$ 1.4)

<b>79. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)</b>	<b>(n=133)</b>	<b>(n=4,356)</b>
a. 0 days	10.5% ( $\pm$ 5.3)	12.0% ( $\pm$ 1.7)
b. 1 day	8.3% ( $\pm$ 4.7)	6.9% ( $\pm$ 0.9)
c. 2 days	6.0% ( $\pm$ 4.1)	8.2% ( $\pm$ 0.9)
d. 3 days	7.5% ( $\pm$ 4.5)	11.2% ( $\pm$ 1.5)
e. 4 days	12.0% ( $\pm$ 5.6)	9.8% ( $\pm$ 1.1)
f. 5 days	18.8% ( $\pm$ 6.7)	17.6% ( $\pm$ 1.4)
g. 6 days	16.5% ( $\pm$ 6.4)	10.7% ( $\pm$ 1.4)
h. 7 days	20.3% ( $\pm$ 6.9)	23.5% ( $\pm$ 2.0)

<b>80. On how many of the past 7 days did you do exercises to strengthen or tone your muscles, such as push-ups, sit-ups, or weight lifting?</b>	<b>(n=133)</b>	<b>(n=4,348)</b>
a. 0 days	30.8% ( $\pm$ 8.0)	24.7% ( $\pm$ 2.5)
b. 1 day	7.5% ( $\pm$ 4.5)	10.6% ( $\pm$ 1.1)
c. 2 days	11.3% ( $\pm$ 5.4)	12.6% ( $\pm$ 1.1)
d. 3 days	9.8% ( $\pm$ 5.1)	12.8% ( $\pm$ 1.7)
e. 4 days	16.5% ( $\pm$ 6.4)	9.4% ( $\pm$ 1.1)
f. 5 days	10.5% ( $\pm$ 5.3)	13.2% ( $\pm$ 1.7)
g. 6 days	5.3% ( $\pm$ 3.8)	4.6% ( $\pm$ 0.6)
h. 7 days	8.3% ( $\pm$ 4.7)	12.0% ( $\pm$ 1.5)

<b>81. On average how many days a week do you walk to or from school?</b>	<b>(n=132)</b>	<b>(n=4,316)</b>
a. Never	60.6% ( $\pm$ 8.4)	66.3% ( $\pm$ 5.0)
b. 1–2	17.4% ( $\pm$ 6.6)	11.5% ( $\pm$ 1.6)
c. 3–4	3.8% ( $\pm$ 3.3)	6.0% ( $\pm$ 1.2)
d. I walk every day.	18.2% ( $\pm$ 6.7)	16.1% ( $\pm$ 3.0)

	Your Students		Statewide	
	%(±CI)		%(±CI)	
	(n=132)		(n=4,302)	
<b>82. On average how many days a week do you ride a bicycle to or from school?</b>				
a. Never	90.9%	(±5.0)	94.6%	(±0.7)
b. 1–2	3.0%	(±3.0)	2.6%	(±0.5)
c. 3–4	3.0%	(±3.0)	1.2%	(±0.3)
d. I bike every day.	3.0%	(±3.0)	1.5%	(±0.4)
<b>83. On an average school day, how many hours do you watch TV?</b>				
	(n=133)		(n=4,324)	
a. I do not watch TV on an average school day.	31.6%	(±8.0)	22.5%	(±1.6)
b. Less than 1 hour per day	21.1%	(±7.0)	22.5%	(±1.2)
c. 1 hour per day	20.3%	(±6.9)	17.0%	(±1.3)
d. 2 hours per day	15.8%	(±6.3)	18.5%	(±1.4)
e. 3 hours per day	8.3%	(±4.7)	10.4%	(±1.0)
f. 4 hours per day	1.5%	(±2.1)	4.0%	(±0.7)
g. 5 or more hours per day	1.5%	(±2.1)	5.0%	(±1.1)
<b>84. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on such things as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other social networking tools, and the Internet.)</b>				
	(n=133)		(n=4,329)	
a. I do not play video games or use a computer for fun on an average school day.	12.8%	(±5.7)	16.4%	(±1.3)
b. Less than 1 hour per day	15.0%	(±6.2)	15.1%	(±1.0)
c. 1 hour per day	12.0%	(±5.6)	12.9%	(±1.4)
d. 2 hours per day	18.0%	(±6.6)	16.4%	(±1.5)
e. 3 hours per day	18.0%	(±6.6)	13.4%	(±1.1)
f. 4 hours per day	10.5%	(±5.3)	8.2%	(±0.7)
g. 5 or more hours per day	13.5%	(±5.9)	17.5%	(±2.2)
<b>85. In an average week when you are in school, on how many days do you go to physical education (PE) classes?</b>				
	(n=130)		(n=4,302)	
a. 0 days	83.1%	(±6.5)	56.1%	(±8.5)
b. 1 day	0.0%	(±0.0)	1.6%	(±0.6)
c. 2 days	2.3%	(±2.6)	2.8%	(±1.6)
d. 3 days	13.1%	(±5.9)	10.7%	(±8.6)
e. 4 days	0.8%	(±1.5)	3.3%	(±2.7)
f. 5 days	0.8%	(±1.5)	25.6%	(±7.0)
<b>86. During an average PE class, how many minutes do you spend actually exercising or playing sports?</b>				
	(n=132)		(n=4,315)	
a. I do not take PE	81.1%	(±6.8)	51.9%	(±7.9)
b. Less than 10 minutes	0.0%	(±0.0)	1.6%	(±0.4)
c. 10–20 minutes	2.3%	(±2.6)	2.5%	(±0.5)
d. 21–30 minutes	0.0%	(±0.0)	5.3%	(±1.0)
e. 31–40 minutes	1.5%	(±2.1)	9.8%	(±1.5)
f. 41–50 minutes	0.8%	(±1.5)	12.3%	(±2.4)
g. 51–60 minutes	3.0%	(±3.0)	9.0%	(±2.0)
h. More than 60 minutes	11.4%	(±5.5)	7.5%	(±4.7)

87. During the average week, on how many days do you participate in supervised after-school activities either at school or away from school? Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=263)		(n=8,452)	
a. 0 days	20.5%	( $\pm$ 4.9)	32.2%	( $\pm$ 2.6)
b. 1–2 days	17.9%	( $\pm$ 4.7)	23.3%	( $\pm$ 1.4)
c. 3 or more days	61.6%	( $\pm$ 5.9)	44.5%	( $\pm$ 2.6)

## Health Conditions and Health Care

88. Has a doctor or nurse ever told you that you have asthma?	(n=132)		(n=4,315)	
a. Yes	22.7%	( $\pm$ 7.2)	21.5%	( $\pm$ 1.4)
b. No	74.2%	( $\pm$ 7.6)	72.9%	( $\pm$ 1.6)
c. Not sure	3.0%	( $\pm$ 3.0)	5.6%	( $\pm$ 0.8)

89. Do you still have asthma?	(n=133)		(n=4,308)	
a. I have never had asthma.	71.4%	( $\pm$ 7.8)	65.1%	( $\pm$ 1.9)
b. Yes	11.3%	( $\pm$ 5.4)	12.7%	( $\pm$ 1.1)
c. No	13.5%	( $\pm$ 5.9)	13.4%	( $\pm$ 1.0)
d. Not sure	3.8%	( $\pm$ 3.3)	8.8%	( $\pm$ 1.1)

90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma?	(n=127)		(n=4,005)	
a. Never	79.5%	( $\pm$ 7.1)	77.7%	( $\pm$ 1.7)
b. 1 or 2 days per week	13.4%	( $\pm$ 6.0)	12.1%	( $\pm$ 1.1)
c. 3 to 6 days per week	3.9%	( $\pm$ 3.4)	4.3%	( $\pm$ 0.8)
d. Every day, but not throughout the day	0.8%	( $\pm$ 1.6)	2.2%	( $\pm$ 0.5)
e. Every day, throughout the day	0.0%	( $\pm$ 0.0)	1.1%	( $\pm$ 0.3)
f. Not sure	2.4%	( $\pm$ 2.7)	2.6%	( $\pm$ 0.5)

91. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler?	(n=128)		(n=4,072)	
a. Never	89.8%	( $\pm$ 5.3)	88.1%	( $\pm$ 1.8)
b. 1 or 2 days per week	5.5%	( $\pm$ 4.0)	4.5%	( $\pm$ 0.7)
c. 3 to 6 days per week	3.1%	( $\pm$ 3.1)	1.8%	( $\pm$ 0.5)
d. Every day, once per day	0.0%	( $\pm$ 0.0)	0.9%	( $\pm$ 0.3)
e. Every day, twice or more per day	0.8%	( $\pm$ 1.5)	3.7%	( $\pm$ 1.5)
f. Not sure	0.8%	( $\pm$ 1.5)	1.0%	( $\pm$ 0.3)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=130)		(n=4,001)	
<b>92. During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma?</b>				
a. I do not have asthma.	86.2%	( $\pm$ 6.0)	75.0%	( $\pm$ 2.1)
b. None	13.1%	( $\pm$ 5.9)	19.4%	( $\pm$ 1.7)
c. 1 to 3 times	0.8%	( $\pm$ 1.5)	3.4%	( $\pm$ 0.6)
d. 4 to 9 times	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.2)
e. 10 to 12 times	0.0%	( $\pm$ 0.0)	0.3%	( $\pm$ 0.2)
f. More than 12 times	0.0%	( $\pm$ 0.0)	0.2%	( $\pm$ 0.2)
g. Not sure	0.0%	( $\pm$ 0.0)	1.0%	( $\pm$ 0.4)
<b>93. During the past 12 months, how many days did you stay out of school or stay away from your usual activities because of your asthma?</b>				
	(n=128)		(n=3,976)	
a. I do not have asthma.	82.8%	( $\pm$ 6.6)	77.1%	( $\pm$ 2.0)
b. None	14.8%	( $\pm$ 6.2)	17.7%	( $\pm$ 1.7)
c. 1 to 2 days	2.3%	( $\pm$ 2.7)	2.3%	( $\pm$ 0.5)
d. 3 to 4 days	0.0%	( $\pm$ 0.0)	1.0%	( $\pm$ 0.3)
e. 5 to 10 days	0.0%	( $\pm$ 0.0)	0.9%	( $\pm$ 0.3)
f. More than 10 days	0.0%	( $\pm$ 0.0)	0.4%	( $\pm$ 0.2)
g. Not sure	0.0%	( $\pm$ 0.0)	0.6%	( $\pm$ 0.3)
<b>94. When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were not sick or injured?</b>				
	(n=132)		(n=4,295)	
a. During the past 12 months	78.0%	( $\pm$ 7.2)	66.1%	( $\pm$ 2.1)
b. Between 12 and 24 months ago	14.4%	( $\pm$ 6.1)	15.5%	( $\pm$ 1.4)
c. More than 24 months ago	1.5%	( $\pm$ 2.1)	6.2%	( $\pm$ 0.7)
d. Never	0.8%	( $\pm$ 1.5)	2.1%	( $\pm$ 0.5)
e. Not sure	5.3%	( $\pm$ 3.9)	10.1%	( $\pm$ 1.5)
<b>95. When was the last time you saw a dentist for a check-up, exam, teeth cleaning, or other dental work?</b>				
	(n=132)		(n=4,291)	
a. During the past 12 months	81.8%	( $\pm$ 6.7)	79.0%	( $\pm$ 2.5)
b. Between 12 and 24 months ago	10.6%	( $\pm$ 5.3)	8.5%	( $\pm$ 1.1)
c. More than 24 months ago	6.1%	( $\pm$ 4.1)	5.1%	( $\pm$ 0.9)
d. Never	0.8%	( $\pm$ 1.5)	1.5%	( $\pm$ 0.4)
e. Not sure	0.8%	( $\pm$ 1.5)	5.8%	( $\pm$ 1.2)
<b>96. During the past 12 months, how many days did you miss some school because of toothache? (Do not include toothache due to braces or injury.)</b>				
	(n=132)		(n=4,285)	
a. None	99.2%	( $\pm$ 1.5)	94.0%	( $\pm$ 0.9)
b. 1–4 days	0.0%	( $\pm$ 0.0)	3.4%	( $\pm$ 0.6)
c. 5 days or more	0.0%	( $\pm$ 0.0)	1.1%	( $\pm$ 0.3)
d. Not sure	0.8%	( $\pm$ 1.5)	1.5%	( $\pm$ 0.4)

[Question 97 appears only on the elementary version of the survey.]



	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=132)		(n=4,278)	
<b>98. Have you ever been told by a doctor or other health professional that you have diabetes?</b>				
a. No	98.5%	(±2.1)	94.7%	(±0.8)
b. Yes	1.5%	(±2.1)	3.2%	(±0.6)
c. Not sure	0.0%	(±0.0)	2.2%	(±0.5)
<b>99. On an average school night how many hours do you sleep?</b>	(n=131)		(n=4,141)	
a. 5 hours or less	9.2%	(±5.0)	14.5%	(±1.4)
b. About 6 hours	16.0%	(±6.4)	23.9%	(±1.5)
c. About 7 hours	40.5%	(±8.5)	30.5%	(±1.6)
d. About 8 hours	25.2%	(±7.5)	25.5%	(±1.7)
e. 9 hours or more	9.2%	(±5.0)	5.6%	(±0.8)

## Sexual Behavior

<b>100. Have you ever had sexual intercourse? †</b>	(n=128)		(n=1,510)	
a. Yes	13.3%	(±6.0)	26.6%	(±4.6)
b. No	86.7%	(±6.0)	73.4%	(±4.6)
<b>101. How old were you when you had sexual intercourse for the first time? †</b>	(n=128)		(n=1,510)	
a. I have never had sexual intercourse.	86.7%	(±6.0)	73.4%	(±4.6)
b. 11 years old or younger	0.8%	(±1.5)	2.1%	(±0.7)
c. 12 years old	0.8%	(±1.5)	1.5%	(±0.5)
d. 13 years old	1.6%	(±2.2)	3.2%	(±0.9)
e. 14 years old	3.9%	(±3.4)	8.1%	(±2.8)
f. 15 years old	6.3%	(±4.3)	9.9%	(±1.5)
g. 16 years old	0.0%	(±0.0)	1.4%	(±0.6)
h. 17 years old or older	0.0%	(±0.0)	0.5%	(±0.4)
<b>102. During your life, with whom have you had sexual contact? †</b>	(n=128)		(n=1,517)	
a. I have never had sexual contact.	68.8%	(±8.1)	57.5%	(±4.6)
b. Females	13.3%	(±6.0)	20.8%	(±2.3)
c. Males	14.8%	(±6.2)	16.2%	(±2.4)
d. Females and males	3.1%	(±3.1)	5.6%	(±1.3)
<b>103. With how many people have you ever had sexual intercourse? †</b>	(n=128)		(n=1,508)	
a. I have never had sexual intercourse.	86.7%	(±6.0)	74.1%	(±4.6)
b. 1 person	7.0%	(±4.5)	12.6%	(±2.2)
c. 2 people	1.6%	(±2.2)	5.4%	(±1.9)
d. 3 people	1.6%	(±2.2)	2.7%	(±1.0)
e. 4 people	1.6%	(±2.2)	1.8%	(±0.5)
f. 5 people	0.0%	(±0.0)	0.8%	(±0.4)
g. 6 or more people	1.6%	(±2.2)	2.7%	(±0.7)

104. The last time you had sexual intercourse, did you or your partner use a condom? †	Your Students		Statewide	
	% (±CI) (n=128)		% (±CI) (n=1,509)	
a. I have never had sexual intercourse.	87.5%	(±5.8)	74.4%	(±4.4)
b. Yes	7.8%	(±4.7)	16.0%	(±2.3)
c. No	4.7%	(±3.7)	9.6%	(±2.9)

### Behaviors Related to Unintentional Injury

105. How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	(n=134)		(n=4,455)	
a. Never go boating	8.2%	(±4.7)	19.1%	(±2.9)
b. Never	6.0%	(±4.1)	11.2%	(±1.2)
c. Less than half the time	14.9%	(±6.1)	12.6%	(±1.3)
d. About half the time	20.9%	(±7.0)	14.1%	(±1.5)
e. More than half the time	21.6%	(±7.1)	17.4%	(±1.9)
f. Always	28.4%	(±7.7)	25.6%	(±1.9)

106. Have you ever taken formal swimming lessons?	(n=134)		(n=4,462)	
a. Yes	88.1%	(±5.6)	59.3%	(±5.8)
b. No	8.2%	(±4.7)	34.8%	(±5.6)
c. Not sure	3.7%	(±3.3)	5.9%	(±0.9)

107. I am comfortable playing and swimming in water over my head.	(n=134)		(n=4,458)	
a. Strongly agree	70.9%	(±7.8)	55.5%	(±3.8)
b. Agree	25.4%	(±7.5)	30.7%	(±2.2)
c. Disagree	3.0%	(±2.9)	8.6%	(±1.5)
d. Strongly disagree	0.7%	(±1.5)	5.2%	(±1.1)

108. During the past 30 days, how many days did you ride in a car or other vehicle driven by someone who was texting or emailing?	(n=134)		(n=4,453)	
a. 0 days	62.7%	(±8.3)	43.2%	(±2.3)
b. 1 or 2 days	14.9%	(±6.1)	20.9%	(±1.4)
c. 3 to 5 days	9.0%	(±4.9)	11.8%	(±1.0)
d. 6 to 9 days	6.7%	(±4.3)	7.1%	(±0.9)
e. 10 to 19 days	3.0%	(±2.9)	7.6%	(±0.8)
f. 20 to 29 days	1.5%	(±2.1)	3.5%	(±0.6)
g. All 30 days	2.2%	(±2.5)	6.0%	(±0.8)

[Question 109 appears only on the elementary version of the survey.]

110. During the past 30 days, how many days did you text or email while driving a car or other vehicle?	Your Students		Statewide	
	% ( $\pm$ CI) (n=263)		% ( $\pm$ CI) (n=8,406)	
a. I did not drive a car or other vehicle during the past 30 days.	59.3%	( $\pm$ 6.0)	58.2%	( $\pm$ 2.5)
b. 0 days	36.1%	( $\pm$ 5.8)	33.8%	( $\pm$ 2.3)
c. 1 or 2 days	2.7%	( $\pm$ 2.0)	3.7%	( $\pm$ 0.4)
d. 3 to 5 days	0.0%	( $\pm$ 0.0)	1.4%	( $\pm$ 0.3)
e. 6 to 9 days	0.4%	( $\pm$ 0.7)	0.9%	( $\pm$ 0.2)
f. 10 to 19 days	0.4%	( $\pm$ 0.7)	0.6%	( $\pm$ 0.2)
g. 20 to 29 days	0.0%	( $\pm$ 0.0)	0.3%	( $\pm$ 0.1)
h. All 30 days	1.1%	( $\pm$ 1.3)	1.1%	( $\pm$ 0.2)

111. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	(n=129)		(n=3,986)	
	a. 0 times	82.9%	( $\pm$ 6.6)	82.3%
b. 1 time	9.3%	( $\pm$ 5.1)	8.3%	( $\pm$ 0.7)
c. 2–3 times	6.2%	( $\pm$ 4.2)	6.0%	( $\pm$ 0.8)
d. 4–5 times	1.6%	( $\pm$ 2.2)	1.7%	( $\pm$ 0.5)
e. 6 or more times	0.0%	( $\pm$ 0.0)	1.7%	( $\pm$ 0.5)

[Question 112 appears only on the elementary version of the survey.]

113. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	(n=129)		(n=3,979)	
	a. 0 times	97.7%	( $\pm$ 2.6)	95.1%
b. 1 time	2.3%	( $\pm$ 2.6)	2.3%	( $\pm$ 0.6)
c. 2–3 times	0.0%	( $\pm$ 0.0)	1.3%	( $\pm$ 0.4)
d. 4–5 times	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.3)
e. 6 or more times	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.3)

114. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?	(n=129)		(n=3,976)	
	a. 0 times	81.4%	( $\pm$ 6.8)	81.0%
b. 1 time	9.3%	( $\pm$ 5.1)	6.7%	( $\pm$ 0.9)
c. 2–3 times	7.0%	( $\pm$ 4.5)	5.5%	( $\pm$ 0.9)
d. 4–5 times	1.6%	( $\pm$ 2.2)	2.0%	( $\pm$ 0.5)
e. 6 or more times	0.8%	( $\pm$ 1.5)	4.8%	( $\pm$ 1.0)

115. During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana?	(n=129)		(n=3,961)	
	a. 0 times	91.5%	( $\pm$ 4.9)	90.9%
b. 1 time	5.4%	( $\pm$ 4.0)	3.5%	( $\pm$ 0.6)
c. 2–3 times	2.3%	( $\pm$ 2.6)	2.5%	( $\pm$ 0.7)
d. 4–5 times	0.8%	( $\pm$ 1.5)	1.1%	( $\pm$ 0.4)
e. 6 or more times	0.0%	( $\pm$ 0.0)	2.1%	( $\pm$ 0.6)

## Behaviors Related to Intentional Injury

116. During the past 30 days, on how many days did you: Carry a weapon such as a gun, knife, or club on school property?	Your Students		Statewide	
	% ( $\pm$ CI) (n=264)		% ( $\pm$ CI) (n=8,537)	
a. 0 days	96.6%	( $\pm$ 2.2)	94.3%	( $\pm$ 0.7)
b. 1–5 days	1.9%	( $\pm$ 1.7)	3.2%	( $\pm$ 0.5)
c. 6 or more days	1.5%	( $\pm$ 1.5)	2.5%	( $\pm$ 0.4)

[Question 117 appears only on the elementary version of the survey.]

118. During the past 30 days, on how many days did you carry a gun? (Do not include carrying a gun while hunting.)	(n=134)		(n=4,448)	
	a. 0 times	98.5%	( $\pm$ 2.1)	95.6%
b. 1 time	0.7%	( $\pm$ 1.5)	2.1%	( $\pm$ 0.4)
c. 2–3 times	0.7%	( $\pm$ 1.5)	1.2%	( $\pm$ 0.3)
d. 4–5 times	0.0%	( $\pm$ 0.0)	0.3%	( $\pm$ 0.2)
e. 6 or more times	0.0%	( $\pm$ 0.0)	0.8%	( $\pm$ 0.3)

119. During the past 12 months, how many times were you in a physical fight?	(n=266)		(n=8,657)	
	a. 0 times	86.5%	( $\pm$ 4.1)	77.6%
b. 1 time	7.1%	( $\pm$ 3.1)	11.8%	( $\pm$ 0.8)
c. 2–3 times	4.1%	( $\pm$ 2.4)	6.5%	( $\pm$ 0.5)
d. 4–5 times	1.9%	( $\pm$ 1.6)	1.5%	( $\pm$ 0.3)
e. 6 or more times	0.4%	( $\pm$ 0.7)	2.6%	( $\pm$ 0.4)

120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang?	(n=264)		(n=8,563)	
	a. No	94.7%	( $\pm$ 2.7)	94.1%
b. Yes	5.3%	( $\pm$ 2.7)	5.9%	( $\pm$ 0.5)

121. Are there gangs at your school?	(n=264)		(n=8,540)	
	a. No	46.2%	( $\pm$ 6.1)	20.0%
b. Yes	3.0%	( $\pm$ 2.1)	19.4%	( $\pm$ 3.3)
c. Don't know	50.8%	( $\pm$ 6.1)	60.7%	( $\pm$ 3.1)

## Physical, Emotional and Sexual Abuse

122. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury?	(n=130)		(n=4,012)	
	a. No	86.2%	( $\pm$ 6.0)	73.6%
b. Yes	13.8%	( $\pm$ 6.0)	26.4%	( $\pm$ 1.8)

123. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in any other way?	(n=130)		(n=4,020)	
	a. I did not date or go out with anyone during the past 12 months.	55.4%	( $\pm$ 8.7)	47.0%
b. No	40.8%	( $\pm$ 8.6)	44.7%	( $\pm$ 2.3)
c. Yes	3.8%	( $\pm$ 3.3)	8.3%	( $\pm$ 1.3)

124. In the past 12 months, how many times did someone you were dating or going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=130)		(n=4,021)	
a. I did not date or go out with anyone during the past 12 months.	53.8%	( $\pm$ 8.7)	48.8%	( $\pm$ 2.8)
b. 0 times	45.4%	( $\pm$ 8.7)	45.4%	( $\pm$ 2.4)
c. 1 time	0.0%	( $\pm$ 0.0)	2.2%	( $\pm$ 0.5)
d. 2 or 3 times	0.0%	( $\pm$ 0.0)	1.9%	( $\pm$ 0.4)
e. 4 or 5 times	0.8%	( $\pm$ 1.5)	0.6%	( $\pm$ 0.2)
f. 6 or more times	0.0%	( $\pm$ 0.0)	1.1%	( $\pm$ 0.4)

125. Have you ever been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=130)		(n=1,572)	
a. No	91.5%	( $\pm$ 4.8)	84.9%	( $\pm$ 2.5)
b. Yes	8.5%	( $\pm$ 4.8)	15.1%	( $\pm$ 2.5)

126. In the past 12 months, have you been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=130)		(n=1,562)	
a. No	96.2%	( $\pm$ 3.3)	91.8%	( $\pm$ 1.6)
b. Yes	3.8%	( $\pm$ 3.3)	8.2%	( $\pm$ 1.6)

## Mental Health

127. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=265)		(n=8,625)	
a. Yes	27.2%	( $\pm$ 5.4)	34.9%	( $\pm$ 2.0)
b. No	72.8%	( $\pm$ 5.4)	65.1%	( $\pm$ 2.0)

128. During the past 12 months, did you ever seriously consider attempting suicide?	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=264)		(n=8,601)	
a. Yes	12.9%	( $\pm$ 4.1)	20.5%	( $\pm$ 1.4)
b. No	87.1%	( $\pm$ 4.1)	79.5%	( $\pm$ 1.4)

129. During the past 12 months, did you make a plan about how you would attempt suicide?	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=132)		(n=4,426)	
a. Yes	12.9%	( $\pm$ 5.8)	16.4%	( $\pm$ 1.5)
b. No	87.1%	( $\pm$ 5.8)	83.6%	( $\pm$ 1.5)

130. During the past 12 months, how many times did you actually attempt suicide?	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=134)		(n=4,440)	
a. 0 times	98.5%	( $\pm$ 2.1)	89.8%	( $\pm$ 1.2)
b. 1 time	0.7%	( $\pm$ 1.5)	5.3%	( $\pm$ 0.7)
c. 2–3 times	0.0%	( $\pm$ 0.0)	2.9%	( $\pm$ 0.6)
d. 4–5 times	0.0%	( $\pm$ 0.0)	0.7%	( $\pm$ 0.2)
e. 6 or more times	0.7%	( $\pm$ 1.5)	1.3%	( $\pm$ 0.3)

[Questions 131-132 appear only on the elementary version of the survey.]

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=258)		(n=8,060)	
<b>133. How often over the last 2 weeks, were you bothered by: Feeling nervous, anxious or on edge?</b>				
a. Not at all	37.2%	( $\pm$ 5.9)	35.5%	( $\pm$ 1.6)
b. Several days	38.0%	( $\pm$ 6.0)	38.0%	( $\pm$ 1.4)
c. More than half the days	10.5%	( $\pm$ 3.8)	11.6%	( $\pm$ 0.7)
d. Nearly every day	14.3%	( $\pm$ 4.3)	14.9%	( $\pm$ 1.2)
<b>134. How often over the last 2 weeks, were you bothered by: Not being able to stop or control worrying?</b>				
	(n=259)		(n=8,058)	
a. Not at all	54.4%	( $\pm$ 6.1)	49.0%	( $\pm$ 1.7)
b. Several days	27.8%	( $\pm$ 5.5)	28.1%	( $\pm$ 1.0)
c. More than half the days	5.8%	( $\pm$ 2.9)	9.8%	( $\pm$ 0.8)
d. Nearly every day	12.0%	( $\pm$ 4.0)	13.1%	( $\pm$ 1.1)
<b>135. When you feel sad or hopeless, are there adults that you can turn to for help?</b>				
	(n=132)		(n=4,428)	
a. I never feel sad or hopeless.	25.8%	( $\pm$ 7.6)	20.6%	( $\pm$ 1.2)
b. Yes	53.0%	( $\pm$ 8.6)	50.3%	( $\pm$ 2.0)
c. No	9.1%	( $\pm$ 5.0)	15.0%	( $\pm$ 1.5)
d. Not sure	12.1%	( $\pm$ 5.6)	14.1%	( $\pm$ 1.2)
<b>136. Last year, did you hear or see information at your school about the warning signs of suicide and how to get help for yourself or a friend?</b>				
	(n=128)		(n=3,966)	
a. Yes	59.4%	( $\pm$ 8.6)	53.7%	( $\pm$ 5.1)
b. No	21.9%	( $\pm$ 7.3)	30.5%	( $\pm$ 4.2)
c. Not sure	18.8%	( $\pm$ 6.9)	15.8%	( $\pm$ 1.6)

## Social and Emotional Learning

<b>137. I know how to disagree without starting a fight or argument.</b>				
	(n=127)		(n=3,920)	
a. Strongly agree	55.1%	( $\pm$ 8.8)	47.0%	( $\pm$ 2.1)
b. Agree	40.9%	( $\pm$ 8.7)	43.5%	( $\pm$ 1.8)
c. Disagree	3.1%	( $\pm$ 3.1)	7.3%	( $\pm$ 1.1)
d. Strongly disagree	0.8%	( $\pm$ 1.6)	2.2%	( $\pm$ 0.5)
<b>138. When I have problems at school, I am good at finding ways to solve them.</b>				
	(n=128)		(n=3,915)	
a. Strongly agree	34.4%	( $\pm$ 8.3)	34.3%	( $\pm$ 2.0)
b. Agree	57.8%	( $\pm$ 8.7)	51.7%	( $\pm$ 1.9)
c. Disagree	7.0%	( $\pm$ 4.5)	11.5%	( $\pm$ 1.4)
d. Strongly disagree	0.8%	( $\pm$ 1.5)	2.5%	( $\pm$ 0.5)
<b>139. When I make a decision, I think about what might happen afterward.</b>				
	(n=126)		(n=3,913)	
a. Strongly agree	45.2%	( $\pm$ 8.8)	37.8%	( $\pm$ 2.0)
b. Agree	44.4%	( $\pm$ 8.8)	47.0%	( $\pm$ 1.9)
c. Disagree	8.7%	( $\pm$ 5.0)	12.3%	( $\pm$ 1.1)
d. Strongly disagree	1.6%	( $\pm$ 2.2)	2.9%	( $\pm$ 0.7)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
<b>140. I get along well with students who are different from me.</b>	(n=128)		(n=3,915)	
a. Strongly agree	41.4%	( $\pm$ 8.6)	40.1%	( $\pm$ 1.9)
b. Agree	46.9%	( $\pm$ 8.8)	48.9%	( $\pm$ 1.8)
c. Disagree	8.6%	( $\pm$ 4.9)	8.5%	( $\pm$ 1.4)
d. Strongly disagree	3.1%	( $\pm$ 3.1)	2.5%	( $\pm$ 0.6)
<b>141. I try to understand how other people feel and think.</b>	(n=128)		(n=3,910)	
a. Strongly agree	47.7%	( $\pm$ 8.8)	45.4%	( $\pm$ 2.0)
b. Agree	46.9%	( $\pm$ 8.8)	45.3%	( $\pm$ 1.7)
c. Disagree	5.5%	( $\pm$ 4.0)	6.8%	( $\pm$ 0.9)
d. Strongly disagree	0.0%	( $\pm$ 0.0)	2.4%	( $\pm$ 0.6)

## Gambling

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
<b>142. In the past 12 months, how often have you gambled (bet) for money or possessions?</b>	(n=129)		(n=3,937)	
a. Never in the past year	75.2%	( $\pm$ 7.6)	74.3%	( $\pm$ 1.5)
b. Once or twice in the past year	14.0%	( $\pm$ 6.1)	13.5%	( $\pm$ 1.0)
c. A few times in the past year	7.8%	( $\pm$ 4.7)	8.3%	( $\pm$ 0.8)
d. Once or twice a month	1.6%	( $\pm$ 2.2)	2.4%	( $\pm$ 0.5)
e. At least once a week	1.6%	( $\pm$ 2.2)	1.5%	( $\pm$ 0.4)

## School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
<b>143. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or fight. In the last 30 days, how often have you been bullied?</b>	(n=265)		(n=8,739)	
a. I have not been bullied.	83.8%	( $\pm$ 4.5)	77.4%	( $\pm$ 1.3)
b. Once	8.3%	( $\pm$ 3.3)	10.6%	( $\pm$ 0.8)
c. 2–3 times	5.3%	( $\pm$ 2.7)	6.4%	( $\pm$ 0.6)
d. About once a week	1.5%	( $\pm$ 1.5)	2.5%	( $\pm$ 0.4)
e. Several times a week	1.1%	( $\pm$ 1.3)	3.2%	( $\pm$ 0.4)
<b>144. When a student is being bullied at school, how often do teachers or other adults at school try to put a stop to it?</b>	(n=130)		(n=4,184)	
a. Almost always	26.2%	( $\pm$ 7.7)	28.8%	( $\pm$ 2.0)
b. Often	33.1%	( $\pm$ 8.2)	22.7%	( $\pm$ 1.7)
c. Sometimes	17.7%	( $\pm$ 6.6)	21.5%	( $\pm$ 1.4)
d. Once in a while	11.5%	( $\pm$ 5.6)	14.8%	( $\pm$ 1.1)
e. Almost never	11.5%	( $\pm$ 5.6)	12.2%	( $\pm$ 1.4)

	Your Students % ( $\pm$ CI) (n=132)	Statewide % ( $\pm$ CI) (n=4,230)
<b>145. If you see bullying or have been bullied at school do you know how to report it?</b>		
a. Yes	69.7% ( $\pm$ 7.9)	68.5% ( $\pm$ 2.1)
b. No	15.9% ( $\pm$ 6.3)	15.1% ( $\pm$ 1.2)
c. Not sure	14.4% ( $\pm$ 6.1)	16.4% ( $\pm$ 1.7)
<b>146. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your race, ethnicity, or national origin or what someone thought it was?</b>	(n=132)	(n=4,259)
a. 0 times	94.7% ( $\pm$ 3.9)	89.0% ( $\pm$ 1.1)
b. 1 time	3.8% ( $\pm$ 3.3)	5.3% ( $\pm$ 0.6)
c. 2–3 times	0.8% ( $\pm$ 1.5)	3.5% ( $\pm$ 0.7)
d. About once a week	0.0% ( $\pm$ 0.0)	0.9% ( $\pm$ 0.3)
e. Several times a week or more	0.8% ( $\pm$ 1.5)	1.3% ( $\pm$ 0.4)
<b>147. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school: Because someone thought you were gay, lesbian, or bisexual (whether you are or are not)?</b>	(n=130)	(n=4,252)
a. 0 times	95.4% ( $\pm$ 3.7)	90.7% ( $\pm$ 1.0)
b. 1 time	3.1% ( $\pm$ 3.0)	4.7% ( $\pm$ 0.6)
c. 2–3 times	0.8% ( $\pm$ 1.5)	2.4% ( $\pm$ 0.5)
d. About once a week	0.8% ( $\pm$ 1.5)	1.1% ( $\pm$ 0.3)
e. Several times a week or more	0.0% ( $\pm$ 0.0)	1.2% ( $\pm$ 0.4)
<b>148. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to and from school?</b>	(n=131)	(n=4,167)
a. 0 days	96.9% ( $\pm$ 3.0)	91.6% ( $\pm$ 1.2)
b. 1 day	3.1% ( $\pm$ 3.0)	3.6% ( $\pm$ 0.7)
c. 2 or 3 days	0.0% ( $\pm$ 0.0)	2.6% ( $\pm$ 0.7)
d. 4 or 5 days	0.0% ( $\pm$ 0.0)	0.9% ( $\pm$ 0.3)
e. 6 or more days	0.0% ( $\pm$ 0.0)	1.4% ( $\pm$ 0.4)
<b>149. In the past 30 days, has someone used the computer or a cell phone to bully, harass or intimidate you?</b>	(n=133)	(n=4,245)
a. Yes	12.8% ( $\pm$ 5.7)	12.4% ( $\pm$ 1.0)
b. No	82.0% ( $\pm$ 6.6)	83.5% ( $\pm$ 1.4)
c. Not sure	5.3% ( $\pm$ 3.8)	4.1% ( $\pm$ 0.7)
<b>150. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol, tobacco, or other drugs?</b>	(n=131)	(n=4,135)
a. No	3.8% ( $\pm$ 3.3)	6.6% ( $\pm$ 1.0)
b. Yes	61.8% ( $\pm$ 8.4)	56.2% ( $\pm$ 5.2)
c. Not sure	34.4% ( $\pm$ 8.2)	37.3% ( $\pm$ 4.7)
<b>151. Does your school have a counselor?</b>	(n=129)	(n=3,964)
a. Yes	98.4% ( $\pm$ 2.2)	94.4% ( $\pm$ 1.0)
b. No	0.8% ( $\pm$ 1.5)	2.4% ( $\pm$ 0.8)
c. Not sure	0.8% ( $\pm$ 1.5)	3.1% ( $\pm$ 0.6)



	Your Students % (±CI) (n=128)	Statewide % (±CI) (n=4,007)
<b>152. In the last year, did you have any contact with the counselor?</b>		
a. Yes	53.9% (±8.8)	55.0% (±3.1)
b. No	46.1% (±8.8)	45.0% (±3.1)
<b>153. There are people in this school who will help me if I need it?</b>		
a. Yes	83.6% (±6.5)	77.3% (±2.0)
b. No	2.3% (±2.7)	7.0% (±0.9)
c. Not sure	14.1% (±6.1)	15.7% (±1.5)
<b>154. Last year in school, were you taught about AIDS or HIV infection?</b>		
a. Yes	88.5% (±5.5)	72.8% (±6.7)
b. No	7.6% (±4.6)	19.6% (±5.9)
c. Not sure	3.8% (±3.3)	7.6% (±1.4)
<b>155. Last year in school, were you taught about abstinence (not having sex) to prevent sexually transmitted diseases (STDs) and pregnancy?</b>		
a. Yes	89.1% (±5.5)	72.8% (±7.3)
b. No	9.4% (±5.1)	20.3% (±6.2)
c. Not sure	1.6% (±2.2)	6.9% (±1.6)
<b>156. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and pregnancy?</b>		
a. Yes	90.6% (±5.1)	73.2% (±7.5)
b. No	7.8% (±4.7)	19.2% (±6.2)
c. Not sure	1.6% (±2.2)	7.7% (±1.8)

## Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the survey questions related to individual quality of life.

	(n=132)	(n=4,131)
<b>157. Youth Quality of Life (Computed from questions 158-162)</b>		
a. Low	23.5% (±7.3)	26.5% (±1.5)
b. Medium low	28.0% (±7.8)	27.9% (±1.4)
c. Medium high	26.5% (±7.6)	24.7% (±1.7)
d. High	22.0% (±7.2)	20.9% (±1.7)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=129)		(n=4,099)	
<b>158. I feel I am getting along with my parents or guardians.</b>				
a. 0 not at all true	0.8%	( $\pm$ 1.5)	3.6%	( $\pm$ 0.6)
b. 1	0.8%	( $\pm$ 1.5)	1.9%	( $\pm$ 0.4)
c. 2	0.0%	( $\pm$ 0.0)	2.7%	( $\pm$ 0.5)
d. 3	3.9%	( $\pm$ 3.4)	3.4%	( $\pm$ 0.6)
e. 4	5.4%	( $\pm$ 4.0)	4.0%	( $\pm$ 0.7)
f. 5	5.4%	( $\pm$ 4.0)	7.1%	( $\pm$ 0.9)
g. 6	7.8%	( $\pm$ 4.7)	5.7%	( $\pm$ 0.7)
h. 7	12.4%	( $\pm$ 5.8)	11.5%	( $\pm$ 1.0)
i. 8	13.2%	( $\pm$ 5.9)	15.0%	( $\pm$ 1.1)
j. 9	28.7%	( $\pm$ 7.9)	16.3%	( $\pm$ 1.2)
k. 10 completely true	21.7%	( $\pm$ 7.2)	28.7%	( $\pm$ 1.4)
<b>159. I look forward to the future.</b>				
	(n=133)		(n=4,154)	
a. 0 not at all true	3.8%	( $\pm$ 3.3)	2.9%	( $\pm$ 0.7)
b. 1	0.0%	( $\pm$ 0.0)	1.7%	( $\pm$ 0.3)
c. 2	1.5%	( $\pm$ 2.1)	1.9%	( $\pm$ 0.5)
d. 3	0.8%	( $\pm$ 1.5)	2.1%	( $\pm$ 0.5)
e. 4	4.5%	( $\pm$ 3.6)	2.3%	( $\pm$ 0.4)
f. 5	6.8%	( $\pm$ 4.3)	6.6%	( $\pm$ 0.9)
g. 6	4.5%	( $\pm$ 3.6)	4.9%	( $\pm$ 0.8)
h. 7	12.0%	( $\pm$ 5.6)	10.5%	( $\pm$ 1.2)
i. 8	13.5%	( $\pm$ 5.9)	13.5%	( $\pm$ 1.2)
j. 9	16.5%	( $\pm$ 6.4)	12.3%	( $\pm$ 1.1)
k. 10 completely true	36.1%	( $\pm$ 8.3)	41.4%	( $\pm$ 1.9)
<b>160. I feel good about myself.</b>				
	(n=133)		(n=4,142)	
a. 0 not at all true	2.3%	( $\pm$ 2.6)	4.9%	( $\pm$ 0.8)
b. 1	3.0%	( $\pm$ 2.9)	2.6%	( $\pm$ 0.5)
c. 2	4.5%	( $\pm$ 3.6)	3.2%	( $\pm$ 0.5)
d. 3	2.3%	( $\pm$ 2.6)	4.5%	( $\pm$ 0.6)
e. 4	8.3%	( $\pm$ 4.7)	4.6%	( $\pm$ 0.6)
f. 5	9.0%	( $\pm$ 4.9)	8.7%	( $\pm$ 1.0)
g. 6	6.0%	( $\pm$ 4.1)	8.1%	( $\pm$ 1.0)
h. 7	7.5%	( $\pm$ 4.5)	12.9%	( $\pm$ 1.1)
i. 8	20.3%	( $\pm$ 6.9)	15.4%	( $\pm$ 1.1)
j. 9	18.8%	( $\pm$ 6.7)	13.1%	( $\pm$ 1.6)
k. 10 completely true	18.0%	( $\pm$ 6.6)	22.0%	( $\pm$ 1.8)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=132)		(n=4,148)	
<b>161. I am satisfied with the way my life is now.</b>				
a. 0 not at all true	3.8%	( $\pm$ 3.3)	6.2%	( $\pm$ 0.7)
b. 1	2.3%	( $\pm$ 2.6)	2.7%	( $\pm$ 0.6)
c. 2	0.8%	( $\pm$ 1.5)	3.7%	( $\pm$ 0.6)
d. 3	3.0%	( $\pm$ 3.0)	4.7%	( $\pm$ 0.7)
e. 4	6.1%	( $\pm$ 4.1)	5.5%	( $\pm$ 0.8)
f. 5	10.6%	( $\pm$ 5.3)	8.8%	( $\pm$ 0.9)
g. 6	9.8%	( $\pm$ 5.2)	8.5%	( $\pm$ 0.9)
h. 7	9.1%	( $\pm$ 5.0)	12.2%	( $\pm$ 1.1)
i. 8	21.2%	( $\pm$ 7.1)	13.7%	( $\pm$ 0.9)
j. 9	15.2%	( $\pm$ 6.2)	13.6%	( $\pm$ 1.1)
k. 10 completely true	18.2%	( $\pm$ 6.7)	20.3%	( $\pm$ 1.6)
<b>162. I feel alone in my life.</b>				
	(n=132)		(n=4,135)	
a. 0 not at all true	31.8%	( $\pm$ 8.1)	35.0%	( $\pm$ 1.6)
b. 1	15.2%	( $\pm$ 6.2)	10.4%	( $\pm$ 1.2)
c. 2	12.1%	( $\pm$ 5.6)	9.1%	( $\pm$ 1.0)
d. 3	7.6%	( $\pm$ 4.6)	5.9%	( $\pm$ 0.6)
e. 4	4.5%	( $\pm$ 3.6)	4.5%	( $\pm$ 0.9)
f. 5	7.6%	( $\pm$ 4.6)	7.5%	( $\pm$ 0.8)
g. 6	3.8%	( $\pm$ 3.3)	4.9%	( $\pm$ 0.7)
h. 7	5.3%	( $\pm$ 3.9)	6.7%	( $\pm$ 0.7)
i. 8	7.6%	( $\pm$ 4.6)	6.5%	( $\pm$ 0.9)
j. 9	3.8%	( $\pm$ 3.3)	4.3%	( $\pm$ 0.8)
k. 10 completely true	0.8%	( $\pm$ 1.5)	5.3%	( $\pm$ 0.7)

[Question 163 appears only on the elementary version of the survey.]

## Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research from Drs. Hawkins and Catalano and associates at the University of Washington, has shown that protective factors exert a positive influence against the negative influence of risk factors. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey questions were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

## Risk and Protective Factor Framework and Reporting Schedule

This table provides a list of risk and protective factors included in the Healthy Youth Survey by year.

	2002	2004	2006	2008	2010	2012	2014
<b>Community Protective Factors</b>							
Opportunities for Prosocial Involvement	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>
<b>Community Risk Factors</b>							
Transitions and Mobility		X <sup>S</sup>					
Perceived Availability of Handguns	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Laws And Norms Favorable to Drug Use	X	X	X	X	X	X	X
Low Neighborhood Attachment	X <sup>S</sup>		X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>		
Perceived Availability of Drugs	X	X	X	X	X	X	X
<b>Family Protective Factors</b>							
Opportunities for Prosocial Involvement	X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X
Rewards for Prosocial Involvement	X <sup>†</sup>	X <sup>E, †</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>†</sup>	X <sup>E</sup>
<b>Family Risk Factors</b>							
Poor Family Management	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S, †</sup>	X <sup>S</sup>
Parental Attitudes Favorable towards Drug Use		X <sup>S, †</sup>		X <sup>S, †</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Parental Attitudes Favorable to Antisocial Behavior		X <sup>S, †</sup>					
Antisocial Behavior Among Familiar Adults	X <sup>S</sup>						
<b>Peer-Individual Protective Factors</b>							
Social Skills	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Prosocial Peers		X	X	X	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Belief in the Moral Order	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Prosocial Involvement		X	X	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>	X <sup>E</sup>
<b>Peer-Individual Risk Factors</b>							
Perceived Risk of Drug Use	X	X	X	X	X	X	X
Early Initiation of Drug Use	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Early Initiation of Antisocial Behavior	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Favorable Attitudes Towards Drug Use	X	X	X	X	X	X	X
Favorable Attitudes Towards Antisocial Behavior	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>		
Rewards for Antisocial Involvement	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>			
Friends' Use of Drugs	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Interaction With Antisocial Peers		X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
Intentions to Use	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	
<b>School Protective Factors</b>							
Opportunities for Prosocial Involvement	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>	X <sup>S</sup>
Rewards for Prosocial Involvement	X	X	X	X	X	X	X
<b>School Risk Factors</b>							
Low Commitment to School	X	X	X	X	X	X	X
Academic Failure	X	X	X	X	X	X	X

Note: X<sup>S</sup> = Included only on the secondary version; X<sup>E</sup> = Included only on the elementary version.

### Risk and Protective Factor Scale Results and Graphs

For each risk factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that more students are likely to engage in problem behaviors. For each protective factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.


#### Community Domain

##### Risk Factors

	Your Students % (±CI) (n=132)	Statewide % (±CI) (n=4,294)
Perceived Availability of Drugs (Questions 148-151)	26.5% (±7.6)	26.5% (±2.2)
Laws And Norms Favorable to Drug Use (Questions 153-158)	19.7% (±6.9)	31.7% (±3.0)

##### Protective Factors

	Your Students (n=131)	Statewide (n=4,229)
Opportunities for Prosocial Involvement (Questions 159-162)	90.1% (±5.2)	75.4% (±3.2)
Rewards for Prosocial Involvement (Questions 163-165)	NA <sup>E</sup>	NA <sup>E</sup>



Note: NA<sup>S</sup> = Included only on the secondary version; NA<sup>E</sup> = Included only on the elementary version.

For more information, see the History of Risk and Protective Factor Report on [www.AskHYS.net](http://www.AskHYS.net), under HYS Results – Frequency Reports - Additional Reports


**Family Domain**

**Risk Factors**

	Your Students % (±CI) (n=127)	Statewide % (±CI) (n=3,875)
Poor Family Management (Questions 166-173)	33.9% (±8.3)	32.8% (±2.1)
Parental Attitudes Favorable Towards Drug Use (Questions 181-183)	44.7% (±8.6)	40.5% (±2.3)

**Protective Factors**

	Your Students % (±CI) (n=127)	Statewide % (±CI) (n=3,905)
Opportunities for Prosocial Involvement (Questions 174-176)	60.6% (±8.6)	57.8% (±2.6)
Rewards for Prosocial Involvement (Questions 177-180)	NA <sup>E</sup>	NA <sup>E</sup>




**School Domain**

**Risk Factors**

	<b>Your Students</b> % (±CI) (n=131)	<b>Statewide</b> % (±CI) (n=4,220)
Academic Failure (Questions 184–185)	35.9% (±8.3)	46.1% (±2.6)
Low Commitment to School (Questions 186–192)	43.9% (±8.6)	38.3% (±2.8)

**Protective Factors**

	<b>Your Students</b> % (±CI) (n=132)	<b>Statewide</b> % (±CI) (n=4,273)
Opportunities for Prosocial Involvement (Questions 193–197)	72.0% (±7.8)	65.2% (±2.7)
Rewards for Prosocial Involvement (Questions 198–201)	65.2% (±8.2)	57.5% (±2.5)




**Peer-Individual Domain**

**Risk Factors**


	<b>Your Students</b>	<b>Statewide</b>
	% (±CI)	% (±CI)
Perceived Risk of Drug Use (Questions 202–205)	(n=130) 40.8% (±8.6)	(n=4,109) 41.2% (±2.9)
Early Initiation of Drug Use (Questions 206-209)	(n=131) 15.3% (±6.2)	(n=4,121) 20.6% (±2.4)
Favorable Attitudes Towards Drug Use (Questions 216-219)	(n=131) 35.9% (±8.3)	(n=4,022) 41.0% (±2.3)
Friends' Use of Drugs (Questions 221-224)	(n=122) 23.8% (±7.7)	(n=3,689) 23.0% (±2.2)

**Protective Factors**

Interaction With Prosocial Peers (Questions 234-238)	(n=119) 64.7% (±8.7)	(n=3,705) 57.7% (±3.3)
Belief in the Moral Order (Questions 239-242)	(n=132) 74.2% (±7.6)	(n=4,191) 72.9% (±2.1)
Opportunities for Prosocial Involvement (Questions 243-245)	NA <sup>E</sup>	NA <sup>E</sup>
Social Skills (Questions 246-248)	(n=120) 62.5% (±8.8)	(n=3,677) 61.1% (±2.1)




**Peer-Individual Risk Factors**



**Peer-Individual Protective Factors**



### Risk and Protective Factor Graph of All Scale Results



Note: NA<sup>S</sup> = Included only on the secondary version; NA<sup>E</sup> = Included only on the elementary version.

## Risk and Protective Factors: Individual Question Results

The remainder of the report provides results for the individual survey questions used to compute the risk and protective factors.

### Community Domain

#### Perceived Availability of Drugs (Questions 164-167)

	Your Students % (±CI) (n=132)	Statewide % (±CI) (n=4,305)
<b>164. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey, or gin), how easy would it be for you to get some?</b>		
a. Very hard	6.1% (±4.1)	22.0% (±1.7)
b. Sort of hard	30.3% (±7.9)	26.5% (±1.4)
c. Sort of easy	43.2% (±8.6)	28.3% (±1.5)
d. Very easy	20.5% (±7.0)	23.2% (±1.5)
<b>165. If you wanted to get some cigarettes, how easy would it be for you to get some?</b>	(n=132)	(n=4,290)
a. Very hard	27.3% (±7.7)	33.6% (±2.0)
b. Sort of hard	35.6% (±8.3)	24.9% (±1.7)
c. Sort of easy	22.7% (±7.2)	20.5% (±1.4)
d. Very easy	14.4% (±6.1)	21.0% (±2.4)
<b>166. If you wanted to get some marijuana, how easy would it be for you to get some?</b>	(n=132)	(n=4,290)
a. Very hard	17.4% (±6.6)	29.1% (±2.4)
b. Sort of hard	18.9% (±6.8)	18.0% (±1.3)
c. Sort of easy	32.6% (±8.1)	20.5% (±1.3)
d. Very easy	31.1% (±8.0)	32.4% (±2.5)
<b>167. If you wanted to get a drug like cocaine, LSD, or amphetamines, how easy would it be for you to get some?</b>	(n=132)	(n=4,283)
a. Very hard	56.8% (±8.6)	61.8% (±2.5)
b. Sort of hard	26.5% (±7.6)	22.3% (±1.7)
c. Sort of easy	14.4% (±6.1)	11.3% (±1.0)
d. Very easy	2.3% (±2.6)	4.6% (±0.8)

#### Laws and Norms Favorable to Drug Use (Questions 168-173)

	(n=132)	(n=4,296)
<b>168. How wrong would most adults in your neighborhood<sup>C</sup>/ neighborhood or community<sup>A</sup> think it was for kids your age: To use marijuana?</b>		
a. Very wrong	38.6% (±8.4)	42.0% (±2.8)
b. Wrong	41.7% (±8.5)	37.6% (±1.7)
c. A little bit wrong	18.2% (±6.7)	15.5% (±1.9)
d. Not wrong at all	1.5% (±2.1)	4.8% (±0.9)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=132)		(n=4,332)	
<b>169. How wrong would most adults in your neighborhood<sup>C</sup>/ neighborhood or community<sup>A</sup> think it was for kids your age: To drink alcohol?</b>				
a. Very wrong	37.9%	( $\pm$ 8.4)	38.2%	( $\pm$ 2.2)
b. Wrong	45.5%	( $\pm$ 8.6)	41.7%	( $\pm$ 1.7)
c. A little bit wrong	15.9%	( $\pm$ 6.3)	16.2%	( $\pm$ 1.6)
d. Not wrong at all	0.8%	( $\pm$ 1.5)	3.9%	( $\pm$ 0.8)
<b>170. How wrong would most adults in your neighborhood<sup>C</sup>/ neighborhood or community<sup>A</sup> think it was for kids your age: To smoke cigarettes?</b>				
	(n=132)		(n=4,326)	
a. Very wrong	74.2%	( $\pm$ 7.6)	51.8%	( $\pm$ 2.6)
b. Wrong	21.2%	( $\pm$ 7.1)	32.4%	( $\pm$ 1.6)
c. A little bit wrong	3.8%	( $\pm$ 3.3)	11.0%	( $\pm$ 1.4)
d. Not wrong at all	0.8%	( $\pm$ 1.5)	4.7%	( $\pm$ 0.9)
<b>171. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood<sup>C</sup>/ community<sup>A</sup>, would he or she be caught by the police?</b>				
	(n=132)		(n=4,293)	
a. NO!	9.1%	( $\pm$ 5.0)	15.1%	( $\pm$ 1.7)
b. No	65.2%	( $\pm$ 8.2)	58.4%	( $\pm$ 2.0)
c. yes	25.0%	( $\pm$ 7.5)	21.5%	( $\pm$ 1.8)
d. YES!	0.8%	( $\pm$ 1.5)	5.0%	( $\pm$ 0.6)
<b>172. If a kid carried a handgun in your neighborhood<sup>C</sup>/ community<sup>A</sup>, would he or she be caught by the police?</b>				
	(n=132)		(n=4,274)	
a. NO!	2.3%	( $\pm$ 2.6)	6.3%	( $\pm$ 0.9)
b. No	17.4%	( $\pm$ 6.6)	23.4%	( $\pm$ 1.7)
c. yes	40.2%	( $\pm$ 8.5)	40.8%	( $\pm$ 1.7)
d. YES!	40.2%	( $\pm$ 8.5)	29.6%	( $\pm$ 1.9)
<b>173. If a kid used marijuana in your neighborhood<sup>C</sup>/ community<sup>A</sup>, would he or she be caught by the police?</b>				
	(n=132)		(n=4,292)	
a. NO!	12.9%	( $\pm$ 5.8)	17.7%	( $\pm$ 1.9)
b. No	58.3%	( $\pm$ 8.5)	52.4%	( $\pm$ 1.8)
c. yes	25.0%	( $\pm$ 7.5)	21.9%	( $\pm$ 1.6)
d. YES!	3.8%	( $\pm$ 3.3)	7.9%	( $\pm$ 0.7)

### Opportunities for Prosocial Involvement (Questions 174-177)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=132)		(n=4,302)	
<b>174. There are adults in my neighborhood or community I could talk to about something important.</b>				
a. NO!	5.3%	( $\pm$ 3.9)	9.2%	( $\pm$ 1.5)
b. No	9.1%	( $\pm$ 5.0)	16.4%	( $\pm$ 1.3)
c. yes	47.7%	( $\pm$ 8.6)	42.4%	( $\pm$ 1.4)
d. YES!	37.9%	( $\pm$ 8.4)	32.0%	( $\pm$ 2.2)

**Which of the following activities for people your age are available in your community?**

	Your Students % ( $\pm$ CI) (n=132)	Statewide % ( $\pm$ CI) (n=4,297)
<b>175. Sports teams and recreation</b>		
a. Yes	99.2% ( $\pm$ 1.5)	89.4% ( $\pm$ 1.8)
b. No	0.8% ( $\pm$ 1.5)	10.6% ( $\pm$ 1.8)
<b>176. Scouts, Camp Fire, 4-H Clubs, or other service clubs</b>	(n=131)	(n=4,265)
a. Yes	92.4% ( $\pm$ 4.6)	71.2% ( $\pm$ 4.6)
b. No	7.6% ( $\pm$ 4.6)	28.8% ( $\pm$ 4.6)
<b>177. Boys and Girls Club, YMCA, or other activity clubs</b>	(n=132)	(n=4,277)
a. Yes	93.2% ( $\pm$ 4.4)	79.2% ( $\pm$ 3.3)
b. No	6.8% ( $\pm$ 4.4)	20.8% ( $\pm$ 3.3)

**Rewards for Prosocial Involvement (Questions 178-180)**

[Questions 178-180 appear only on the elementary version of the survey.]

**Family Domain****Poor Family Management (Questions 181-188)**

<b>181. My parents ask if I've gotten my homework done.</b>	(n=128)	(n=3,943)
a. NO!	3.9% ( $\pm$ 3.4)	4.9% ( $\pm$ 0.8)
b. No	6.3% ( $\pm$ 4.3)	10.2% ( $\pm$ 1.0)
c. yes	50.8% ( $\pm$ 8.8)	40.9% ( $\pm$ 2.2)
d. YES!	39.1% ( $\pm$ 8.6)	44.0% ( $\pm$ 2.4)
<b>182. Would your parents know if you did not come home on time?</b>	(n=127)	(n=3,880)
a. NO!	0.8% ( $\pm$ 1.6)	4.6% ( $\pm$ 0.8)
b. No	15.7% ( $\pm$ 6.4)	14.4% ( $\pm$ 1.1)
c. yes	55.9% ( $\pm$ 8.8)	43.1% ( $\pm$ 1.8)
d. YES!	27.6% ( $\pm$ 7.9)	37.8% ( $\pm$ 2.0)
<b>183. When I am not at home, one of my parents knows where I am and who I am with.</b>	(n=128)	(n=3,937)
a. NO!	0.0% ( $\pm$ 0.0)	3.3% ( $\pm$ 0.6)
b. No	8.6% ( $\pm$ 4.9)	8.1% ( $\pm$ 1.1)
c. yes	64.1% ( $\pm$ 8.4)	45.9% ( $\pm$ 2.1)
d. YES!	27.3% ( $\pm$ 7.8)	42.8% ( $\pm$ 2.2)
<b>184. The rules in my family are clear.</b>	(n=127)	(n=3,920)
a. NO!	1.6% ( $\pm$ 2.2)	3.5% ( $\pm$ 0.6)
b. No	13.4% ( $\pm$ 6.0)	10.4% ( $\pm$ 1.1)
c. yes	61.4% ( $\pm$ 8.6)	47.2% ( $\pm$ 1.7)
d. YES!	23.6% ( $\pm$ 7.5)	38.8% ( $\pm$ 2.2)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=126)		(n=3,907)	
<b>185. My family has clear rules about alcohol and drug use.</b>				
a. NO!	2.4%	(±2.7)	3.2%	(±0.6)
b. No	18.3%	(±6.8)	12.6%	(±1.2)
c. yes	44.4%	(±8.8)	35.1%	(±2.1)
d. YES!	34.9%	(±8.4)	49.1%	(±2.9)
<b>186. If you drank some beer, wine, or liquor (for example vodka, whiskey, or gin) without your parent's permission, would you be caught by them?</b>				
	(n=127)		(n=3,871)	
a. NO!	9.4%	(±5.2)	10.3%	(±1.4)
b. No	43.3%	(±8.7)	36.0%	(±2.4)
c. yes	31.5%	(±8.2)	29.7%	(±1.5)
d. YES!	15.7%	(±6.4)	24.0%	(±1.8)
<b>187. If you carried a handgun without your parent's permission, would you be caught by them?</b>				
	(n=127)		(n=3,853)	
a. NO!	0.8%	(±1.6)	4.9%	(±0.8)
b. No	11.8%	(±5.7)	13.3%	(±1.4)
c. yes	42.5%	(±8.7)	32.0%	(±1.6)
d. YES!	44.9%	(±8.8)	49.8%	(±1.8)
<b>188. If you skipped school, would you be caught by your parents?</b>				
	(n=127)		(n=3,871)	
a. NO!	3.1%	(±3.1)	5.4%	(±0.9)
b. No	15.7%	(±6.4)	11.1%	(±1.8)
c. yes	45.7%	(±8.8)	32.8%	(±1.6)
d. YES!	35.4%	(±8.4)	50.7%	(±2.7)

### Opportunities for Prosocial Involvement (Questions 189-191)

<b>189. If I had a personal problem, I could ask my mom or dad for help.</b>				
	(n=128)		(n=3,919)	
a. NO!	3.9%	(±3.4)	8.2%	(±1.2)
b. No	10.2%	(±5.3)	13.5%	(±1.2)
c. yes	57.0%	(±8.7)	42.2%	(±2.2)
d. YES!	28.9%	(±8.0)	36.1%	(±2.1)
<b>190. My parents give me lots of chances to do fun things with them.</b>				
	(n=127)		(n=3,901)	
a. NO!	3.1%	(±3.1)	7.5%	(±0.9)
b. No	19.7%	(±7.0)	22.0%	(±1.6)
c. yes	57.5%	(±8.7)	44.7%	(±1.4)
d. YES!	19.7%	(±7.0)	25.8%	(±1.8)
<b>191. My parents ask me what I think before most family decisions affecting me are made.</b>				
	(n=127)		(n=3,882)	
a. NO!	6.3%	(±4.3)	11.9%	(±1.4)
b. No	24.4%	(±7.6)	26.1%	(±1.7)
c. yes	54.3%	(±8.8)	41.2%	(±1.9)
d. YES!	15.0%	(±6.3)	20.8%	(±1.5)

## Rewards for Prosocial Involvement (Questions 192-195)

[Questions 192-195 appear only on the elementary version of the survey.]

## Parental Attitudes Favorable Towards Drug Use (Questions 196-198)

	Your Students		Statewide	
	% (±CI)		% (±CI)	
	(n=132)		(n=4,342)	
<b>196. How wrong do your parents feel it would be for you to: Drink beer, wine, or hard liquor (for example vodka, whiskey or gin) regularly (at least once or twice a month)?</b>				
a. Very wrong	65.2%	(±8.2)	68.9%	(±2.1)
b. Wrong	21.2%	(±7.1)	19.0%	(±1.4)
c. A little bit wrong	13.6%	(±5.9)	8.9%	(±1.0)
d. Not wrong at all	0.0%	(±0.0)	3.2%	(±0.8)
<b>197. How wrong do your parents feel it would be for you to: Smoke cigarettes?</b>				
	(n=132)		(n=4,343)	
a. Very wrong	90.9%	(±5.0)	85.6%	(±1.7)
b. Wrong	8.3%	(±4.8)	10.3%	(±1.2)
c. A little bit wrong	0.8%	(±1.5)	2.5%	(±0.6)
d. Not wrong at all	0.0%	(±0.0)	1.6%	(±0.5)
<b>198. How wrong do your parents feel it would be for you to: Use marijuana?</b>				
	(n=132)		(n=4,338)	
a. Very wrong	64.4%	(±8.3)	73.0%	(±2.3)
b. Wrong	19.7%	(±6.9)	15.8%	(±1.2)
c. A little bit wrong	12.9%	(±5.8)	6.9%	(±0.9)
d. Not wrong at all	3.0%	(±3.0)	4.2%	(±0.9)

## School Domain

### Academic Failure Questions (Questions 199-200)

<b>199. Putting them all together, what were your grades like last year?</b>				
	(n=263)		(n=8,433)	
a. Mostly As	60.8%	(±5.9)	41.8%	(±3.9)
b. Mostly Bs	24.3%	(±5.2)	31.7%	(±1.5)
c. Mostly Cs	12.5%	(±4.0)	17.7%	(±1.9)
d. Mostly Ds	1.5%	(±1.5)	5.4%	(±0.9)
e. Mostly Fs	0.8%	(±1.1)	3.3%	(±0.7)
<b>200. Are your school grades better than the grades of most students in your class?</b>				
	(n=131)		(n=4,234)	
a. NO!	3.8%	(±3.3)	7.4%	(±0.9)
b. No	30.5%	(±8.0)	31.6%	(±1.8)
c. yes	57.3%	(±8.6)	47.5%	(±1.8)
d. YES!	8.4%	(±4.8)	13.4%	(±1.1)

**Low Commitment to School (Questions 201-207)**

	<b>Your Students</b>		<b>Statewide</b>	
	<b>% (±CI)</b>		<b>% (±CI)</b>	
	<b>(n=132)</b>		<b>(n=4,318)</b>	
<b>201. How often do you feel the schoolwork you are assigned is meaningful and important?</b>				
a. Almost always	4.5%	(±3.6)	13.2%	(±1.4)
b. Often	30.3%	(±7.9)	27.3%	(±1.6)
c. Sometimes	44.7%	(±8.6)	36.1%	(±1.5)
d. Seldom	15.9%	(±6.3)	16.9%	(±1.6)
e. Never	4.5%	(±3.6)	6.5%	(±1.0)
<b>202. How interesting are most of your courses to you?</b>	<b>(n=132)</b>		<b>(n=4,314)</b>	
a. Very interesting and stimulating	3.8%	(±3.3)	6.5%	(±1.2)
b. Quite interesting	24.2%	(±7.4)	26.0%	(±1.8)
c. Fairly interesting	44.7%	(±8.6)	39.0%	(±1.7)
d. Slightly dull	18.9%	(±6.8)	20.2%	(±1.5)
e. Very dull	8.3%	(±4.8)	8.2%	(±1.1)
<b>203. How important do you think the things you are learning in school are going to be for you later in life?</b>	<b>(n=132)</b>		<b>(n=4,307)</b>	
a. Very important	11.4%	(±5.5)	19.4%	(±2.0)
b. Quite important	22.7%	(±7.2)	25.6%	(±1.6)
c. Fairly important	35.6%	(±8.3)	28.3%	(±1.4)
d. Slightly important	25.8%	(±7.6)	20.6%	(±1.3)
e. Not at all important	4.5%	(±3.6)	6.1%	(±0.8)
<b>Think back over the past year in school. How often did you:</b>				
<b>204. Enjoy being in school?</b>	<b>(n=264)</b>		<b>(n=8,480)</b>	
a. Never	6.4%	(±3.0)	10.0%	(±0.8)
b. Seldom	15.5%	(±4.4)	17.2%	(±1.0)
c. Sometimes	43.6%	(±6.0)	35.3%	(±1.1)
d. Often	28.4%	(±5.5)	26.7%	(±1.4)
e. Almost always	6.1%	(±2.9)	10.8%	(±1.1)
<b>205. Hate being in school?</b>	<b>(n=132)</b>		<b>(n=4,305)</b>	
a. Never	3.8%	(±3.3)	8.0%	(±0.9)
b. Seldom	25.8%	(±7.6)	26.0%	(±1.8)
c. Sometimes	46.2%	(±8.6)	36.9%	(±1.5)
d. Often	16.7%	(±6.4)	18.6%	(±1.4)
e. Almost always	7.6%	(±4.6)	10.5%	(±1.4)
<b>206. Try to do your best work in school?</b>	<b>(n=132)</b>		<b>(n=4,295)</b>	
a. Never	2.3%	(±2.6)	1.8%	(±0.4)
b. Seldom	6.8%	(±4.4)	5.6%	(±0.9)
c. Sometimes	15.9%	(±6.3)	14.8%	(±1.1)
d. Often	28.0%	(±7.8)	35.0%	(±1.2)
e. Almost always	47.0%	(±8.6)	42.8%	(±2.0)

207. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?	Your Students		Statewide	
	% ( $\pm$ CI) (n=132)		% ( $\pm$ CI) (n=4,297)	
a. None	85.6%	( $\pm$ 6.1)	82.0%	( $\pm$ 1.8)
b. 1	6.8%	( $\pm$ 4.4)	7.7%	( $\pm$ 1.0)
c. 2	3.0%	( $\pm$ 3.0)	3.2%	( $\pm$ 0.7)
d. 3	1.5%	( $\pm$ 2.1)	2.8%	( $\pm$ 0.6)
e. 4–5	0.8%	( $\pm$ 1.5)	2.4%	( $\pm$ 0.7)
f. 6–10	2.3%	( $\pm$ 2.6)	0.9%	( $\pm$ 0.3)
g. 11 or more	0.0%	( $\pm$ 0.0)	1.0%	( $\pm$ 0.3)

### Opportunities for Prosocial Involvement (Questions 208-212)

208. In my school, students have lots of chances to help decide things like class activities and rules.	(n=131)		(n=4,263)	
	a. NO!	16.0%	( $\pm$ 6.4)	14.7%
b. No	52.7%	( $\pm$ 8.7)	35.4%	( $\pm$ 1.7)
c. yes	26.7%	( $\pm$ 7.7)	41.6%	( $\pm$ 2.1)
d. YES!	4.6%	( $\pm$ 3.6)	8.3%	( $\pm$ 1.2)

209. There are lots of chances for students in my school to talk with a teacher one-on-one.	(n=132)		(n=4,283)	
	a. NO!	2.3%	( $\pm$ 2.6)	4.4%
b. No	12.1%	( $\pm$ 5.6)	15.7%	( $\pm$ 1.5)
c. yes	52.3%	( $\pm$ 8.6)	55.8%	( $\pm$ 1.5)
d. YES!	33.3%	( $\pm$ 8.1)	24.1%	( $\pm$ 2.4)

210. Teachers ask me to work on special classroom projects.	(n=130)		(n=4,248)	
	a. NO!	14.6%	( $\pm$ 6.2)	15.4%
b. No	50.8%	( $\pm$ 8.7)	51.0%	( $\pm$ 1.7)
c. yes	29.2%	( $\pm$ 7.9)	28.7%	( $\pm$ 1.9)
d. YES!	5.4%	( $\pm$ 3.9)	4.8%	( $\pm$ 0.8)

211. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class.	(n=132)		(n=4,283)	
	a. NO!	1.5%	( $\pm$ 2.1)	2.2%
b. No	0.8%	( $\pm$ 1.5)	4.6%	( $\pm$ 0.9)
c. yes	25.8%	( $\pm$ 7.6)	36.0%	( $\pm$ 2.4)
d. YES!	72.0%	( $\pm$ 7.8)	57.2%	( $\pm$ 3.0)

212. I have lots of chances to be part of class discussions or activities.	(n=131)		(n=4,281)	
	a. NO!	1.5%	( $\pm$ 2.1)	2.7%
b. No	3.8%	( $\pm$ 3.3)	11.0%	( $\pm$ 1.2)
c. yes	57.3%	( $\pm$ 8.6)	58.3%	( $\pm$ 1.7)
d. YES!	37.4%	( $\pm$ 8.4)	28.0%	( $\pm$ 2.2)



**Rewards for Prosocial Involvement (Questions 213-216)**

	<b>Your Students</b>		<b>Statewide</b>	
	<b>% (±CI)</b>		<b>% (±CI)</b>	
	<b>(n=132)</b>		<b>(n=4,264)</b>	
<b>213. My teacher(s) notices when I am doing a good job and lets me know about it.</b>				
a. NO!	5.3%	(±3.9)	9.8%	(±1.1)
b. No	36.4%	(±8.3)	32.3%	(±2.2)
c. yes	49.2%	(±8.6)	47.3%	(±1.7)
d. YES!	9.1%	(±5.0)	10.6%	(±1.6)
<b>214. The school lets my parents know when I have done something well.</b>	<b>(n=131)</b>		<b>(n=4,266)</b>	
a. NO!	24.4%	(±7.5)	27.9%	(±1.7)
b. No	51.9%	(±8.7)	47.2%	(±1.7)
c. yes	22.1%	(±7.2)	20.7%	(±1.6)
d. YES!	1.5%	(±2.1)	4.3%	(±0.7)
<b>215. I feel safe at my school.</b>	<b>(n=266)</b>		<b>(n=8,729)</b>	
a. NO! <sup>AC</sup> /Definitely NOT true <sup>B</sup>	1.1%	(±1.3)	4.4%	(±0.8)
b. no <sup>AC</sup> /Mostly not true <sup>B</sup>	4.9%	(±2.6)	11.0%	(±1.8)
c. yes <sup>AC</sup> /Mostly true <sup>B</sup>	48.1%	(±6.0)	56.8%	(±1.8)
d. YES! <sup>AC</sup> /Definitely true <sup>B</sup>	45.9%	(±6.0)	27.8%	(±3.6)
<b>216. My teachers praise me when I work hard in school.</b>	<b>(n=132)</b>		<b>(n=4,248)</b>	
a. NO!	10.6%	(±5.3)	16.7%	(±1.4)
b. No	40.9%	(±8.5)	43.5%	(±2.1)
c. yes	42.4%	(±8.5)	32.3%	(±2.0)
d. YES!	6.1%	(±4.1)	7.4%	(±1.0)

**Peer and Individual Domain****Perceived Risk of Drug Use (Questions 217-220)**

*How much do you think people risk harming themselves if they:*

<b>217. Smoke one or more packs of cigarettes per day?</b>	<b>(n=132)</b>		<b>(n=4,234)</b>	
a. No risk	0.8%	(±1.5)	2.4%	(±0.4)
b. Slight risk	1.5%	(±2.1)	3.6%	(±0.6)
c. Moderate risk	8.3%	(±4.8)	12.7%	(±1.2)
d. Great risk	87.9%	(±5.6)	78.5%	(±1.8)
e. Not sure	1.5%	(±2.1)	2.7%	(±0.5)
<b>218. Try marijuana once or twice?</b>	<b>(n=132)</b>		<b>(n=4,225)</b>	
a. No risk	34.1%	(±8.2)	31.9%	(±2.5)
b. Slight risk	41.7%	(±8.5)	28.9%	(±1.7)
c. Moderate risk	14.4%	(±6.1)	20.4%	(±1.5)
d. Great risk	9.1%	(±5.0)	15.8%	(±1.6)
e. Not sure	0.8%	(±1.5)	3.0%	(±0.6)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=131)		(n=4,225)	
<b>219. Use marijuana regularly (at least once or twice a week)?</b>				
a. No risk	6.9%	( $\pm$ 4.4)	15.4%	( $\pm$ 2.1)
b. Slight risk	26.0%	( $\pm$ 7.6)	18.6%	( $\pm$ 1.0)
c. Moderate risk	35.9%	( $\pm$ 8.3)	27.4%	( $\pm$ 1.9)
d. Great risk	29.8%	( $\pm$ 7.9)	35.6%	( $\pm$ 2.8)
e. Not sure	1.5%	( $\pm$ 2.1)	3.0%	( $\pm$ 0.6)
<b>220. Take one or two drinks of an alcoholic beverage (wine, beer, a shot, liquor) nearly every day?</b>				
	(n=132)		(n=4,219)	
a. No risk	3.0%	( $\pm$ 3.0)	5.3%	( $\pm$ 1.0)
b. Slight risk	12.1%	( $\pm$ 5.6)	15.4%	( $\pm$ 1.6)
c. Moderate risk	34.1%	( $\pm$ 8.2)	32.7%	( $\pm$ 1.7)
d. Great risk	48.5%	( $\pm$ 8.6)	43.8%	( $\pm$ 2.8)
e. Not sure	2.3%	( $\pm$ 2.6)	2.8%	( $\pm$ 0.5)

### Early Initiation of Drug Use (Questions 221-224)

*How old were you the first time you:*

	(n=265)		(n=8,565)	
<b>221. Used marijuana?</b>				
a. Never have	75.8%	( $\pm$ 5.2)	70.6%	( $\pm$ 2.5)
b. 10 or younger	0.8%	( $\pm$ 1.0)	2.2%	( $\pm$ 0.4)
c. 11	0.0%	( $\pm$ 0.0)	1.8%	( $\pm$ 0.4)
d. 12	1.9%	( $\pm$ 1.6)	3.4%	( $\pm$ 0.6)
e. 13	1.9%	( $\pm$ 1.6)	6.7%	( $\pm$ 0.8)
f. 14	10.2%	( $\pm$ 3.7)	8.1%	( $\pm$ 0.7)
g. 15	8.3%	( $\pm$ 3.3)	6.4%	( $\pm$ 0.8)
h. 16	1.1%	( $\pm$ 1.3)	0.6%	( $\pm$ 0.2)
i. 17 or older	0.0%	( $\pm$ 0.0)	0.2%	( $\pm$ 0.1)
<b>222. Smoked a cigarette, even just a puff?</b>				
	(n=131)		(n=4,146)	
a. Never have	83.2%	( $\pm$ 6.5)	78.0%	( $\pm$ 2.6)
b. 10 or younger	1.5%	( $\pm$ 2.1)	4.8%	( $\pm$ 1.1)
c. 11	0.0%	( $\pm$ 0.0)	2.1%	( $\pm$ 0.5)
d. 12	0.8%	( $\pm$ 1.5)	2.7%	( $\pm$ 0.5)
e. 13	2.3%	( $\pm$ 2.6)	3.6%	( $\pm$ 0.8)
f. 14	6.1%	( $\pm$ 4.2)	4.4%	( $\pm$ 0.8)
g. 15	6.1%	( $\pm$ 4.2)	3.5%	( $\pm$ 0.7)
h. 16	0.0%	( $\pm$ 0.0)	0.6%	( $\pm$ 0.3)
i. 17 or older	0.0%	( $\pm$ 0.0)	0.3%	( $\pm$ 0.2)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=265)		(n=8,579)	
<b>223. Had more than a sip or two of beer, wine, or hard liquor (for example vodka, whiskey, or gin)?</b>				
a. Never have	57.4%	( $\pm$ 6.0)	49.9%	( $\pm$ 2.1)
b. 10 or younger	7.2%	( $\pm$ 3.1)	10.6%	( $\pm$ 0.9)
c. 11	1.5%	( $\pm$ 1.5)	3.4%	( $\pm$ 0.4)
d. 12	3.0%	( $\pm$ 2.1)	5.5%	( $\pm$ 0.5)
e. 13	7.2%	( $\pm$ 3.1)	8.0%	( $\pm$ 0.7)
f. 14	13.6%	( $\pm$ 4.2)	11.2%	( $\pm$ 0.7)
g. 15	10.2%	( $\pm$ 3.7)	10.1%	( $\pm$ 1.0)
h. 16	0.0%	( $\pm$ 0.0)	1.0%	( $\pm$ 0.2)
i. 17 or older	0.0%	( $\pm$ 0.0)	0.2%	( $\pm$ 0.1)
<b>224. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?</b>				
	(n=130)		(n=4,115)	
a. Never have	83.1%	( $\pm$ 6.5)	82.9%	( $\pm$ 1.8)
b. 10 or younger	0.8%	( $\pm$ 1.5)	1.2%	( $\pm$ 0.4)
c. 11	0.0%	( $\pm$ 0.0)	0.8%	( $\pm$ 0.2)
d. 12	0.0%	( $\pm$ 0.0)	1.5%	( $\pm$ 0.5)
e. 13	1.5%	( $\pm$ 2.1)	2.1%	( $\pm$ 0.5)
f. 14	4.6%	( $\pm$ 3.7)	4.3%	( $\pm$ 0.7)
g. 15	9.2%	( $\pm$ 5.0)	5.6%	( $\pm$ 1.0)
h. 16	0.8%	( $\pm$ 1.5)	1.2%	( $\pm$ 0.4)
i. 17 or older	0.0%	( $\pm$ 0.0)	0.3%	( $\pm$ 0.2)

### Favorable Attitudes Toward Drug Use (Questions 225-228)

*How wrong do YOU think it is for someone your age to:*

<b>225. Drink beer, wine, or hard liquor (for example vodka, whiskey, or gin) regularly?</b>				
	(n=131)		(n=4,045)	
a. Very wrong	45.0%	( $\pm$ 8.6)	41.5%	( $\pm$ 2.8)
b. Wrong	27.5%	( $\pm$ 7.7)	30.8%	( $\pm$ 1.8)
c. A little bit wrong	20.6%	( $\pm$ 7.0)	20.8%	( $\pm$ 1.5)
d. Not wrong at all	6.9%	( $\pm$ 4.4)	6.9%	( $\pm$ 1.0)
<b>226. Smoke cigarettes?</b>				
	(n=130)		(n=4,042)	
a. Very wrong	69.2%	( $\pm$ 8.0)	59.4%	( $\pm$ 2.4)
b. Wrong	20.0%	( $\pm$ 7.0)	25.4%	( $\pm$ 1.5)
c. A little bit wrong	8.5%	( $\pm$ 4.8)	10.7%	( $\pm$ 1.1)
d. Not wrong at all	2.3%	( $\pm$ 2.6)	4.5%	( $\pm$ 1.0)
<b>227. Use marijuana?</b>				
	(n=131)		(n=4,023)	
a. Very wrong	38.9%	( $\pm$ 8.5)	41.1%	( $\pm$ 2.7)
b. Wrong	16.8%	( $\pm$ 6.5)	20.0%	( $\pm$ 1.2)
c. A little bit wrong	22.9%	( $\pm$ 7.3)	21.3%	( $\pm$ 1.5)
d. Not wrong at all	21.4%	( $\pm$ 7.1)	17.6%	( $\pm$ 1.8)

	Your Students		Statewide	
	% ( $\pm$ CI)		% ( $\pm$ CI)	
	(n=130)		(n=4,015)	
<b>228. Use LSD, cocaine, amphetamines, or another illegal drug?</b>				
a. Very wrong	77.7%	( $\pm$ 7.3)	76.5%	( $\pm$ 1.8)
b. Wrong	14.6%	( $\pm$ 6.2)	15.8%	( $\pm$ 1.3)
c. A little bit wrong	6.2%	( $\pm$ 4.2)	5.4%	( $\pm$ 0.8)
d. Not wrong at all	1.5%	( $\pm$ 2.1)	2.3%	( $\pm$ 0.5)

### Friends Use Drugs (Questions 229-232)

*Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...*

	(n=121)		(n=3,694)	
<b>229. Smoked cigarettes?</b>				
a. None of my friends	82.6%	( $\pm$ 6.8)	73.8%	( $\pm$ 3.0)
b. 1 of my friends	9.1%	( $\pm$ 5.2)	12.3%	( $\pm$ 1.7)
c. 2 of my friends	3.3%	( $\pm$ 3.2)	6.3%	( $\pm$ 1.0)
d. 3 of my friends	2.5%	( $\pm$ 2.8)	3.4%	( $\pm$ 0.8)
e. 4 of my friends	2.5%	( $\pm$ 2.8)	4.2%	( $\pm$ 0.8)

	(n=122)		(n=3,685)	
<b>230. Tried beer, wine, or hard liquor (for example vodka, whiskey, or gin) when their parents didn't know about it?</b>				
a. None of my friends	48.4%	( $\pm$ 9.0)	51.0%	( $\pm$ 2.7)
b. 1 of my friends	13.9%	( $\pm$ 6.2)	16.7%	( $\pm$ 1.3)
c. 2 of my friends	13.1%	( $\pm$ 6.1)	11.3%	( $\pm$ 1.2)
d. 3 of my friends	9.0%	( $\pm$ 5.2)	8.1%	( $\pm$ 1.1)
e. 4 of my friends	15.6%	( $\pm$ 6.5)	12.8%	( $\pm$ 1.7)

	(n=122)		(n=3,691)	
<b>231. Used marijuana?</b>				
a. None of my friends	51.6%	( $\pm$ 9.0)	54.7%	( $\pm$ 3.1)
b. 1 of my friends	15.6%	( $\pm$ 6.5)	15.8%	( $\pm$ 1.6)
c. 2 of my friends	12.3%	( $\pm$ 5.9)	9.8%	( $\pm$ 1.1)
d. 3 of my friends	10.7%	( $\pm$ 5.6)	7.0%	( $\pm$ 0.8)
e. 4 of my friends	9.8%	( $\pm$ 5.4)	12.7%	( $\pm$ 1.6)

	(n=121)		(n=3,684)	
<b>232. Used LSD, cocaine, amphetamines, or other illegal drugs?</b>				
a. None of my friends	86.8%	( $\pm$ 6.1)	87.4%	( $\pm$ 1.5)
b. 1 of my friends	6.6%	( $\pm$ 4.5)	6.9%	( $\pm$ 1.0)
c. 2 of my friends	3.3%	( $\pm$ 3.2)	2.5%	( $\pm$ 0.6)
d. 3 of my friends	2.5%	( $\pm$ 2.8)	1.2%	( $\pm$ 0.3)
e. 4 of my friends	0.8%	( $\pm$ 1.6)	2.0%	( $\pm$ 0.5)

**Interaction with Prosocial Peers (Questions 233-237)**

*Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...*

	Your Students		Statewide	
	% (±CI)		% (±CI)	
<b>233. Participated in clubs, organizations or activities at school?</b>	(n=122)		(n=3,744)	
a. None of my friends	4.9%	(±3.9)	14.2%	(±1.8)
b. 1 of my friends	6.6%	(±4.5)	12.6%	(±1.6)
c. 2 of my friends	14.8%	(±6.4)	14.7%	(±1.3)
d. 3 of my friends	9.8%	(±5.4)	13.4%	(±1.2)
e. 4 of my friends	63.9%	(±8.6)	45.2%	(±3.4)
<b>234. Made a commitment to stay drug-free?</b>	(n=121)		(n=3,716)	
a. None of my friends	27.3%	(±8.0)	28.5%	(±2.4)
b. 1 of my friends	10.7%	(±5.6)	13.7%	(±1.4)
c. 2 of my friends	14.0%	(±6.3)	10.3%	(±1.1)
d. 3 of my friends	12.4%	(±6.0)	10.6%	(±0.8)
e. 4 of my friends	35.5%	(±8.7)	36.9%	(±3.0)
<b>235. Liked school?</b>	(n=120)		(n=3,718)	
a. None of my friends	19.2%	(±7.1)	28.7%	(±2.5)
b. 1 of my friends	17.5%	(±6.9)	14.6%	(±1.3)
c. 2 of my friends	24.2%	(±7.8)	17.4%	(±1.0)
d. 3 of my friends	14.2%	(±6.3)	14.5%	(±1.2)
e. 4 of my friends	25.0%	(±7.9)	24.7%	(±2.3)
<b>236. Regularly attended religious services?</b>	(n=121)		(n=3,698)	
a. None of my friends	45.5%	(±9.0)	33.8%	(±2.4)
b. 1 of my friends	24.0%	(±7.7)	26.3%	(±1.8)
c. 2 of my friends	14.0%	(±6.3)	17.1%	(±1.3)
d. 3 of my friends	5.8%	(±4.2)	8.5%	(±1.3)
e. 4 of my friends	10.7%	(±5.6)	14.2%	(±2.1)
<b>237. Tried to do well in school?</b>	(n=120)		(n=3,707)	
a. None of my friends	3.3%	(±3.3)	6.2%	(±1.2)
b. 1 of my friends	5.0%	(±4.0)	6.7%	(±0.9)
c. 2 of my friends	7.5%	(±4.8)	10.4%	(±1.4)
d. 3 of my friends	11.7%	(±5.8)	16.5%	(±1.2)
e. 4 of my friends	72.5%	(±8.1)	60.2%	(±3.3)

**Belief in the Moral Order (Questions 238-241)**

**238. I think it is okay to take something without asking as long as you get away with it.**

	(n=131)		(n=4,198)	
a. NO!	38.2%	(±8.4)	44.6%	(±1.8)
b. No	49.6%	(±8.7)	44.0%	(±1.9)
c. yes	11.5%	(±5.5)	9.0%	(±0.8)
d. YES!	0.8%	(±1.5)	2.4%	(±0.6)

	Your Students (n=132)		Statewide (n=4,196)	
	%	(±CI)	%	(±CI)
<b>239. I think sometimes it's okay to cheat at school.</b>				
a. NO!	28.0%	(±7.8)	30.2%	(±2.2)
b. No	43.9%	(±8.6)	38.4%	(±1.8)
c. yes	25.0%	(±7.5)	27.6%	(±2.3)
d. YES!	3.0%	(±3.0)	3.8%	(±0.7)
<b>240. It is all right to beat up people if they start the fight.</b>				
a. NO!	27.3%	(±7.7)	25.5%	(±1.9)
b. No	40.9%	(±8.5)	28.4%	(±1.7)
c. yes	25.0%	(±7.5)	29.0%	(±1.5)
d. YES!	6.8%	(±4.4)	17.1%	(±1.9)
<b>241. It is important to be honest with your parents, even if they become upset or you get punished.</b>				
a. NO!	2.3%	(±2.6)	5.7%	(±0.8)
b. No	21.2%	(±7.1)	13.6%	(±1.3)
c. yes	57.6%	(±8.5)	49.4%	(±1.6)
d. YES!	18.9%	(±6.8)	31.3%	(±1.8)

### Prosocial Involvement (Questions 242-244)

[Questions 242-244 appear only on the elementary version of the survey.]

### Social Skills (Questions 245-247)

<b>245. You're looking at CDs in a music store with a friend. You look up and see her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers.</b>				
a. Ignore her	19.5%	(±7.3)	19.7%	(±2.1)
b. Grab a CD and leave the store	12.7%	(±6.1)	9.3%	(±1.0)
c. Tell her to put the CD back	34.7%	(±8.7)	39.0%	(±2.1)
d. Act like it's a joke and ask her to put the CD back	33.1%	(±8.6)	32.0%	(±1.6)
<b>246. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As he is about to pass you, he deliberately bumps int</b>				
a. Push the person back	8.3%	(±5.0)	10.9%	(±1.3)
b. Say nothing and keep on walking	47.5%	(±9.1)	48.5%	(±2.2)
c. Say, "Watch where you're going," and keep on walking	33.3%	(±8.6)	28.2%	(±2.0)
d. Swear at the person and walk away	10.8%	(±5.6)	12.4%	(±1.2)

247. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	Your Students		Statewide	
	% ( $\pm$ CI) (n=119)		% ( $\pm$ CI) (n=3,665)	
a. Drink it	26.9%	( $\pm$ 8.1)	28.0%	( $\pm$ 2.2)
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	42.9%	( $\pm$ 9.0)	35.9%	( $\pm$ 2.0)
c. Just say, "No, thanks," and walk away	21.0%	( $\pm$ 7.4)	25.9%	( $\pm$ 1.6)
d. Make up a good excuse, tell your friend you had something else to do, and leave	9.2%	( $\pm$ 5.3)	10.2%	( $\pm$ 1.3)

## Questions by Topics

Questions about a single topic are not always grouped together in this report. For example, some questions about alcohol are presented in the Alcohol, Tobacco, and Other Drug (ATOD) Use section and others are presented in the Risk and Protective Factor section. The following list, groups the questions by topic so you can easily locate them in this report.

Abuse 122-126

Activities and Clubs 87, 175-177, 233

### Alcohol

Access 46, 164  
 Age at first use 223-224  
 Consequences 54  
 Current use 32, 43-44  
 Drinking and driving 111, 113  
 Family influence 47-48, 185-186, 196  
 Lifetime use 17  
 Perceived norms 50-51, 53, 169, 171, 225, 230, 247  
 Perceived risks 52, 220  
 Prevention/intervention 62, 150  
 Use at school 49, 61  
 Usual type 45

Asthma 88-93

Bullying/Harassment 143-149

Demographics 1, 3-5, 7-9

### Family

Food insecurity 68-69  
 Living situations 10-12  
 Military service 13-14  
 Parent's education 7-8

Fighting 119, 240

### Fitness

Physical activity 79-82, 85-86  
 Sedentary behavior 83-84

Gambling 142

Gangs 120-121

HIV/STD/Pregnancy Prevention 154-156

### Health or Health Care

Diabetes 98  
 Doctor visit 94  
 Oral Health 95-96  
 Sleep 99

Honesty 15, 238-239, 241

### Marijuana

Access 56, 166  
 Age at first use 221  
 Current use 33  
 Family influence 57-58, 198  
 Lifetime use 18  
 Perceived norms 60, 168, 173, 227, 231  
 Perceived risks 218-219  
 Use at school 59, 61  
 Using and driving 114-115  
 Usual type 55

### Mental Health

Anxiety and worry 133-134  
 Depression 127  
 Help with mental health 135-136  
 Suicide 128-130

### Nutrition

Breakfast 71  
 Food insecurity 68-69  
 Fruit/Vegetable servings 70  
 Junk food 77-78  
 Soda and Sugar Drinks 72-74

### Other Drugs

Access 167  
 Consequences 54  
 Current use 34-37  
 Family influence 63, 185  
 Lifetime use 19-23  
 Perceived norms 64, 228, 232, 234  
 Perceived risks 65  
 Prevention/intervention 62, 150  
 Use at school 61

Quality of Life 157-162

### Safety-related Behaviors

Swimming 106-107  
 Wearing Safety Gear 105

### School Climate

Absence 188, 207  
 Achievement 199-200  
 After-school activities 87, 175-177, 233  
 Bullying/harassment 143-149  
 Counseling and support 151-153  
 Engagement 201-206, 208-214, 216, 235, 237  
 Nutrition 73-74, 77-78  
 Physical activity 81-82, 85-86  
 Prevention/intervention 62, 136, 150  
 Safety at 121, 148, 215  
 Substance use at 49, 59, 61  
 Weapons at 116

Sexual Behaviors 100-104

Sexual Orientation 9

Social and Emotional Learning 137-141

Substance Use Prevention 62, 150

Texting and Driving 108, 110

### Tobacco

Access 165  
 Age at first use 222  
 Current use 25-31  
 Family 40-41, 197  
 Lifetime use 16  
 Perceived norms 42, 170, 226, 229  
 Perceived risks 217  
 Prevention/intervention 150  
 Secondhand Smoke 38-39

Weapons 116, 118, 172, 187

Weight and Weight Loss 66-67



## Core Questions

“Core” questions appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other questions appeared on either Form A or Form B, but not both. Core questions may or may not have appeared on Form C (the elementary version).

### Activities

Participation in after school activities 87

### Alcohol

Age when first drank alcohol 223  
Binge drinking 43  
Current alcohol drinking (past 30 days) 32  
Levels of alcohol use 44  
Lifetime alcohol use 17

### Bullying

Been bullied (past 30 days) 143

### Demographics

Age 1  
Education status of father 8  
Education status of mother 7  
Food insecurity 69  
Gender 3  
Language spoken in home 5  
Loss of home due to family finances 12  
Race/Ethnicity 4  
Where you live 11  
Who you live with 10

### Fighting

Physical fighting (past 12 months) 119

### Gangs

Gang involvement 120  
Gangs at school 121

### Honesty

Honesty in completing survey 15

### Marijuana

Age when first used marijuana 221  
Current marijuana use (past 30 days) 33  
Lifetime marijuana use 18

### Mental Health

Bothered by anxiety 133  
Bothered by worrying 134  
Depression (past 12 months) 127  
Seriously considered attempting suicide 128

### Other Drugs

Current drug use including marijuana (past 30 days) 35  
Current drug use not including marijuana (past 30 days) 34  
Current painkiller use (past 30 days) 36

### School Climate

Been bullied (past 30 days) 143  
Enjoyed being in school (past 12 months) 204  
Feel safe at school 215  
Grades in school (past 12 months) 199  
Participation in after school activities 87  
Weapon carrying on school property (past 12 months) 116

### Texting and Driving

Texting and driving (past 30 days) 110

### Tobacco

Current cigarette smoking (past 30 days) 25

### Weapons

Weapon carrying on school property (past 12 months) 116

For more information on which survey forms each question was on,  
see the Survey Crosswalk at [www.AskHYS.net](http://www.AskHYS.net), under HYS Results - QxQ