

Healthy Youth Survey 2014

Report of Results

Bainbridge Island School District Grade 8

March 1, 2015

Looking Glass Analytics 215 Legion Way SW Olympia, WA 98502

More information about the Healthy Youth Survey is available at www.AskHYS.net

Report Contents

Introduction and Overview	. 2
Survey Participation in this Report	. 2
Caution about Participation Rates and Bias	. 2
Small Numbers: Caution about Number of Students Participating	. 2
Key to the Notes	. 2
Highlights of the Local Results	. 3
Selected Results by Gender	. 4
Understanding Your Report N's Confidence Intervals More Information	. 5 . 6
Individual Question Results Demographics and General Information (Questions 1–15). Alcohol, Tobacco, and Other Drug (ATOD) Use Lifetime Use (Questions 16-24). 30-Day Use (Questions 25-37). Other Tobacco-Related Questions (Questions 38–42). Other Alcohol-Related Questions (Questions 43–54).	. 7 . 9 . 10 . 13
Other Marijuana-Related Questions (Questions 55–60). Other Alcohol- and Drug-Related Questions (Questions 61-65). Other Health Concerns Nutrition and Fitness (Questions 66–87). Health Conditions and Health Care (Questions 88–99).	. 17 . 18 . 18 . 22
Sexual Behavior (Questions 100-104) Behaviors Related to Unintentional Injuries (Questions 105–115). Behaviors Related to Intentional Injuries (Questions 116–121). Physical, Emotional and Sexual Abuse (Questions 122–126). Mental Health (Questions 127–136).	. 25 . 27 . 27
Social and Emotional Learning (Questions 137–141) Gambling (Question 142) School Climate (Questions 143-156) Quality of Life (Questions 157–163)	. 29 . 30 . 30 . 32
Risk and Protective Factors Risk and Protective Factor: Reporting Schedule Risk and Protective Factor: Domain Scale Results and Graphs Risk and Protective Factor: All Scale Graph Risk and Protective Factor: All Scale Graph	. 35 . 36 . 40
Risk and Protective Factor: Individual Question Results Community Domain (Questions 164–180) Family Domain (Questions 181–198) School Domain (Questions 199–216) Peer and Individual Domain (Questions 217–249).	. 41 . 43 . 45
Questions by Topic	. 55
Core Questions	. 56

For a detailed list of all of the survey questions by topic - please use the Questions by Topic section in the back of this report.

Bainbridge Island School District

Grade 8

Introduction and Overview

This report presents results from the fall 2014 Healthy Youth Survey in Washington State. This survey was sponsored by the Department of Health, the Office of Superintendent of Public Instruction, the Department of Social and Health Services and the Liquor Control Board in cooperation with schools throughout the state of Washington.

Survey questions covering the same topics are grouped together when possible but be sure to consult the index for related questions when you are searching for information on a specific topic. The numbering in this report is not the same as the question order on the survey itself.

Additional information may be found in the Interpretive Guide posted to the Healthy Youth Survey web site: www.AskHYS.net/Reports

Survey Participation in this Report

Number of students surveyed:

Number of valid responses:

Number of enrolled students*:

Your survey participation rate**:

235

225

Number of enrolled students*:

81%

- * The estimate of enrolled students is based on figures from the 2014-2015 school year, provided by OSPI.
- ** The survey participation rate is the number of valid responses divided by the number of enrolled students.

Caution about Participation Rates and Bias

Please use the following guidance when reviewing your results:

- 70% or greater participation-Results are probably representative of students in this grade.
- 40-69% participation-Results may be representative of students in this grade.
- Less than 40% participation—Results are likely not representative of students in this grade but do reflect students who completed the survey.

There may be limitations to your results even if you have a high participation rate. For instance, a particular group of students (say, the school orchestra) may have been away from school the day of the survey, and that could bias the results. It is important to acknowledge the potential limitations when using the results in this report. For reports summarizing results at the county or School District level, you should also consider whether the schools that participated represent all students in that area.

Small Numbers: Caution about Number of Students Participating

Results based on small numbers of students answering a question are unstable---that is, they could easily change with the absence from school of only a couple of students. This is especially the case when only a few students choose a particular answer option. Also, in this situation, the reported 95% confidence interval might be too narrow. Thus, use caution if fewer than 30 students answered a question and fewer than 5 students selected a given response option.

For example, if 20 students answered a question and of those 20 only 3 students answered "Yes", the estimate is unreliable.

See the Understanding Your Report section later in this report for a discussion of "confidence intervals" to help guide your interpretation of the results.

Key to the Notes

Five versions of the survey were used in the administration of the 2014 HYS. Forms A and B were given to secondary students (grades 8, 10, and 12). Some questions on the Forms were available on enhanced versions of the survey and used at the discretion of the school. Form A-enhanced included one optional question on sexual orientation and Form B-enhanced included six optional questions on sexual orientation, behavior and abuse. Form C was given to elementary students (grade 6).

A list of the topics asked and their location in the report are provided in the Questions by Topic section at the end of this report. The Questions by Form Type section provides a list of which Form each question was on.

The following notes are used throughout this report to document the differences between the questions on different versions and indicate the optional questions:


A = wording on Form A; B = wording on Form B; C = wording on Form C

† = additional question on the enhanced survey forms


Highlights of the Local Results

Your students and students statewide reported the following behaviors and attitudes:

	Your Students	Statewide
Substance Use	% (±CI)	% (±CI)
Smoked cigarettes in past 30 days	1.8% (±1.8)	4.0% (±0.6)
Drank alcohol in past 30 days	5.0% (±2.9)	8.1% (±1.0)
Used marijuana or hashish in past 30 days	4.1% (±2.6)	7.3% (±1.1)
Binge drinking in past 2 weeks	3.6% (±2.5)	4.5% (±0.7)



	Your Students	Statewide
Bullying and School Climate	% (±CI)	% (±CI)
Carried a weapon at school in the past 30 days	3.2% (±2.3)	3.8% (±0.6)
Bullied in the past 30 days	22.4% (±5.5)	28.0% (±1.8)
Enjoyed being at school over the past year	54.1% (±6.6)	46.4% (±1.5)
Felt safe at school	88.3% (±4.2)	86.0% (±1.7)



For more information on specific HYS topics, see the Fact Sheets at www.AskHYS.net, under HYS Results – Fact Sheets

Selected Results by Gender

Selected survey questions are presented by gender to highlight any differences between females and males.

The p-values reported after each question, calculated from a chi-square test, can be used to examine whether differences between females and males are statistically significant.

A p-value of less than 0.05 means there is a significant difference between females and males (that is, if there really is no difference between females and males, the probability of observing a difference at least this large is less than 5%).

To ensure student anonymity, we do not report results by gender for any question unless a minimum of students answer each response option. These results are "suppressed".

For your student results by gender, a minimum of 10 students need to answer each response option:

For example, to report smoking cigarettes in the past 30 days for your students by gender – surveys are needed for at least 10 females who smoke, 10 females who don't smoke, 10 males who smoke, and 10 males who don't smoke.

For state results by gender, a minimum of 5 students need to answer each response option.

Results that are suppressed are marked with asterisks "*". Many small counties, districts and schools may not have enough students to report results by gender for all or some questions.


	Yo	ur Studen	its] ;	Statewide	
	Female %	Male %	p-value	Female %	Male %	p-value
Smoked cigarettes in past 30 days	(n=2	21)		(n=10	,419)	
Officed digarettes in past 50 days	***	***	***	4.0%	4.0%	0.9486
Drank alcohol in past 30 days	(n=2	20)		(n=10	,391)	
Drank alconor in past 30 days	***	***	***	8.6%	7.6%	0.0576
Used marijuana or hashish in past 30 days	(n=2	22)		(n=10	,356)	
Osed manifulatia of mashish in past 30 days	***	***	***	7.3%	7.4%	0.9054
Binge drinking in past 2 weeks	(n=2	21)		(n=10	,307)	
bilige dillikilig ili past 2 weeks	***	***	***	5.0%	4.1%	0.0360
Carried a weapon at school in the past 30 days	(n=2	22)		(n=10	,233)	
Carried a weapon at school in the past 50 days	***	***	***	2.6%	5.1%	<.0001
Bullied in the past 30 days	(n=2	23)		(n=10	,583)	
bullied in the past 30 days	26.4%	17.6%	0.1165	33.5%	22.4%	<.0001
Enjoyed being at school over the past year	(n=2	20)		(n=10	,265)	
Enjoyed being at school over the past year	58.3%	49.0%	0.1666	47.1%	45.8%	0.2119
Felt safe at school	(n=2	23)		(n=10	,546)	
i dii said ai school	***	***	***	86.0%	86.2%	0.7723

Understanding Your Report

N's

In this report "n" is shorthand for "number"---the number of students who took this survey or who answered a survey question. N's are important! We also report the point estimates (%), and the 95% confidence intervals (CI).

Here is an example of how results are displayed in the report tables and charts.



How many students took this survey?

Look on page 2, under Survey Participation. The "number of students surveyed" is the number of surveys that we received. We have careful procedures for "cleaning" to remove surveys with many inconsistent or false answers – the "clean" surveys are the "number of valid surveys". Only valid surveys are presented in this report.

How many students answered each survey question?

The n's for each question vary. Why? There are several reasons:

- There are four versions of the grades 8, 10, and 12 survey A, A-enhanced, B, and B-enhanced. Core questions are on all versions, so the n's for those questions are about the same as the number of valid surveys. For non-Core questions the n's will be about half, or less.
- Some versions of the survey had additional questions about sexual orientation, behavior and abuse. Schools
 that chose to not ask those additional questions will have no responses for those questions. [District and
 county reports may include some schools that DID ask those questions and some that DID NOT.]
- Not all students finish the survey, so questions near the end have smaller n's. [NOTE: the order of the
 questions in the report is not the same as on the survey itself.] Also, some students may decide to skip certain
 questions.

Here are examples from a district with 400 valid surveys --- notice how the n's change with each question type.

17. Have you ever, even once in your life: Used marijuana? a. Yes b. No	(n=398) 49.0% (±3.0) 51.0% (±3.0)	(n=4,000) 46.0% (±1.0) 54.0% (±1.0)	N for a core question (almost all students)
18. Have you ever, even once in your life: Used inhalants (things you sniff to get high)? a. Yes b. No	(n=200) 11.0% (±4.0) 89.0% (±4.0)	(n=2,000) 12.0% (±2.0) 88.0% (±2.0)	N for a question on only one version (about half the students)
100. How old were you when you had sexual intercourse for the first time? [†] a. I have never had sexual intercourse. b. 11 years old or younger c. 12 years old d. 13 years old e. 14 years old f. 15 years old g. 16 years old h. 17 years old or older	(n=100) 70.0% (±8.0) 2.0% (±2.0) 2.0% (±2.0) 5.0% (±2.0) 8.0% (±6.0) 9.0% (±5.0) 3.0% (±3.0) 1.0% (±1.0)	(n=1,500) 75.0% (±4.0) 2.0% (±1.0) 1.0% (±1.0) 4.0% (±1.0) 7.0% (±2.0) 8.0% (±2.0) 2.0% (±1.0) 1.0% (±1.0)	N for an additional sexual behavior question (about half, or less if some schools requested surveys without the questions)
a. Yes b. No c. Not sure	90.0% (±3.0) 5.0% (±2.0) 5.0% (±2.0)	(n=3,750) 95.0% (±1.0) 2.0% (±1.0) 3.0% (±1.0)	N for a core question near the end of the survey (almost all, except students who don't finish the survey

How many students are we talking about?

N's are only provided for the total number of students who answered a question, not the individual answer options. Some people find it useful to translate their point estimates (%) into the number of students.

For example, if 200 students are enrolled in the district and 10% (\pm 2%) reported "Yes" they used inhalants in their lifetime, then an estimated 20 (\pm 4) students in the school use inhalants (200 X .10 = 20; and 200 X .02 = 4). Enrollment numbers are available on page 2 under Survey Participation.

Confidence Intervals

It is unlikely that the point estimate (%) reported for each question is *exactly* the same as the "true" value for all your students. This report includes 95% confidence intervals (CI) to describe this uncertainty. If there is no bias in the data, then there is a 95% chance that the CI will include the true value. So for example, if the point estimate and CI are 51.5% (±1.5%), then there is a 95% chance that the true percentage is between 50.0% and 53.0%.

The size of your CIs depend in part on the n for each question – as more students answer a question, your point estimate is likely to be closer to the "true" value. If you are a small school, district or county your CIs will be large. The confidence interval does not take into account the participation rate – in other words, a low participation rate can create bias which will not be reflected in the CI.

How can you "use" confidence intervals?

Cls help you to decide if the differences between your students and the state are statistically significant.

For an example, let's say your students report 25% \pm 5%. That means that the CI is between 20% and 30% Here is the math: 25% -5% = 20%, and 25% +5% = 30%

Using CIs, you can decide if the difference between your students and the state results are statistically significant:

- A significant difference:
 - Your students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
 - Students statewide report 36% ±3%, so the point estimate is 36% and the CI is 33% to 39%
 - The CIs don't overlap, so the difference is significant

- Not a significant difference:
 - Your students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
 - Statewide students report 28% ±3%, so the point estimate is 28% and the CI is 25% to 31%
 - The CI for your students overlaps the point estimate for students statewide, so the difference is not significant

- 3. Not sure if there is a difference:
 - Your students report 25% ±5%, so the point estimate is 25% and the CI is 20% to 30%
 - Statewide students report 32% ±3%, so the point estimate is 32% and the CI is 29% to 35%
 - The CIs overlap, but don't include the other point estimates, so you don't know for sure if they are really
 different without using the significance testing tool described in the next paragraph.

More information about interpreting CIs is available on the HYS Training web page at www.AskHYS.net/Training. The Training web page includes past HYS trainings materials and a "Tool for Determining HYS Statistical Significance". Use the "tool" to find out if your results are significantly different.

More Information

Much of the information on the Healthy Youth Survey is available online at www.AskHYS.net.

- Under HYS Results, you can find these "Frequency Reports". Also included is the 2012 Interpretive Guide with a detailed overview of the reports, information on statistical issues and how to use your data. There are also topical fact sheets and a data query system where you can run your own simple analysis.
- Under Training, there are copies of past HYS training workshop materials and the tool for testing significant differences.

Technical information is also at www.doh.wa.gov/DataandStatisticalReports/HealthBehaviors/HealthyYouthSurvey

Frequency Results

Demographics and General Information

	Your S	tudents	State	ewide
Have ald are year?	% (±CI)		% (±CI)	
. How old are you?	(n= 2.2%	225)	(n=10 1.1%	0,677)
a. 12 or younger b. 13	72.9%	(±1.9)		(±0.2
		(±5.9)	74.7%	(±1.4
c. 14	24.0%	(±5.6)	23.4%	(±1.4
d. 15	0.0%	(±0.0)	0.7%	(±0.2
e. 16	0.4%	(±0.9)	0.0%	(±0.0
f. 17	0.4%	(±0.9)	0.0%	(±0.0
g. 18	0.0%	(±0.0)	0.0%	(±0.0
h. 19 or older	0.0%	(± 0.0)	0.0%	(±0.0
stion 2 appears only on the elementary version of the survey.]				
. Are you:	(n=	225)	(n=10	0,660)
a. Female	54.7%	(± 6.6)	50.3%	(±1.0
b. Male	45.3%	(±6.6)	49.7%	(±1.0
. How do you describe yourself? (Select one or more responses.)	(n=	225)	(n=10	0,550)
a. American Indian or Alaskan Native	1.3%	(±1.5)	3.3%	(±0.7
b. Asian or Asian American	5.8%	(±3.1)	9.9%	(±3.1
c. Black or African-American	0.0%	(±0.0)	4.1%	(±1.0
d. Hispanic or Latino/Latina	1.3%	(±1.5)	15.1%	(±5.1
e. Native Hawaiian or other Pacific Islander	1.3%	(±1.5)	1.7%	(±0.4
f. White or Caucasian	72.4%	(±5.9)	49.3%	(±5.5
g. Other	4.9%	(±2.8)	8.0%	(±0.7
More than one race/ethnicity marked	12.9%	(±4.4)	8.7%	(±1.1
. What language is usually spoken at home?	(n=	223)	(n=10	0,430)
a. English	95.5%	(±2.7)	79.5%	(±4.0
b. Spanish	0.9%	(±1.2)	10.2%	(±3.5
c. Russian	0.4%	(± 0.9)	1.0%	(±0.3
d. Ukrainian	0.4%	(±0.9)	0.8%	(±0.3
e. Vietnamese	0.0%	(±0.0)	1.4%	(±0.9
f. Chinese	0.4%	(±0.9)	1.6%	(±1.0
g. Korean	0.4%	(±0.9)	0.5%	(±0.2
h. Japanese	0.4%	(±0.9)	0.4%	(±0.1
n. Japanese				

[Question 6 appears only on the elementary version of the survey.]

	Your S	Students	State	ewide	
	% (±CI)				
7. How far did your mother get in school? a. Did not finish high school	(n= 1.9%	(±1.8)	9.3%	(±1.9)	
b. Graduated from high school or GED	2.3%	(±1.0)	15.1%	(±1.5)	
c. Had some college or technical training after high school	8.3%	(±2.0) (±3.7)	15.7%	(±1.2)	
d. Graduated from a 4-year college	39.8%	(±6.6)	22.3%		
				(±2.6)	
e. Earned an advanced graduate degree	35.6%	(±6.4)	13.8%	(±2.4)	
f. Don't know	11.1%	(±4.2)	21.9%	(±1.7)	
g. Does not apply	0.9%	(±1.3)	1.9%	(±0.4)	
8. How far did your father get in school?	(n=	:215)	(n=10	0,064)	
a. Did not finish high school	1.9%	(±1.8)	9.2%	(±1.9)	
b. Graduated from high school or GED	4.2%	(±2.7)	15.4%	(±1.4)	
c. Had some college or technical training after high school	7.9%	(±3.6)	12.6%	(±1.3)	
d. Graduated from a 4-year college	36.7%	(± 6.5)	19.6%	(±2.6)	
e. Earned an advanced graduate degree	36.7%	(± 6.5)	15.1%	(±3.0)	
f. Don't know	12.1%	(±4.4)	25.4%	(±2.4)	
g. Does not apply	0.5%	(±0.9)	2.7%	(±0.6)	
9. Which of the following best describes you? †	(n:	=13)	(n=1	,649)	
a. Heterosexual (straight)	69.2%	(±29.0)	87.1%	(±2.0)	
b. Gay or lesbian	0.0%	(±0.0)	1.0%	(±0.6)	
c. Bisexual	0.0%	(±0.0)	4.6%	(±1.0)	
d. Not sure	30.8%	(±29.0)	7.3%	(±1.1)	
10. Who did you live with most of the time in the last 30 days?	(n=	:223)	(n=10),392)	
a. Parent(s) and/or step-parent(s)	98.2%	(±1.8)	94.4%	(± 0.7)	
b. Relatives—like a grandparent, an aunt, an older brother—but NOT your parents	0.4%	(± 0.9)	3.0%	(± 0.5)	
c. Foster care parent(s)	0.0%	(± 0.0)	0.4%	(±0.1)	
d. An adult friend(s) of your family	0.0%	(± 0.0)	0.2%	(±0.1)	
e. Friends of yours with no adults present	0.4%	(± 0.9)	0.4%	(±0.1)	
f. On your own	0.0%	(± 0.0)	0.5%	(±0.1)	
g. Other	0.9%	(±1.2)	1.1%	(±0.2)	
11. Where did you live most of the time in the last 30 days?	(n=	:224)	(n=10),428)	
a. In a house, apartment, or mobile home	96.9%	(±2.3)	98.1%	(±0.3)	
b. In a motel or hotel	0.4%	(±0.9)	0.3%	(±0.1)	
c. In a group home	0.0%	(±0.0)	0.2%	(±0.1)	
d. In a shelter	0.0%	(±0.0)	0.2%	(±0.1)	
e. In a car, park, or campground	0.4%	(±0.9)	0.1%	(±0.1)	
f. On the street	0.0%	(±0.0)	0.3%	(±0.1)	
g. Moved from place to place	0.0%	(±0.0)	0.4%	(±0.1)	
h. Other	2.2%	(±1.9)	0.4%	(±0.1)	

	Your S	students	State	ewide
12. Are your current living arrangements the result of losing your home	% (±CI) (n=219)		% (±CI)	
because your family cannot afford housing?			(n=1	0,248)
a. No	95.9%	(± 2.6)	87.2%	(±1.2)
b. Yes	2.3%	(±2.0)	4.4%	(± 0.4)
c. Not sure	1.8%	(±1.8)	8.4%	(±1.0)
13. Has your parent or guardian served in the military (Army, Navy, Air Force, Marines, Coast Guard, National Guard, and Reserves)?	(n=	:108)	(n=5	5,004)
a. No	78.7%	(±7.8)	72.7%	(±2.4)
b. Yes	16.7%	(±7.1)	21.3%	(±2.4)
c. Not sure	4.6%	(±4.0)	5.9%	(±0.8)
14. Has your military parent or guardian been sent to Iraq, Afghanistan, or other combat zone?	,	107)	,	,993)
a. I do not have a parent or guardian who has ever served in the military.	74.8%	(±8.4)	70.6%	(± 2.6)
b. No	14.0%	(± 6.7)	13.1%	(±1.0)
c. Yes	4.7%	(±4.1)	7.3%	(±1.4)
d. Not sure	6.5%	(±4.8)	9.0%	(±1.1)
15. How honest were you in filling out this survey?	(n=	213)	(n=8	,656)
a. I was very honest.	88.7%	(± 4.3)	82.0%	(±1.2)
	40.007	(±4.1)	15.6%	
b. I was honest pretty much of the time.	10.3%	()	10.070	(±1.1)
b. I was honest pretty much of the time.c. I was honest some of the time	10.3% 0.9%	(±1.3)	2.4%	(±1.1) (±0.5)
• •		(±1.3)		` ,

Alcohol, Tobacco and Other Drug Use

Alcohol, tobacco, and other drug use has been a major concern in this country for many years. The consequences of ATOD use are well known. In the short term, ATOD use interferes with positive physical, emotional, and social development. In the long term, ATOD use is associated with delinquency and criminal activity, unintended injuries, and a variety of health complications including shorter life expectancy. Tobacco use is the world's leading cause of preventable death, disease, and disability. This section provides information about lifetime ATOD use (which in part reflects experimental use), use in the past 30 days (i.e., current use), and other tobacco-, alcohol-, and drug-related issues.

Lifetime Use

Have you ever, even once in your life:

16. Smoked a cigarette, even just a puff? (Computed from question 222) (n=110)		:110)	(n=5,068)		
a. No	96.4%	(±3.6)	88.2%	(±1.7)	
b. Yes	3.6%	(±3.6)	11.8%	(±1.7)	
17. Drank more than a sip or two of beer, wine, or hard liquor (for example: vodka, whiskey, or gin)? (Computed from question 17 or 223)	(n=	:222)	(n=1	0,348)	
a. No	81.5%	(±5.1)	71.0%	(±1.9)	
b. Yes	18.5%	(±5.1)	29.0%	(±1.9)	
18. Used marijuana? (Computed from question 18 or 221)	(n=	:223)	(n=1	0,348)	
a. No	94.6%	(±3.0)	89.6%	(±1.6)	
b. Yes	5.4%	(± 3.0)	10.4%	(±1.6)	

Your S	Students	State	ewide	
% (±CI)		% (±CI)		
(n=110)		(n=4,969)		
98.2%	(± 2.5)	95.5%	(± 0.7)	
1.8%	(±2.5)	4.5%	(±0.7)	
(n=	:110)	(n=4	l,991)	
99.1%	(±1.8)	97.4%	(± 0.5)	
0.9%	(±1.8)	2.6%	(±0.5)	
99.1%	(±1.8)	97.5%	(±0.5)	
0.9%	(±1.8)	2.5%	(±0.5)	
(n=	:110)	(n=4	l,979)	
99.1%	(±1.8)	97.1%	(±0.6)	
0.9%	(±1.8)	2.9%	(±0.6)	
(n=	:110)	(n=4	,974)	
(n=	:110) (±1.8)	97.7%	(±0.5)	
_	98.2% 1.8% (n= 99.1% 0.9% (n= 99.1% 0.9% (n= 99.1% 0.9%	98.2% (±2.5) 1.8% (±2.5) (n=110) 99.1% (±1.8) 0.9% (±1.8) (n=110) 99.1% (±1.8) (n=110) 99.1% (±1.8)	% (±CI) % ((n=110) (n=4 98.2% (±2.5) 95.5% 1.8% (±2.5) 4.5% (n=110) (n=4 99.1% (±1.8) 97.4% 0.9% (±1.8) 2.6% (n=110) (n=4 99.1% (±1.8) 97.5% 0.9% (±1.8) 2.5% (n=110) (n=4 99.1% (±1.8) 97.1%	

[Question 24 appears only on the elementary version of the survey.]

30-Day Use (Use in the Past 30 Days)

During the past 30 days, on how many days did you:

25. Smoke cigarettes?		(n=221)		(n=10,437)	
a. None	98.2%	(±1.8)	96.0%	(± 0.6)	
b. 1-2 days	0.0%	(± 0.0)	2.0%	(± 0.3)	
c. 3-5 days	0.5%	(± 0.9)	0.5%	(±0.1)	
d. 6-9 days	0.0%	(± 0.0)	0.5%	(± 0.2)	
e. 10-29 days	0.9%	(±1.3)	0.5%	(±0.1)	
f. All 30 days	0.5%	(± 0.9)	0.5%	(± 0.2)	
Any use in past 30 days	1.8%	(±1.8)	4.0%	(±0.6)	
6. Use chewing tobacco, snuff, or dip?	(n=	111)	(n=5	,297)	
a. None	97.3%	(±3.1)	98.7%	(± 0.4)	
b. 1-2 days					
·	0.9%	(±1.8)	0.5%	(± 0.2)	
c. 3-5 days	0.9% 0.0%	(±1.8) (±0.0)	0.5% 0.2%	(±0.2) (±0.1)	
c. 3-5 days d. 6-9 days					
,	0.0%	(±0.0)	0.2%	(±0.1)	
d. 6-9 days	0.0% 0.9%	(±0.0) (±1.8)	0.2% 0.1%	(±0.1) (±0.1)	
d. 6-9 days e. 10-29 days	0.0% 0.9% 0.9%	(±0.0) (±1.8) (±1.8)	0.2% 0.1% 0.2%	(±0.1) (±0.1) (±0.1)	

		Your Students		Statewide		
N7 Cmaka siwaya siwayillaa ay littla siwaya?	% (±CI) (n=111)		% (±CI) (n=5,293)			
27. Smoke cigars, cigarillos, or little cigars? a. None	(n= 98.2%	:111) (±2.5)	98.1%	(±0.5)		
b. 1-2 days	0.0%	(±2.0)	1.0%	(±0.4)		
c. 3-9 days	1.8%	(±2.5)	0.5%	(±0.2)		
d. 10-29 days	0.0%	(±2.5) (±0.0)	0.2%	(±0.1)		
e. All 30 days	0.0%	(±0.0)	0.2%	(±0.1)		
Any use in past 30 days	1.8%	(±2.5)	1.9%	(±0.5)		
28. Use an electronic cigarette, also called e-cigs, or vape pens?	(n=	:111)	(n=5	5,288)		
a. None	98.2%	(±2.5)	91.5%	(±1.3)		
b. 1-2 days	0.0%	(±0.0)	4.3%	(±0.7)		
c. 3-9 days	0.0%	(±0.0)	2.2%	(±0.5)		
d. 10-29 days	0.0%	(±0.0)	1.0%	(±0.3)		
e. All 30 days	1.8%	(±2.5)	1.0%	(±0.3)		
Any use in past 30 days	1.8%	(±2.5)	8.5%	(±1.3)		
9. Smoke tobacco or flavored tobacco in a hookah, even just a puff?	(n=	-112)	(n=5	5,288)		
a. None	96.4%	(± 3.5)	95.3%	(±0.8)		
b. 1-2 days	0.9%	(±1.8)	2.5%	(±0.5)		
c. 3-9 days	1.8%	(± 2.5)	1.0%	(±0.3)		
d. 10-29 days	0.0%	(± 0.0)	0.5%	(±0.2)		
e. All 30 days	0.9%	(±1.8)	0.6%	(±0.2)		
Any use in past 30 days	3.6%	(±3.5)	4.7%	(±0.8)		
0. Not including menthols – during the past 30 days on how many days did you use tobacco that tastes like candy, fruit or alcohol (tobacco includes:						
little cigars, bidis, cloves, chew, spit, snus, hookah)?		:111)		(+0.0)		
a. None	97.3%	(±3.1)	95.8%	(±0.8)		
b. 1-2 days	1.8%	(±2.5)	2.0%	(±0.4)		
c. 3-9 days	0.9%	(±1.8)	1.2%	(±0.3)		
d. 10-29 days	0.0%	(±0.0)	0.6%	(±0.2)		
e. All 30 days	0.0%	(±0.0)	0.4%	(±0.2)		
Any use in past 30 days	2.7%	(±3.1)	4.2%	(±0.8)		
1. Are the cigarettes that you usually smoke menthol cigarettes?	(n=	:112)	(n=5	5,293)		
a. I do not smoke cigarettes.	96.4%	(± 3.5)	95.2%	(±0.8)		
b. Yes	2.7%	(±3.0)	1.3%	(±0.3)		
c. No	0.9%	(±1.8)	3.5%	(±0.6)		

During the past 30 days, on how many days did you:	Your S	tudents	State	ewide
2. Drink a glass, can or bottle of alcohol (beer, wine, wine coolers, hard	,	±CI)		±CI)
liquor)? a. None	95.0%	(+2.0)	91.9%	0,409) (±1.0
		(±2.9)		(±1.0
b. 1-2 days	3.6%	(±2.5)	5.5%	(±0.6
c. 3-5 days	0.9%	(±1.3)	1.3%	(±0.3
d. 6-9 days	0.5%	(±0.9)	0.5%	(±0.2
e. 10 or more days	0.0%	(±0.0)	0.7%	(±0.2
Any use in past 30 days	5.0%	(±2.9)	8.1%	(±1.0
3. Use marijuana or hashish (weed, hash, pot)?	(n=	222)	(n=10),375)
a. None	95.9%	(±2.6)	92.7%	(±1.1
b. 1-2 days	0.9%	(±1.3)	2.8%	(±0.5
c. 3-5 days	0.9%	(±1.3)	1.5%	(±0.3
d. 6-9 days	0.5%	(± 0.9)	0.7%	(±0.2
e. 10 or more days	1.8%	(±1.8)	2.3%	(±0.5
Any use in past 30 days	4.1%	(±2.6)	7.3%	(±1.1
4. Not counting alcohol, tobacco, or marijuana, use another illegal drug?	(n=	220)	(n=10),365)
a. None	99.5%	(±0.9)	98.1%	(±0.3
b. 1-2 days	0.0%	(±0.0)	1.0%	(±0.2
c. 3-5 days	0.5%	(± 0.9)	0.3%	(±0.1
d. 6-9 days	0.0%	(±0.0)	0.3%	(±0.1
e. 10 or more days	0.0%	(±0.0)	0.3%	(±0.1
Any use in past 30 days	0.5%	(±0.9)	1.9%	(±0.3
5. Use any illegal drug, including marijuana? (Computed from questions 33				
and 34)	•	220)),333)
None	96.4%	(±2.5)	92.4%	(±1.1
Any use in past 30 days	3.6%	(±2.5)	7.6%	(±1.1
6. Use a pain killer TO GET HIGH, like Vicodin, OxyContin (sometimes called				
Oxy or OC) or Percocet (sometimes called Percs)? a. None	(n= 98.6%	220) (±1.5)	(n=10 97.7%),345) (±0.4
a. None	0.9%		1.3%	(±0.4
h 1 2 daya		(±1.3)		(±0.3
b. 1-2 days			0.4%	$(\pm 0.1$
c. 3-5 days	0.5%	(±0.9)	0.00/	(10.4
c. 3-5 days d. 6-9 days	0.5% 0.0%	(±0.0)	0.2%	
c. 3-5 days d. 6-9 days e. 10 or more days	0.5% 0.0% 0.0%	(±0.0) (±0.0)	0.3%	(±0.1
c. 3-5 days d. 6-9 days	0.5% 0.0%	(±0.0)		(±0.1
c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 7. Use prescription drugs not prescribed to you?	0.5% 0.0% 0.0% 1.4%	(±0.0) (±0.0) (±1.5)	0.3% 2.3%	(±0.1
c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days	0.5% 0.0% 0.0% 1.4%	(±0.0) (±0.0) (±1.5)	0.3% 2.3%	(±0.1 (±0.4
c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 7. Use prescription drugs not prescribed to you?	0.5% 0.0% 0.0% 1.4%	(±0.0) (±0.0) (±1.5)	0.3% 2.3% (n=5	(±0.1 (±0.4 ,061) (±0.6
c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 7. Use prescription drugs not prescribed to you? a. None	0.5% 0.0% 0.0% 1.4% (n=	(±0.0) (±0.0) (±1.5) 110) (±2.5)	0.3% 2.3% (n=5	(±0.1 (±0.4 ,061) (±0.6 (±0.4
c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 7. Use prescription drugs not prescribed to you? a. None b. 1-2 days	0.5% 0.0% 0.0% 1.4% (n= 98.2% 0.0%	(±0.0) (±0.0) (±1.5) (±1.5) (±2.5) (±0.0)	0.3% 2.3% (n=5 95.8% 2.8%	(±0.4 (±0.4 ,061) (±0.6 (±0.4 (±0.3
c. 3-5 days d. 6-9 days e. 10 or more days Any use in past 30 days 7. Use prescription drugs not prescribed to you? a. None b. 1-2 days c. 3-5 days	0.5% 0.0% 0.0% 1.4% (n= 98.2% 0.0% 1.8%	(±0.0) (±0.0) (±1.5) 110) (±2.5) (±0.0) (±2.5)	0.3% 2.3% (n=5 95.8% 2.8% 0.7%	(±0.1 (±0.4 (±0.4 (±0.6 (±0.6 (±0.4 (±0.3 (±0.2 (±0.1

Other Tobacco-Related Questions

	Your S	tudents	State	ewide
8. During the past 7 days, on how many days were you in the same room with someone who was smoking cigarettes?	•	± CI) 106)	•	± CI) 1,803)
a. 0 days	92.5%	(±5.1)	78.1%	(±2.2)
b. 1–2 days	5.7%	(±4.5)	12.0%	(±1.3
c. 3–4 days	1.9%	(±2.6)	3.6%	(±0.6
d. 5–6 days	0.0%	(±0.0)	2.0%	(±0.5
e. 7 days	0.0%	(±0.0)	4.3%	(±0.8)
89. During the past 7 days, on how many days did you ride in a car with someone who was smoking cigarettes?	(=	110)	(n. 4	l,843)
a. 0 days	95.5%	(±4.0)	85.1%	(±2.0)
b. 1–2 days	0.0%	(±0.0)	7.3%	(±1.1
c. 3–4 days	0.0%	(±0.0)	2.5%	(±0.6)
d. 5–6 days	2.7%	(±3.1)	2.4%	(±0.5)
e. 7 days	1.8%	(±2.5)	2.6%	(±0.6
10. Does anyone who lives with you now smoke cigarettes?	(n=	107)	(n=4	l,822)
a. No	92.5%	(±5.1)	76.5%	(±2.6)
b. Yes	7.5%	(±5.1)	23.5%	(±2.6)
11. Which of these best describes the rules about smoking inside the house where you live? Smoking is	(n=	107)	(n=4	l,746)
a. Never allowed inside my house	96.3%	(±3.7)	87.7%	(±1.4)
b. Allowed only at some times or in some places	2.8%	(±3.2)	9.0%	(±1.1)
c. Always allowed inside my house	0.9%	(±1.9)	3.3%	(±0.7)
I2. How wrong do your friends feel it would be for you to: Use tobacco?	(n=	106)	(n=4	1,240)
a. Very wrong	92.5%	(±5.1)	76.0%	(±2.2)
b. Wrong	5.7%	(± 4.5)	16.1%	(±1.4
c. A little bit wrong	0.9%	(±1.9)	4.7%	(±0.8

Other Alcohol-Related Questions

43. Think back over the last 2 weeks. How many times have you had five or more drinks in a row? (A drink is a glass of wine, a bottle of beer, a shot glass of liquor, or a mixed drink.)

glass of liquor, or a mixed drink.)	(n=	221)	(n=10	,326)
a. None	96.4%	(± 2.5)	95.5%	(± 0.7)
b. Once	2.3%	(±2.0)	2.2%	(± 0.3)
c. Twice	0.9%	(±1.3)	1.1%	(± 0.3)
d. 3–5 times	0.0%	(± 0.0)	0.6%	(± 0.2)
e. 6–9 times	0.5%	(± 0.9)	0.3%	(±0.1)
f. 10 or more times	0.0%	(± 0.0)	0.4%	(±0.1)

4. Drinking Categories Variable (computed from questions 32 and 43) No drinking past 30 days and no binging past 2 weeks	•	±CI)	% (-	Lon
	1			±CI)
NO Grinking past 30 days and no binding past 7 weeks	,	:221)		0,309)
	93.2%	(±3.3)	90.8%	(±1.1)
1–2 days drinking past 30 days and no binging past 2 weeks	3.2%	(±2.3)	3.9%	(±0.5)
3–5 days drinking past 30 days and/or 1 binge past 2 weeks	1.8%	(±1.8)	2.6%	(±0.4)
6+ days drinking past 30 days and/or 2+ binge past 2 weeks	1.8%	(±1.8)	2.8%	(±0.5)
5. During the past 30 days, what type of alcohol did you usually drink?	(n=	:108)	(n=4	,468)
a. I did not drink alcohol during the past 30 days.	94.4%	(± 4.4)	91.7%	(±1.1)
b. I do not have a usual type.	0.9%	(±1.8)	1.5%	(±0.3)
c. Beer	0.0%	(±0.0)	1.4%	(±0.4)
d. Flavored malt beverages, such as Smirnoff Ice, Bacardi Silver, or Hard Lemonade	0.9%	(±1.8)	1.2%	(±0.4)
e. Wine coolers, such as Bartles & Jaymes or Seagrams	0.0%	(± 0.0)	0.2%	(±0.2)
f. Wine	0.9%	(±1.8)	0.9%	(±0.3)
g. Liquor, such as vodka, rum, scotch, bourbon or whiskey	2.8%	(±3.1)	2.3%	(±0.6)
h. Some other type	0.0%	(±0.0)	0.8%	(±0.3)
6. During the past 30 days, how did you get alcohol (beer, wine or hard liquor)? Choose all that apply.	(n_	:111)	(n_4	ł,667)
a. I did not get alcohol in the past 30 days.	89.4%	(±5.8)	77.0%	(±2.8
b. I bought it from a store.	0.0%	(±0.0)	0.6%	(±0.2
c. I stole it from a store.	0.9%	(±1.8)	0.6%	(±0.2)
d. I got it from friends.	1.8%	(±2.5)	1.9%	(±0.4
e. I got it at a party.	0.9%	(±1.8)	1.2%	(±0.3)
f. I got it from an older brother or sister.	0.9%	(±1.8)	0.5%	(±0.2)
g. I gave money to someone to get it for me.	0.0%	(±0.0)	0.7%	(±0.2
h. I took it from home without my parents' permission.	1.8%	(±2.5)	1.5%	(±0.3)
i. I got it at home with my parents' permission.	2.7%	(±3.0)	1.4%	(±0.4)
j. I got it some other way.	0.0%	(±0.0)	1.7%	(±0.4
7. NOT including talks on drinking and driving, in the past year have your parents or guardians talked to you about why you should not drink alcohol?	(n=	-109)	(n=5	5,194)
a. Yes, a number of times	43.1%	(±9.4)	42.8%	(±2.1)
b. Yes, once	25.7%	(±8.3)	23.0%	(±1.4)
c. No	16.5%	(±7.1)	20.9%	(±1.6
d. I don't remember.	14.7%	(±6.8)	13.3%	(±0.9
3. How wrong do your parents feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?	/~	.112)	/n E	326)
a. Very wrong	92.9%	:113) (±4.8)	89.7%	5,326) (±1.3
b. Wrong	5.3%	(±4.2)	7.8%	(±1.0)
	J.J /0	(∸₹.∠)	1.0/0	(±1.0
c. A little bit wrong	0.9%	(±1.8)	1.7%	(± 0.4)

	Your S	students	State	ewide
9. During the past 30 days, on how many days did you have at least one drink of alcohol on school property?		± CI) 109)		± CI) 1,563)
a. 0 days	96.3%	(±3.6)	96.7%	(±0.8)
b. 1–2 days	1.8%	(±2.6)	1.2%	(±0.4)
c. 3–9 days	0.9%	(±1.8)	1.0%	(±0.3)
d. 10–29 days	0.9%	(±1.8)	0.4%	(±0.2)
e. All 30 days	0.0%	(±0.0)	0.7%	(±0.3)
How wrong do your friends feel it would be for you to: Have one or two drinks of an alcoholic beverage nearly every day?	(n=	:106)	(n=4	1,236)
a. Very wrong	82.1%	(±7.4)	71.5%	(±2.1)
b. Wrong	15.1%	(±6.9)	18.1%	(±1.5)
c. A little bit wrong	2.8%	(±3.2)	6.9%	(±1.0)
d. Not at all wrong	0.0%	(±0.0)	3.6%	(±0.8)
1. Think about the students in your school. If you had to guess, how wrong do most students in your grade think it is to drink alcohol regularly?	(n=	:110)	(n=4	1,874)
a. Very wrong	50.0%	(±9.5)	30.7%	(±2.6)
b. Wrong	40.0%	(±9.3)	41.1%	(±1.7)
c. A little bit wrong	9.1%	(±5.5)	23.4%	(±2.3)
d. Not wrong at all	0.9%	(±1.8)	4.9%	(±0.9)
2. How much do you think people risk harming themselves if they: Have 5 or more drinks of an alcoholic beverage once or twice a week?	(n=	:111)	(n=5	5,183)
a. No risk	3.6%	(±3.5)	4.3%	(±0.8)
b. Slight risk	6.3%	(±4.6)	8.0%	(±1.0)
c. Moderate risk	18.9%	(±7.4)	24.6%	(±1.2)
d. Great risk	63.1%	(±9.1)	57.2%	(±2.6)
e. Not sure	8.1%	(±5.2)	6.0%	(±1.0)
3. How do you feel about someone your age having one or two drinks of an alcoholic beverage nearly every day?	(n=	:109)	(n=4	1,802)
a. Neither approve nor disapprove	11.9%	(±6.2)	17.0%	(±1.7)
b. Somewhat disapprove	11.0%	(±6.0)	12.9%	(±1.3)
c. Strongly disapprove	74.3%	(±8.3)	61.2%	(±3.2
or or origin alcaptions				

	Your S	tudents	State	ewide
4. In the past year, which of the following happened because you drank		±CI)		±CI)
alcohol or used drugs? Choose all that apply.		(±5.9)		1,583) (±2.2
a. I did not use alcohol or drugs in the past year.	89.4%	(±5.8)	72.5%	(±3.2
 b. I did not have any problems from drinking alcohol or using drugs in the past year. 	6.2%	(±4.5)	7.2%	(±0.9
c. I missed classes or school.	0.0%	(±0.0)	0.9%	(±0.3
d. I failed classes or dropped out of school.	0.0%	(±0.0)	0.5%	(±0.2
e. I got sick (vomited) or had a hangover.	0.0%	(± 0.0)	1.3%	(±0.4
f. I felt depressed, anxious, scared, or had other emotional problems.	0.0%	(± 0.0)	0.8%	(±0.3
g. I got hurt or injured.	0.0%	(±0.0)	0.3%	(±0.1
h. I hurt or injured someone else.	0.0%	(± 0.0)	0.2%	(±0.1
i. I got in trouble with my parents or family.	0.0%	(± 0.0)	0.6%	(±0.2
j. I did things I didn't want to do or regretted afterward.	0.0%	(±0.0)	1.2%	(±0.6
er Marijuana-Related Questions				
i5. During the past 30 days, if you used marijuana, how did you usually use it?	(n=	:108)	(n=4	1,438)
a. I did not use marijuana during the past 30 days.	96.3%	(±3.6)	92.5%	(±1.3
b. Smoked it (in a joint, bong, pipe, blunt)	2.8%	(±3.1)	4.9%	(±1.0
c. Ate it (in brownies, cakes, cookies, candy)	0.9%	(±1.8)	1.1%	(±0.3
d. Drank it (tea, cola, alcohol)	0.0%	(±0.0)	0.5%	(±0.2
e. Vaporized it	0.0%	(±0.0)	0.5%	(±0.2
f. Used it some other way	0.0%	(±0.0)	0.5%	(±0.2
66. During the past 30 days, how did you get marijuana? Choose all that	(n-	.112\	(n/	1 GE1)
apply. a. I did not get marijuana in the past 30 days.	92.0%	(±5.1)	77.2%	1,651) (±3.2
b. I bought it from a store.	2.7%	(±3.0)	1.4%	(±0.4
c. I stole it from a store.	0.0%	(±0.0)	0.4%	(±0.2
d. I got it from friends.	1.8%	(±2.5)	2.8%	(±0.5
e. I got it at a party.	0.9%	(±1.8)	0.7%	(±0.2
f. I got it from an older brother or sister.	1.8%	(±2.5)	0.8%	(±0.3
g. I gave money to someone to get it for me.	0.9%	(±1.8)	1.2%	(±0.4
h. I took it from home without my parents' permission.	0.0%	(±0.0)	0.4%	(±0.2
i. I got it at home with my parents' permission.	0.0%	(±0.0)	0.3%	(±0.2
j. I got it some other way.	0.0%	(±0.0)	1.4%	(±0.5
57. In the past year, have your parents or guardians talked to you about why you should not use marijuana?	(n=	:107)	(n=F	5,193)
a. Yes, a number of times	44.9%	(±9.6)	42.7%	(±2.1
b. Yes, once	23.4%	(±8.1)	22.5%	(±1.2
c. No	22.4%	(±8.0)	25.0%	(±1.7
	,,	(====)	_0.070	_···

d. I don't remember.

9.3%

 (± 5.6)

9.8%

(±1.0)

		Students		ewide
58. Does anyone who lives with you now use marijuana?		(±CI) :108)		±CI)
a. No	89.8%	(±5.8)	85.8%	1,439) (±1.7
b. Yes	10.2%	(±5.8)	14.2%	(±1.7
59. During the past 30 days, on how many days did you use marijuana on school property?	(n=	:107)	(n=4	1,539)
a. 0 days	97.2%	(±3.2)	96.7%	(±0.8
b. 1–2 days	0.9%	(±1.9)	1.2%	(±0.4
c. 3–9 days	1.9%	(±2.6)	0.8%	(±0.3
d. 10–29 days	0.0%	(±0.0)	0.6%	(±0.2
e. All 30 days	0.0%	(±0.0)	0.8%	(±0.3
60. How wrong do your friends feel it would be for you to: Use marijuana?	(n=	:106)	(n=4	1,231)
a. Very wrong	81.1%	(±7.6)	74.4%	(±2.5
b. Wrong	12.3%	(± 6.3)	13.2%	(±1.2
c. A little bit wrong	5.7%	(±4.5)	6.7%	(±0.9
d. Not at all wrong	0.9%	(±1.9)	5.7%	(±1.3
61. How many times in the past year (12 months) have you been drunk or high at school?		:109)	(n=5	5,042)
a. Never	96.3%	(±3.6)	94.3%	-
b. 1–2 times	1.8%	(±2.6)	2.9%	(±0.6
b. 1–2 times c. 3–5 times	1.8% 0.9%	(±2.6) (±1.8)		(±0.6 (±0.3
b. 1–2 times c. 3–5 times d. 6–9 times	1.8% 0.9% 0.9%	(±2.6) (±1.8) (±1.8)	2.9% 1.1% 0.5%	(±0.6 (±0.3 (±0.2
b. 1–2 times c. 3–5 times	1.8% 0.9%	(±2.6) (±1.8)	2.9% 1.1%	(±0.6 (±0.3 (±0.2
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in	1.8% 0.9% 0.9% 0.0%	(±2.6) (±1.8) (±1.8)	2.9% 1.1% 0.5% 1.1%	(±0.6 (±0.3 (±0.2
b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times	1.8% 0.9% 0.9% 0.0%	(±2.6) (±1.8) (±1.8) (±0.0)	2.9% 1.1% 0.5% 1.1%	(±0.6 (±0.3 (±0.2 (±0.4
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs?	1.8% 0.9% 0.9% 0.0%	(±2.6) (±1.8) (±1.8) (±0.0)	2.9% 1.1% 0.5% 1.1%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 52. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never 	1.8% 0.9% 0.9% 0.0%	(±2.6) (±1.8) (±1.8) (±0.0)	2.9% 1.1% 0.5% 1.1% (n=5)	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once 	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 52. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 53. How wrong do your parents feel it would be for you to: Use prescription	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2%	(±0.6 (±0.3 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 52. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2%	(±0.6 (±0.3 (±0.2 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you?	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0 (±4.0
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong 	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7% (n= 92.0%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2% (n=5) 86.8%	(±2.2 (±2.1 (±1.8 (±4.0
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong 	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7% (n= 92.0% 7.1%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2) (±5.1) (±4.8)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2% (n=6) 86.8% 9.9%	(±0.6 (±0.3 (±0.2 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0 (±1.2 (±0.9 (±0.4
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 64. How wrong do your friends feel it would be for you to: Use prescription	1.8% 0.9% 0.9% 0.0% 13.8% 19.3% 30.3% 36.7% (n= 92.0% 7.1% 0.0% 0.9%	(±2.6) (±1.8) (±1.8) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2) (±5.1) (±4.8) (±0.0) (±1.8)	2.9% 1.1% 0.5% 1.1% 12.8% 20.8% 32.2% 34.2% (n=5) 86.8% 9.9% 2.1% 1.3%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0 (±4.0 (±0.9 (±0.9 (±0.4
 b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 64. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you?	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7% (n= 92.0% 7.1% 0.0% 0.9%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2) (±5.1) (±4.8) (±0.0) (±1.8)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2% (n=5) 86.8% 9.9% 2.1% 1.3%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0 (±4.0 (±0.9 (±0.4 (±0.3
b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 62. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 63. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 64. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7% (n= 92.0% 7.1% 0.0% 0.9% (n= 89.6%	(±2.6) (±1.8) (±1.8) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2) (±5.1) (±4.8) (±0.0) (±1.8)	2.9% 1.1% 0.5% 1.1% 12.8% 20.8% 32.2% 34.2% (n=5) 86.8% 9.9% 2.1% 1.3% (n=4) 77.9%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0 (±1.2 (±0.9 (±0.3 (±0.3
b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 52. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 53. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 64. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7% (n= 92.0% 7.1% 0.0% 0.9% (n= 89.6% 7.5%	(±2.6) (±1.8) (±1.8) (±0.0) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2) (±5.1) (±4.8) (±0.0) (±1.8)	2.9% 1.1% 0.5% 1.1% (n=5) 12.8% 20.8% 32.2% 34.2% (n=5) 86.8% 9.9% 2.1% 1.3% (n=4) 77.9% 14.4%	(±0.6 (±0.3 (±0.2 (±0.4 (±0.4 (±2.2 (±2.1 (±1.8 (±4.0 (±4.0 (±0.9 (±0.4 (±0.3 (±1.5 (±1.5 (±1.5 (±1.6
b. 1–2 times c. 3–5 times d. 6–9 times e. 10 or more times 22. During the past year in school, how many times did you get information in classes about reasons not to use alcohol or drugs? a. Never b. Once c. 2–3 times d. 4 or more times 33. How wrong do your parents feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong b. Wrong c. A little bit wrong d. Not at all wrong 44. How wrong do your friends feel it would be for you to: Use prescription drugs not prescribed to you? a. Very wrong	1.8% 0.9% 0.9% 0.0% (n= 13.8% 19.3% 30.3% 36.7% (n= 92.0% 7.1% 0.0% 0.9% (n= 89.6%	(±2.6) (±1.8) (±1.8) (±0.0) (±6.6) (±7.5) (±8.8) (±9.2) (±5.1) (±4.8) (±0.0) (±1.8)	2.9% 1.1% 0.5% 1.1% 12.8% 20.8% 32.2% 34.2% (n=5) 86.8% 9.9% 2.1% 1.3% (n=4) 77.9%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±1.2 (±1.8 (±4.6 (±0.4 (±0.4 (±0.4 (±0.4 (±1.8) (±1.8)

Your Students Statewide 65. How much do you think people risk harming themselves if they: Use % (±CI) % (±CI) prescription drugs that are not prescribed to them? (n=111)(n=5,165) a. No risk 0.9% 3.8% (± 1.8) (± 0.8) b. Slight risk 2.7% (± 3.1) 5.1% (± 0.6) c. Moderate risk 9.0% (± 5.4) 16.5% (± 1.2) d. Great risk 82.9% (± 7.1) 67.1% (± 2.3) e. Not sure 4.5% 7.6% (± 3.9) (± 1.1)

Other Health Concerns

Nutrition and Fitness

This section provides results regarding other health concerns including nutrition and fitness, health conditions and health care, safety, behaviors related to intentional injury, depression, and gambling behavior. Proper nutrition and exercise are critical components of a healthy life, as is access to preventive health care. Safety-related behaviors, such as wearing a seat belt when in a moving vehicle, can profoundly influence the outcome of an accident. Injury is the leading cause of death for adolescents aged 10 to 19, and violence contributes to injury-related deaths. People who are depressed experience a range of symptoms, and depression is associated with suicidal behavior.

Obese: "Obese" includes students who are in the top 5% for body mass index by age and gender based on growth charts developed by the Centers for Disease Control and Prevention (2000). "Overweight" includes students who are in the top 15% but not the top 5%.

your shoes on?")	(n=	103)	(n=4	,620)
Obese	3.9%	(± 3.8)	9.3%	(±1.2
Overweight	8.7%	(± 5.5)	13.6%	(±1.4
Normal weight	80.6%	(±7.8)	73.3%	(±2.1
Underweight	6.8%	(±4.9)	3.8%	(±0.5
67. Which of the following are you trying to do about your weight?	(n=	109)	(n=5	5,193)
a. I am not trying to do anything about my weight.	48.6%	(± 9.5)	36.9%	(±2.5
b. Lose weight	23.9%	(±8.1)	38.1%	(±2.7
c. Gain weight	8.3%	(±5.2)	8.7%	(±0.8
d. Stay the same weight	19.3%	(±7.5)	16.3%	(±1.0
S8. How often do you eat dinner with your family?	(n=	111)	(n=5	5,229)
a. Never	3.6%	(± 3.5)	5.2%	(±0.8
b. Rarely	9.9%	(± 5.6)	10.3%	(±1.1
c. Sometimes	13.5%	(± 6.5)	16.7%	(±1.2
d. Most of the time	40.5%	(± 9.3)	33.3%	(±2.0
e. Always	32.4%	(±8.8)	34.5%	(±1.6
9. How often in the past 12 months did you or your family have to cut meal				
size or skip meals because there wasn't enough money for food?		(10.4)	•	0,161)
a. Almost every month	2.7%	(±2.1)	3.8%	(±0.6
	0.9%	(±1.2)	3.5%	(± 0.6)
b. Some months but not every month	0.570	,		
b. Some months but not every monthc. Only 1–2 months	0.9%	(±1.2)	3.9%	(±0.6

	Your S	students	State	ewide
0. Number of servings of fruits and vegetables eaten per day (Computed		±CI)		±CI)
from FV1 – FV6) a. Less than 1	(n= 6.4%	(±4.6)	(n=t	5,212) (±1.2
b. 1 to less than 3	29.1%	(±4.6)	41.1%	(±1.6
c. 3 to less than 5	25.5%	(±8.3)	23.2%	(±1.5
d. 5 or more		,		-
a. 5 of more	39.1%	(±9.3)	24.5%	(±1.5
1. Did you eat breakfast today?	(n=	:112)	(n=5	5,223)
a. Yes	83.0%	(±7.1)	69.4%	(±2.7
b. No	17.0%	(±7.1)	30.6%	(±2.7
2. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks	,	444)	, .	. 000)
(such as Snapple or SoBe)? Do not include diet drinks. a. 0 times	(n=	(±8.6)	20.8%	5,236) (±2.2
b. 1–3 times	47.7%	(±9.4)	44.7%	(±1.5
c. 4–6 times	11.7%		16.4%	•
		(±6.1)		(±1.1
d. 1 time per day	7.2%	(±4.9)	8.1%	(±0.8
e. 2 times per day	1.8%	(±2.5)	4.7%	(±0.6
f. 3 times per day	0.9%	(±1.8)	2.0%	(±0.5
g. 4 or more times per day	1.8%	(±2.5)	3.3%	(±0.7
73. During the past 7 days, how many times did you drink regular soda, sports drinks (such as Gatorade) and other flavored sweetened drinks (such as Snapple or SoBe) at school (including any after-school and	,	440)	, -	. 054)
weekend activities)? Do not include diet drinks. a. 0 times	70.5%	(±8.6)	(n=5	5,251) (±2.8
b. 1–3 times	25.0%	(±8.1)	28.9%	(±2.1
c. 4–6 times	1.8%	, ,	6.9%	-
		(±2.5)		(±0.8
d. 7–9 times	2.7%	(±3.0)	2.2%	(±0.5
e. 10 times or more	0.0%	(±0.0)	2.4%	(±0.6
4. During the past 7 days, where did you usually get the soda or other sweetened drinks that you drank at school? (Choose only one answer.)	(n=	112)	(n=5	5,246)
a. I did not drink sodas, sports drinks, or other flavored drinks at school.	68.8%	(±8.7)	60.1%	(±2.6
b. I brought them from home.	15.2%	(±6.7)	21.9%	(±1.9
c. I got them from friends.	2.7%	(±3.0)	3.6%	(±0.5
d. I bought them at school.	8.9%	(±5.4)	6.6%	(±1.6
e. Other	4.5%	(±3.9)	7.7%	(±1.2

[Questions 75-76 appear only on the elementary version of the survey.]

77. During the past 7 days, how many times did you eat any potato chips or similar snack foods such as corn chips or cheese puffs at school	Your S	tudents		ewide
(including any after-school and weekend activities)? Do not include reduced fat or fat-free items.	•	± CI) 112)	•	± CI) 5,239)
a. 0 times	39.3%	(±9.2)	41.7%	(±2.5
b. 1–3 times	44.6%	(± 9.3)	40.8%	(±1.8
c. 4–6 times	13.4%	(±6.4)	12.0%	(±1.2
d. 7–9 times	1.8%	(±2.5)	3.0%	(±0.5
e. 10 times or more	0.9%	(±1.8)	2.4%	(±0.5
8. During the past 7 days, where did you usually get the chips and similar snack items you ate at school? (Choose only one answer)	(n=	111)	(n=5	5,223)
a. I did not eat potato chips or similar snack foods at school.	40.5%	(±9.3)	42.9%	(±2.6
b. I brought them from home	24.3%	(±8.1)	29.0%	(±1.7
c. I got them from friends	6.3%	(±4.6)	8.6%	(±1.1
d. I bought them at school	15.3%	(±6.8)	10.4%	(±2.3
Other	13.5%	(±6.5)	9.1%	(±1.1
'9. In the past 7 days, on how many days were you physically active for a total of at least 60 minutes per day? (Add up all the time you spent in any kind of physical activity that increases your heart rate or makes you breathe hard some of the time.)	(n=	110)	(n=5	5,206)
a. 0 days	3.6%	(± 3.6)	7.6%	(±1.2
b. 1 day	1.8%	(± 2.5)	5.6%	(±0.8
c. 2 days	6.4%	(± 4.6)	7.5%	(±0.9
d. 3 days	7.3%	(± 4.9)	9.8%	(±1.0
e. 4 days	16.4%	(± 7.0)	11.2%	(±1.3
f. 5 days	11.8%	(±6.1)	16.8%	(±1.2
g. 6 days	13.6%	(± 6.5)	10.5%	(±0.9
h. 7 days	39.1%	(±9.3)	31.0%	(±1.8
0. On how many of the past 7 days did you do exercises to strengthen or				
tone your muscles, such as push-ups, sit-ups, or weight lifting? a. 0 days	(n= 22.7%	(±8.0)	20.3%	(±2.0
b. 1 day	13.6%	(±6.5)	10.9%	(±0.8
c. 2 days	15.5%	(±6.9)	13.1%	(±1.3
d. 3 days	13.6%	(±6.5)	13.0%	(±1.2
	6.4%	(±4.6)	9.9%	(±0.9
•			14.2%	(±1.6
e. 4 days		(±0.9)		,
e. 4 days f. 5 days	15.5%	(±6.9) (±3.1)	4.1%	(±0.6
e. 4 days		(±6.9) (±3.1) (±5.7)	4.1% 14.6%	(±0.6 (±1.5
e. 4 days f. 5 days g. 6 days h. 7 days	15.5% 2.7% 10.0%	(±3.1) (±5.7)	14.6%	(±1.5
e. 4 days f. 5 days g. 6 days h. 7 days	15.5% 2.7% 10.0%	(±3.1)	14.6%	
e. 4 days f. 5 days g. 6 days h. 7 days 11. On average how many days a week do you walk to or from school?	15.5% 2.7% 10.0%	(±3.1) (±5.7)	14.6% (n=5	(±1.5 5,175) (±5.2
e. 4 days f. 5 days g. 6 days h. 7 days 81. On average how many days a week do you walk to or from school? a. Never	15.5% 2.7% 10.0% (n=	(±3.1) (±5.7) 108) (±9.2)	14.6% (n=5	(±1.5

20. On average have many days a week de very side a bissele to as from		tudents		ewide
2. On average how many days a week do you ride a bicycle to or from school?	•	± CI) 108)	•	± CI) 5,151)
a. Never	94.4%	(±4.4)	94.1%	(±0.8)
b. 1–2	3.7%	(±3.6)	3.3%	(±0.6)
c. 3–4	0.9%	(±1.8)	1.2%	(±0.3)
d. I bike every day.	0.9%	(±1.8)	1.5%	(±0.3)
3. On an average school day, how many hours do you watch TV?	(n=	109)	(n=5	5,189)
a. I do not watch TV on an average school day.	24.8%	(±8.2)	18.5%	(±1.5)
b. Less than 1 hour per day	24.8%	(±8.2)	22.9%	(±1.3
c. 1 hour per day	20.2%	(± 7.7)	19.0%	(±1.3
d. 2 hours per day	17.4%	(±7.2)	19.1%	(±1.0
e. 3 hours per day	7.3%	(±5.0)	10.9%	(±1.2
f. 4 hours per day	1.8%	(±2.6)	4.3%	(±0.8)
g. 5 or more hours per day	3.7%	(±3.6)	5.2%	(±0.9
4. On an average school day, how many hours do you play video or computer games or use a computer for something that is not school work? (Count time spent on such things as Xbox, PlayStation, an iPod, an iPad or other tablet, a smartphone, YouTube, Facebook or other social networking tools, and the Internet.)	(n=	109)	(n=5	5,193)
a. I do not play video games or use a computer for fun on an average school	16.5%	(±7.1)	13.1%	(±1.3
day.	24.404	(= o)	4= 407	
b. Less than 1 hour per day	21.1%	(±7.8)	17.4%	(±1.5
c. 1 hour per day	18.3%	(±7.4)	15.0%	(±1.1
d. 2 hours per day	16.5%	(±7.1)	16.5%	(±1.2
e. 3 hours per day	11.0%	(± 6.0)	14.2%	(±1.3
f. 4 hours per day	6.4%	(± 4.7)	8.6%	(±0.7
g. 5 or more hours per day	10.1%	(±5.7)	15.1%	(±1.8
5. In an average week when you are in school, on how many days do you go	(-	400)	/- F	. 400)
to physical education (PE) classes? a. 0 days	40.7%	108) (±9.4)	34.0%	5,133) (±6.1
b. 1 day	0.9%	(±1.8)	1.6%	(±0.4
c. 2 days	11.1%	(±6.0)	5.0%	(±2.3)
o. 2 days	0.9%	(±1.8)	14.1%	(±8.1
d 3 days		(±1.0)	4.3%	(±4.2
d. 3 days		(+0 0)		
e. 4 days	0.0%	(±0.0) (±9.6)		-
-		(±0.0) (±9.6)	41.0%	-
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually	0.0% 46.3%		41.0%	(±8.4
e. 4 days f. 5 days	0.0% 46.3%	(±9.6)	41.0%	(±8.4) 5,162) (±5.9)
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually exercising or playing sports?	0.0% 46.3% (n=	(±9.6)	41.0% (n=5	(±8.4 5,162) (±5.9
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually exercising or playing sports? a. I do not take PE	0.0% 46.3% (n= 36.4%	(±9.6) 107) (±9.3)	41.0% (n=5) 31.4%	(±8.4 5,162) (±5.9 (±0.6
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually exercising or playing sports? a. I do not take PE b. Less than 10 minutes	0.0% 46.3% (n= 36.4% 2.8%	(±9.6) 107) (±9.3) (±3.2) (±4.4)	41.0% (n=5 31.4% 2.0%	(±8.4 5,162) (±5.9 (±0.6 (±1.0
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually exercising or playing sports? a. I do not take PE b. Less than 10 minutes c. 10–20 minutes	0.0% 46.3% (n= 36.4% 2.8% 5.6%	(±9.6) 107) (±9.3) (±3.2) (±4.4) (±5.3)	41.0% (n=5) 31.4% 2.0% 4.4% 9.0%	(±8.4 5,162) (±5.9 (±0.6 (±1.0 (±1.4
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually exercising or playing sports? a. I do not take PE b. Less than 10 minutes c. 10–20 minutes d. 21–30 minutes	0.0% 46.3% (n= 36.4% 2.8% 5.6% 8.4% 24.3%	(±9.6) (±9.3) (±3.2) (±4.4) (±5.3) (±8.3)	41.0% (n=5) 31.4% 2.0% 4.4% 9.0% 14.8%	(±8.4 5,162) (±5.9 (±0.6 (±1.0 (±1.4 (±1.9
e. 4 days f. 5 days 6. During an average PE class, how many minutes do you spend actually exercising or playing sports? a. I do not take PE b. Less than 10 minutes c. 10–20 minutes d. 21–30 minutes e. 31–40 minutes	0.0% 46.3% (n= 36.4% 2.8% 5.6% 8.4%	(±9.6) 107) (±9.3) (±3.2) (±4.4) (±5.3)	41.0% (n=5) 31.4% 2.0% 4.4% 9.0%	(±8.4 5,162) (±5.9 (±0.6

37. During the average week, on how many days do you participate in supervised after-school activities either at school or away from school?	Your S	itudents	State	ewide
Include activities such as sports, art, music, dance, drama, or community service, religious, or club activities.		± CI) 218)	•	± CI) 0,184)
a. 0 days	13.3%	(±4.5)	33.8%	(±2.
b. 1–2 days	25.2%	(±5.8)	20.6%	(±1.
c. 3 or more days	61.5%	(±6.5)	45.5%	(±2.
Ith Conditions and Health Care				
38. Has a doctor or nurse ever told you that you have asthma?	(n=	:107)	(n=5	5,138)
a. Yes	11.2%	(±6.1)	18.4%	(±1.
b. No	85.0%	(±6.9)	73.1%	(±1.
c. Not sure	3.7%	(±3.7)	8.5%	(±0.
39. Do you still have asthma?	(n=	108)	(n=5	5,127)
a. I have never had asthma.	75.9%	(±8.2)	67.1%	(±1.
b. Yes	8.3%	(± 5.3)	9.9%	(±0.
a Nia	0.00/	(E C)	12.1%	(±1.
c. No	9.3%	(±5.6)	12.170	(
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past	9.3% 6.5%	(±5.6) (±4.7)	10.9%	
d. Not sure	6.5%	,	10.9%	
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any	6.5%	(±4.7)	10.9%	(±1.
d. Not sure 30. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma?	6.5% (n=	(±4.7)	10.9% (n=4	(±1.
d. Not sure Oo. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never	6.5% (n= 82.1%	(±4.7) (±4.7) (±7.4)	10.9% (n=4 78.3%	(±1. 4,701) (±1. (±1.
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week	6.5% (n= 82.1% 9.4%	(±4.7) (±4.7) (±106) (±7.4) (±5.7)	10.9% (n=4 78.3% 11.3%	(±1. (±1. (±1. (±0.
d. Not sure 30. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week	6.5% (n= 82.1% 9.4% 1.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6)	10.9% (n=4) 78.3% 11.3% 3.9%	(±1. (±1. (±1. (±0. (±0.
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day	6.5% (n= 82.1% 9.4% 1.9% 3.8%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7)	10.9% (n=4) 78.3% 11.3% 3.9% 2.7%	(±1.
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day e. Every day, throughout the day f. Not sure 91. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days	6.5% (n= 82.1% 9.4% 1.9% 3.8% 0.9% 1.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7) (±1.9) (±2.6)	(n=4) 78.3% 11.3% 3.9% 2.7% 0.9% 3.0%	(±1. (±1. (±1. (±0. (±0. (±0.
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day e. Every day, throughout the day f. Not sure 91. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler?	(n= 82.1% 9.4% 1.9% 3.8% 0.9% 1.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7) (±1.9) (±2.6)	(n=4 78.3% 11.3% 3.9% 2.7% 0.9% 3.0%	(±1. (±1. (±1. (±0. (±0. (±0. (±0.
d. Not sure 90. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day e. Every day, throughout the day f. Not sure 91. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler? a. Never	(n= 82.1% 9.4% 1.9% 3.8% 0.9% 1.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7) (±1.9) (±2.6)	(n=4 78.3% 11.3% 3.9% 2.7% 0.9% 3.0%	(±1. (±1. (±1. (±0. (±0. (±0. (±0.
d. Not sure 30. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day e. Every day, throughout the day f. Not sure 31. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler? a. Never b. 1 or 2 days per week	(n= 82.1% 9.4% 1.9% 3.8% 0.9% 1.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7) (±1.9) (±2.6)	(n=4) 78.3% 11.3% 3.9% 2.7% 0.9% 3.0% (n=4) 87.4% 2.8%	(±1. (±1. (±1. (±0. (±0. (±0. (±0. (±0.
d. Not sure 30. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day e. Every day, throughout the day f. Not sure 31. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler? a. Never b. 1 or 2 days per week c. 3 to 6 days per week	(n= 82.1% 9.4% 1.9% 3.8% 0.9% 1.9% (n= 88.2% 1.8% 0.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7) (±1.9) (±2.6) (±6.1) (±2.5) (±1.8)	(n=4) 78.3% 11.3% 3.9% 2.7% 0.9% 3.0% (n=4) 87.4% 2.8% 1.5%	(±1. (±1. (±0. (±0. (±0. (±0. (±0. (±0.
d. Not sure 30. Symptoms of asthma include coughing, wheezing, shortness of breath, and chest tightness when you don't have a cold or the flu. During the past 4 weeks, about how many days per week on average did you have any symptoms of asthma? a. Never b. 1 or 2 days per week c. 3 to 6 days per week d. Every day, but not throughout the day e. Every day, throughout the day f. Not sure 31. RESCUE inhalers are asthma medicine that you breath in through your mouth that gives you QUICK relief from asthma symptoms. They are PRESCRIBED by a doctor. During the past 4 weeks, about how many days per week on average did you use a rescue inhaler? a. Never b. 1 or 2 days per week	(n= 82.1% 9.4% 1.9% 3.8% 0.9% 1.9%	(±4.7) (±4.7) (±7.4) (±5.7) (±2.6) (±3.7) (±1.9) (±2.6)	(n=4) 78.3% 11.3% 3.9% 2.7% 0.9% 3.0% (n=4) 87.4% 2.8%	(±1. (±1. (±1. (±0. (±0. (±0. (±0. (±0.

	Your Students		Statewide		
During the past 12 months, how many times did you visit an emergency room or urgent care center because of your asthma? a. I do not have asthma.		% (±CI) (n=106) 85.8% (±6.7)		% (±CI) (n=4,699)	
				(±2.3	
b. None	10.4%	(±5.7)	77.4% 15.9%	(±1.5	
c. 1 to 3 times	0.9%	(±1.9)	2.8%	(±0.5	
d. 4 to 9 times	0.0%	(±0.0)	0.5%	(±0.2	
e. 10 to 12 times	0.0%	(±0.0)	1.1%	(±0.5	
f. More than 12 times	0.0%	(±0.0)	0.1%	(±0.1	
g. Not sure	2.8%	(±3.2)	2.2%	(±0.6	
5. During the past 12 months, how many days did you stay out of school or stay away from your usual activities because of your asthma?	(n-	105)	(n-4	1,654)	
a. I do not have asthma.	84.8%	(±7.0)	79.8%	(±2.0	
b. None	9.5%	(±5.7)	13.8%	` (±1.3	
c. 1 to 2 days	3.8%	(±3.7)	3.8%	(±1.3	
d. 3 to 4 days	1.0%	(±1.9)	0.6%	(±0.2	
e. 5 to 10 days	0.0%	(±0.0)	0.4%	(±0.2	
f. More than 10 days	0.0%	(±0.0)	0.5%	(±0.2	
g. Not sure	1.0%	(±1.9)	1.1%	(±0.3	
. When was the last time you saw a doctor or health care provider for a check-up or physical exam when you were not sick or injured?	(n=	107)	(n=5	5,118)	
a. During the past 12 months	75.7%	(± 8.3)	65.2%	(±2.7	
b. Between 12 and 24 months ago	9.3%	(± 5.6)	13.1%	(±1.2	
c. More than 24 months ago	0.9%	(±1.9)	4.2%	(±0.6	
d. Never	0.9%	(±1.9)	2.0%	(±0.5	
e. Not sure	13.1%	(±6.5)	15.6%	(±2.0	
. When was the last time you saw a dentist for a check-up, exam, teeth			. 440)		
cleaning, or other dental work?	88.0%	108) (±6.2)	76.9%	5,118) (±2.3	
a. During the past 12 months	00.076		. 5.5 / 6	\- - ·	
a. During the past 12 months b. Between 12 and 24 months ago		` '	8.3%	(+0.9)	
b. Between 12 and 24 months ago	1.9%	(±2.6)	8.3% 4.0%	`	
b. Between 12 and 24 months ago c. More than 24 months ago	1.9% 1.9%	(±2.6) (±2.6)	4.0%	(±0.7	
b. Between 12 and 24 months ago	1.9%	(±2.6)		(±0.9 (±0.7 (±0.4 (±1.4	
 b. Between 12 and 24 months ago c. More than 24 months ago d. Never e. Not sure During the past 12 months, how many days did you miss some school	1.9% 1.9% 0.9% 7.4%	(±2.6) (±2.6) (±1.8) (±5.0)	4.0% 1.3% 9.4%	(±0.7 (±0.4 (±1.4	
 b. Between 12 and 24 months ago c. More than 24 months ago d. Never e. Not sure b. During the past 12 months, how many days did you miss some school because of toothache? (Do not include toothache due to braces or injury.)	1.9% 1.9% 0.9% 7.4%	(±2.6) (±2.6) (±1.8) (±5.0)	4.0% 1.3% 9.4%	(±0.7 (±0.4 (±1.4	
b. Between 12 and 24 months ago c. More than 24 months ago d. Never e. Not sure b. During the past 12 months, how many days did you miss some school because of toothache? (Do not include toothache due to braces or injury.) a. None	1.9% 1.9% 0.9% 7.4%	(±2.6) (±2.6) (±1.8) (±5.0) (±1.9)	4.0% 1.3% 9.4% (n=5) 93.8%	(±0.7 (±0.4 (±1.4 5,116) (±1.7	
b. Between 12 and 24 months ago c. More than 24 months ago d. Never e. Not sure b. During the past 12 months, how many days did you miss some school because of toothache? (Do not include toothache due to braces or injury.)	1.9% 1.9% 0.9% 7.4%	(±2.6) (±2.6) (±1.8) (±5.0)	4.0% 1.3% 9.4%	(±0.7 (±0.4 (±1.4	

[Question 97 appears only on the elementary version of the survey.]

	Your Students		Statewide	
98. Have you ever been told by a doctor or other health professional that you have diabetes?	% (±CI) (n=106)		% (±CI) (n=5,108)	
a. No	97.2%	(±3.2)	94.7%	(±0.7
b. Yes	1.9%	(±2.6)	2.9%	(±0.5
c. Not sure	0.9%	(±1.9)	2.4%	(±0.5
		, ,		
99. On an average school night how many hours do you sleep?	,	109)		1,916)
a. 5 hours or less	4.6%	(±4.0)	8.9%	(±1.1
b. About 6 hours	11.9%	(±6.2)	12.3%	(±1.2
c. About 7 hours	20.2%	(±7.7)	23.8%	(±1.7
d. About 8 hours	47.7%	(± 9.5)	39.2%	(±1.7
e. 9 hours or more	15.6%	(±6.9)	15.8%	(±1.7
ual Behavior				
00. Have you ever had sexual intercourse? †	(n=	- 12)	(n=1	1,091)
a. Yes	0.0%	(±0.0)	9.3%	(±4.0
b. No	100.0%	(±0.0)	90.7%	(±4.0
01. How old were you when you had sexual intercourse for the first time? †	(n=	=12)	(n=1	1,091)
a. I have never had sexual intercourse.	100.0%	(± 0.0)	90.7%	(±4.0
b. 11 years old or younger	0.0%	(± 0.0)	2.2%	(±1.4
c. 12 years old	0.0%	(±0.0)	2.0%	(±1.0
d. 13 years old	0.0%	(± 0.0)	3.6%	(±1.9
e. 14 years old	0.0%	(±0.0)	1.1%	(±0.7
f. 15 years old	0.0%	(±0.0)	0.1%	(±0.2
g. 16 years old	0.0%	(±0.0)	0.2%	(±0.2
h. 17 years old or older	0.0%	(±0.0)	0.2%	(±0.3
02. During your life, with whom have you had sexual contact? †	(n=	=12)	(n=1	1,091)
a. I have never had sexual contact.	100.0%	(±0.0)	85.0%	(±3.6
b. Females	0.0%	(±0.0)	8.2%	(±2.1
c. Males	0.0%	(±0.0)	4.6%	(±2.2
d. Females and males	0.0%	(±0.0)	2.3%	(±1.2
03. With how many people have you ever had sexual intercourse? †	(n=	=12)	(n=1	1,089)
a. I have never had sexual intercourse.	100.0%	(±0.0)	91.1%	(±3.8
b. 1 person	0.0%	(± 0.0)	3.9%	(±1.5
c. 2 people	0.0%	(±0.0)	1.9%	(±1.1
d. 3 people	0.0%	(±0.0)	1.2%	(±1.1
e. 4 people	0.0%	(±0.0)	0.6%	(±0.8
f. 5 people	0.0%	(±0.0)	0.1%	(±0.2
g. 6 or more people	0.0%	(±0.0)	1.3%	(±0.7

	Your S	tudents	Statewide		
104. The last time you had sexual intercourse, did you or your partner use a condom? †	% (±CI)		% (±CI)		
a. I have never had sexual intercourse.	(n=12) 100.0% (±0.0)		90.7% (±4.2		
b. Yes	0.0%	(±0.0)	6.1%	(±2.9	
c. No	0.0%	(±0.0)	3.2%	(±1.7	
haviors Related to Unintentional Injury					
105. How often do you wear a life vest when you're in a small boat like a canoe, raft, or small motorboat?	(n-	112)	(n	5,294)	
a. Never go boating	9.8%	(±5.6)	22.1%	(±3.0	
b. Never	4.5%	(±3.9)	7.3%	(±0.8	
c. Less than half the time	4.5%	(±3.9)	7.9%	` (±0.7	
d. About half the time	13.4%	(±6.4)	11.4%	` (±1.0	
e. More than half the time	30.4%	(±8.6)	18.6%	(±1.9	
f. Always	37.5%	(±9.1)	32.6%	(±1.4	
106. Have you ever taken formal swimming lessons?	(n=	(n=112) (r		5,315)	
a. Yes	91.1%	(± 5.4)	59.5%	(±4.9	
b. No	5.4%	(±4.2)	32.9%	(±4.7	
c. Not sure	3.6%	(±3.5)	7.6%	(±1.0	
107. I am comfortable playing and swimming in water over my head.	(n=	112)	(n=5	5,295)	
a. Strongly agree	78.6%	(±7.7)	53.8%	(±3.5	
b. Agree	20.5%	(± 7.6)	33.5%	(±2.2	
c. Disagree	0.0%	(±0.0)	9.0%	(±1.4	
d. Strongly disagree	0.9%	(±1.8)	3.7%	(±0.7	
108. During the past 30 days, how many days did you ride in a car or other vehicle driven by someone who was texting or emailing?	(n=110)		:110) (n=5,284		
a. 0 days	51.8%	(±9.5)	52.8%	(±2.1	
b. 1 or 2 days	28.2%	(±8.5)	19.7%	(±1.2	
c. 3 to 5 days	8.2%	(±5.2)	8.1%	(±0.7	
d. 6 to 9 days	3.6%	(±3.6)	5.7%	(±0.6	
e. 10 to 19 days	1.8%	(±2.5)	5.5%	(±0.6	
f. 20 to 29 days	2.7%	(±3.1)	3.4%	(±0.5	
g. All 30 days	3.6%	(±3.6)	4.7%	(±0.6	

[Question 109 appears only on the elementary version of the survey.]

	Your Students		Statewide		
10. During the past 30 days, how many days did you text or email while driving a car or other vehicle?	-	± CI) :220)	% (±CI) (n=10,012)		
a. I did not drive a car or other vehicle during the past 30 days.	93.2%	(±3.4)	84.1%	(±1.1	
b. 0 days	5.5%	(±3.0)	11.5%	(±1.0	
c. 1 or 2 days	0.5%	(±0.9)	1.0%	(±0.2	
d. 3 to 5 days	0.0%	(± 0.0)	0.8%	(±0.2	
e. 6 to 9 days	0.5%	(±0.9)	0.4%	(±0.1	
f. 10 to 19 days	0.5%	(±0.9)	0.6%	(±0.2	
g. 20 to 29 days	0.0%	(±0.0)	0.4%	(±0.	
h. All 30 days	0.0%	(±0.0)	1.3%	(±0.3	
11. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been drinking alcohol?	(n=	:107)	(n=4	ł,803)	
a. 0 times	89.7%	(±5.8)	83.2%	(±1.9	
b. 1 time	5.6%	(±4.4)	8.3%	(±1.0	
c. 2–3 times	2.8%	(±3.2)	4.9%	(±0.	
d. 4–5 times	0.9%	(±1.9)	1.4%	(±0.	
e. 6 or more times	0.9%	(±1.9)	2.2%	(±0.0	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	· · · · · · · · · · · · · · · · · · ·	:107)		I,793)	
a. 0 times	(n= 99.1%	(±1.9)	(n=4 97.0%	(±0.0	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol?	· · · · · · · · · · · · · · · · · · ·			(±0.6	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times	99.1%	(±1.9)	97.0%	(±0.6	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time	99.1% 0.0%	(±1.9) (±0.0)	97.0% 1.3%	(±0.6 (±0.6 (±0.5	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times	99.1% 0.0% 0.0%	(±1.9) (±0.0) (±0.0)	97.0% 1.3% 0.8%	(±0.0 (±0.4 (±0.5 (±0.5	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times	99.1% 0.0% 0.0% 0.9% 0.0%	(±1.9) (±0.0) (±0.0) (±1.9)	97.0% 1.3% 0.8% 0.4% 0.6%	(±0.0 (±0.4 (±0.5 (±0.5	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other	99.1% 0.0% 0.0% 0.9% 0.0%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6%	(±0.4 (±0.4 (±0.5 (±0.5 (±0.5	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana?	99.1% 0.0% 0.0% 0.9% 0.0%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6%	(±0.4 (±0.4 (±0.4 (±0.4 (±0.4 (±0.4 (±0.4 (±1.4	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6% (n=4)	(±0.1 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3% 1.9%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±2.6)	97.0% 1.3% 0.8% 0.4% 0.6% (n=4) 90.4% 3.0%	(±0.4 (±0.4 (±0.4 (±0.4 (±0.4 (±0.4 (±0.4 (±0.4	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time c. 2–3 times	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3% 1.9%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±3.6) (±2.6)	97.0% 1.3% 0.8% 0.4% 0.6% (n=4) 90.4% 3.0% 2.6%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 15. During the past 30 days, how many times did you drive a car or other	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3% 1.9% 1.9% 0.0% 0.0%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±2.6) (±2.6) (±2.6) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6% (n=2 90.4% 3.0% 2.6% 1.2% 2.8%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3% 1.9% 1.9% 0.0% 0.0%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±2.6) (±2.6) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6% (n=2 90.4% 3.0% 2.6% 1.2% 2.8%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 15. During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana?	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3% 1.9% 0.0% 0.0%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±2.6) (±2.6) (±0.0) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6% (n=4) 90.4% 3.0% 2.6% 1.2% 2.8%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 15. During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana? a. 0 times	99.1% 0.0% 0.0% 0.9% 0.0% (n= 96.3% 1.9% 0.0% 0.0% (n= 96.3%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±2.6) (±2.6) (±0.0) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6% 90.4% 3.0% 2.6% 1.2% 2.8%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.3 (±0.3 (±0.3 (±0.3	
13. During the past 30 days, how many times did you drive a car or other vehicle when you had been drinking alcohol? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 14. During the past 30 days, how many times did you ride in a car or other vehicle driven by someone who had been using marijuana? a. 0 times b. 1 time c. 2–3 times d. 4–5 times e. 6 or more times 15. During the past 30 days, how many times did you drive a car or other vehicle within three hours after using marijuana? a. 0 times b. 1 time	99.1% 0.0% 0.0% 0.9% 0.0% 96.3% 1.9% 0.0% (n= 96.3% 1.9% 1.9% 1.9%	(±1.9) (±0.0) (±0.0) (±1.9) (±0.0) (±3.6) (±2.6) (±2.6) (±0.0) (±0.0) (±0.0)	97.0% 1.3% 0.8% 0.4% 0.6% (n=4 90.4% 3.0% 2.6% 1.2% 2.8% (n=4 95.5% 1.5%	(±0.6 (±0.2 (±0.2 (±0.2 (±0.2 (±0.2 (±0.3 (±0.3 (±0.3	

Behaviors Related to Intentional Injury

		Your Students		ewide	
116. During the past 30 days, on how many days did you: Carry a weapon such as a gun, knife, or club on school property?		% (±CI) (n=222)		% (±CI) (n=10,253)	
a. 0 days	96.8%	(±2.3)	96.2%	(±0.6	
b. 1–5 days	2.3%	(±2.0)	2.5%	(±0.4	
c. 6 or more days	0.9%	(±1.3)	1.3%	(±0.3	
estion 117 appears only on the elementary version of the survey.]					
118. During the past 30 days, on how many days did you carry a gun? (Do not include carrying a gun while hunting.)	(n=	:112)	(n=5	5,280)	
a. 0 times	97.3%	(± 3.0)	95.7%	(±0.6	
b. 1 time	1.8%	(± 2.5)	2.3%	(±0.4	
c. 2–3 times	0.0%	(± 0.0)	0.9%	(±0.2	
d. 4–5 times	0.9%	(±1.8)	0.3%	(±0.1	
e. 6 or more times	0.0%	(±0.0)	0.9%	(±0.3	
19. During the past 12 months, how many times were you in a physical fight?					
a. 0 times		(45.2)	73.2%	0,480) (±1.6	
	81.2%	(±5.2)		(±1.6	
b. 1 time	10.3%	(±4.0)	13.3%	(±0.8	
c. 2–3 times	4.5%	(±2.7)	8.1%	(±0.8	
		/ · 4 F\			
	1.3% 2.7%	(±1.5) (±2.1)	2.3% 3.2%	-	
e. 6 or more times	2.7%	,	3.2%	-	
e. 6 or more times 20. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a	2.7%	(±2.1)	3.2%	(±0.4	
e. 6 or more times20. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang?	2.7% (n=	(±2.1)	3.2% (n=1	(±0.4 0,295) (±0.6	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes	2.7% (n= 96.8% 3.2%	(±2.1)	3.2% (n=1 94.5% 5.5%	(±0.4 0,295) (±0.6	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes	2.7% (n= 96.8% 3.2%	(±2.1) (±2.2) (±2.3) (±2.3)	3.2% (n=1 94.5% 5.5%	(±0.4 0,295) (±0.6 (±0.6	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school?	2.7% (n= 96.8% 3.2%	(±2.1)	3.2% (n=1) 94.5% 5.5% (n=1)	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No	2.7% (n= 96.8% 3.2% (n= 50.9%	(±2.1) (±2.2) (±2.3) (±2.3) (±6.6) (±3.8)	3.2% (n=1) 94.5% 5.5% (n=1) 31.6%	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know	2.7% (n= 96.8% 3.2% (n= 50.9% 9.0%	(±2.1) (±2.2) (±2.3) (±2.3) (±6.6) (±3.8)	(n=1) 94.5% 5.5% (n=1) 31.6% 11.1%	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know sical, Emotional and Sexual Abuse	2.7% (n= 96.8% 3.2% (n= 50.9% 9.0% 40.1%	(±2.1) (±2.2) (±2.3) (±2.3) (±6.6) (±3.8)	3.2% (n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2%	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know sical, Emotional and Sexual Abuse	2.7% (n= 96.8% 3.2% (n= 50.9% 9.0% 40.1%	(±2.1) (±2.3) (±2.3) (±2.3) (±6.6) (±3.8) (±6.5)	3.2% (n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2%	(±0.6 (±0.6) (±3.6) (±1.5) (±2.9)	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know sical, Emotional and Sexual Abuse 122. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury?	2.7% (n= 96.8% 3.2% (n= 50.9% 9.0% 40.1%	(±2.1) (±2.2) (±2.3) (±2.3) (±6.6) (±3.8) (±6.5)	3.2% (n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2%	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5 (±2.9	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know 122. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury? a. No b. Yes 123. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in	2.7% (n= 96.8% 3.2% (n= 50.9% 40.1% (n= 84.0% 16.0%	(±2.1) (±2.3) (±2.3) (±2.3) (±6.6) (±3.8) (±6.5)	(n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2% (n=4) 77.8% 22.2%	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5 (±2.9 4,673) (±1.5	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know sical, Emotional and Sexual Abuse 122. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury? a. No b. Yes 123. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in any other way?	2.7% (n= 96.8% 3.2% (n= 50.9% 40.1% (n= 84.0% 16.0%	(±2.1) (±2.3) (±2.3) (±2.3) (±6.6) (±3.8) (±6.5) (±7.1) (±7.1)	(n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2% (n=2) (n=2) (n=2)	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5 (±2.9 4,673) (±1.5	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know 122. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury? a. No b. Yes 123. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in any other way? a. I did not date or go out with anyone during the past 12 months.	2.7% (n= 96.8% 3.2% (n= 50.9% 9.0% 40.1% (n= 84.0% 16.0%	(±2.1) (±2.1) (±2.3) (±2.3) (±2.3) (±6.6) (±3.8) (±6.5) (±7.1) (±7.1) (±7.1)	3.2% (n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2% (n=4) 77.8% 22.2%	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5 (±1.5 (±1.5 (±1.5	
e. 6 or more times 120. A gang is a group of people with a leader who act together often for violent or illegal activities. During the past 12 months, have you been a member of a gang? a. No b. Yes 121. Are there gangs at your school? a. No b. Yes c. Don't know sical, Emotional and Sexual Abuse 122. Has an adult ever physically hurt you on purpose (like pushed, slapped, hit, kicked or punched you), leaving a mark, bruise or injury? a. No b. Yes 123. During the past 12 months, did someone you were dating or going out with ever limit your activities, threaten you, or make you feel unsafe in any other way?	2.7% (n= 96.8% 3.2% (n= 50.9% 40.1% (n= 84.0% 16.0%	(±2.1) (±2.3) (±2.3) (±2.3) (±6.6) (±3.8) (±6.5) (±7.1) (±7.1)	(n=1) 94.5% 5.5% (n=1) 31.6% 11.1% 57.2% (n=2) (n=2) (n=2)	(±0.4 0,295) (±0.6 (±0.6 0,263) (±3.6 (±1.5 (±2.9 4,673) (±1.5 (±1.5	

24. In the past 12 months, how many times did someone you were dating or	Your Students		any times did someone you were dating or		ewiae
going out with physically hurt you on purpose? (Count such things as being hit, slammed into something, or injured with an object or weapon.)		(±CI) =107)		± CI) 1,701)	
a. I did not date or go out with anyone during the past 12 months.	73.8%	(±8.5)	59.2%	(±3.0	
b. 0 times	25.2%	(±8.4)	36.4%	(±2.6	
c. 1 time	0.0%	(± 0.0)	1.5%	(±0.4	
d. 2 or 3 times	0.0%	(± 0.0)	1.1%	(±0.3	
e. 4 or 5 times	0.0%	(±0.0)	0.4%	(±0.2	
f. 6 or more times	0.9%	(±1.9)	1.3%	(±0.5	
125. Have you ever been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †	(n.	=12)	(n_1	I,159)	
a. No	91.7%	(±18.3)	91.5%	(±2.1	
b. Yes	8.3%	(±18.3)	8.5%	(±2.1	
26. In the past 12 months, have you been in a situation where someone made you engage in kissing, sexual touch or intercourse when you did not want to? †	(n:	=12)	(n=1	1,148)	
a. No	91.7%	(±18.3)	93.9%	(±1.8	
b. Yes	8.3%		0.40/	` (±1.8	
tal Health 27. During the past 12 months, did you ever feel so sad or hopeless almost	6.3%	(±18.3)	6.1%	(±1.6	
tal Health 127. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some		, ,		·	
ital Health		(±18.3)		0,440)	
tal Health 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities?	(n=	-223)	(n=1	0,440) (±1.9	
 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting 	(n= 15.2% 84.8%	-223) (±4.8) (±4.8)	(n=1 27.2% 72.8%	0 <u>,440)</u> (±1.9 (±1.9	
 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 	(n= 15.2% 84.8%	-223) (±4.8)	(n=1 27.2% 72.8%	0,440) (±1.§ (±1.§	
 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? 	(n= 15.2% 84.8% (n=	(±4.8) (±4.8) (±4.8)	(n=1) 27.2% 72.8% (n=1)	0,440) (±1.9 (±1.9 0,401) (±1.5	
tal Health 127. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 128. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 129. During the past 12 months, did you make a plan about how you would	(n= 15.2% 84.8% (n= 13.1% 86.9%	-223) (±4.8) (±4.8) -222) (±4.5) (±4.5)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5	
tal Health 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 29. During the past 12 months, did you make a plan about how you would attempt suicide?	(n= 15.2% 84.8% (n= 13.1% 86.9%	-223) (±4.8) (±4.8) -222) (±4.5) (±4.5)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5	
27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 29. During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes	(n= 15.2% 84.8% (n= 13.1% 86.9%	(±4.8) (±4.8) (±4.8) (±4.5) (±4.5) (±4.5) (±6.1)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9% (n=5) 13.9%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5 5,269) (±1.5	
 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 29. During the past 12 months, did you make a plan about how you would attempt suicide? 	(n= 15.2% 84.8% (n= 13.1% 86.9%	-223) (±4.8) (±4.8) -222) (±4.5) (±4.5)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5 5,269) (±1.5	
27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 29. During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes	(n= 15.2% 84.8% (n= 13.1% 86.9% (n= 11.7% 88.3%	(±4.8) (±4.8) (±4.8) (±4.5) (±4.5) (±4.5) (±6.1)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9% (n=5) 13.9% 86.1%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5	
tal Health 127. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 128. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 129. During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes b. No 130. During the past 12 months, how many times did you actually attempt	(n= 15.2% 84.8% (n= 13.1% 86.9% (n= 11.7% 88.3%	(±4.8) (±4.8) (±4.8) (±4.5) (±4.5) (±4.5) (±6.1) (±6.1)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9% (n=5) 13.9% 86.1%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5 (±1.5	
tal Health 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 29. During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes b. No 30. During the past 12 months, how many times did you actually attempt suicide?	(n= 15.2% 84.8% (n= 13.1% 86.9% (n= 11.7% 88.3%	(±4.8) (±4.8) (±4.8) (±4.5) (±4.5) (±4.5) (±6.1) (±6.1)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9% (n=6) 13.9% 86.1%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5 5,269) (±1.5	
tal Health 127. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 128. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 129. During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes b. No 130. During the past 12 months, how many times did you actually attempt suicide? a. 0 times	(n= 15.2% 84.8% (n= 13.1% 86.9% (n= 11.7% 88.3%	(±4.8) (±4.8) (±4.8) (±4.5) (±4.5) (±4.5) (±6.1) (±6.1) (±6.1)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9% (n=5) 13.9% 86.1% (n=5) 91.1%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5 (±1.5 5,269) (±1.5 (±1.5 (±1.5	
tal Health 27. During the past 12 months, did you ever feel so sad or hopeless almost every day for two weeks or more in a row that you stopped doing some usual activities? a. Yes b. No 28. During the past 12 months, did you ever seriously consider attempting suicide? a. Yes b. No 29. During the past 12 months, did you make a plan about how you would attempt suicide? a. Yes b. No 30. During the past 12 months, how many times did you actually attempt suicide? a. 0 times b. 1 time	(n= 15.2% 84.8% (n= 13.1% 86.9% (n= 11.7% 88.3% (n= 95.5% 3.6%	=223) (±4.8) (±4.8) =222) (±4.5) (±4.5) =111) (±6.1) (±6.1) (±3.9) (±3.5)	(n=1) 27.2% 72.8% (n=1) 16.1% 83.9% (n=6) 13.9% 86.1% (n=6) 91.1% 5.2%	0,440) (±1.9 (±1.9 0,401) (±1.5 (±1.5 5,269) (±1.5 (±1.5	

[Questions 131-132 appear only on the elementary version of the survey.]

133. How often over the last 2 weeks, were you bothered by: Feeling nervous,	Your Students % (±CI) (n=214)		Statewide		
33. How often over the last 2 weeks, were you bothered by: Feeling nervous, anxious or on edge?			% (±CI) (n=9,537)		
a. Not at all	39.7%	(±6.6)	50.2%	(±1.6	
b. Several days	39.3%	(±6.6)	32.8%	(±1.2	
c. More than half the days	7.5%	(±3.6)	7.5%	(±0.7	
d. Nearly every day	13.6%	(±4.6)	9.6%	(±0.7	
I34. How often over the last 2 weeks, were you bothered by: Not being able to stop or control worrying?	(n=	213)	(n=9),506)	
a. Not at all	62.9%	(±6.5)	62.7%	(±1.6	
b. Several days	21.6%	(±5.6)	22.4%	(±1.0	
c. More than half the days	3.3%	(±2.4)	6.7%	(±0.6	
d. Nearly every day	12.2%	(±4.4)	8.2%	(±0.8	
135. When you feel sad or hopeless, are there adults that you can turn to for					
help? a. I never feel sad or hopeless.	(n= 24.1%	112) (±0.0)	(n=5 25.9%	5 <u>,275)</u> (±1.8	
· · · · · · · · · · · · · · · · · · ·		(±8.0)		,	
b. Yes	55.4%	(±9.3)	49.4%	(±2.1	
c. No	11.6%	(±6.0)	12.6%	(±1.2	
d. Not sure	8.9%	(±5.4)	12.2%	(±1.2	
I36. Last year, did you hear or see information at your school about the warning signs of suicide and how to get help for yourself or a friend?	(n=	106)	(n=4	l,584)	
a. Yes	33.0%	(±9.1)	38.6%	(±5.5	
b. No	48.1%	(±9.7)	39.3%	(±4.2	
c. Not sure	18.9%	(±7.6)	22.1%	(±1.9	
			(n-4		
ial and Emotional Learning	(2)	106)	44.3%	40E\	
137. I know how to disagree without starting a fight or argument.		106) (+9.6)		(+2 6	
a. Strongly agree	55.7%	(±9.6)		(±2.6	
137. I know how to disagree without starting a fight or argument. a. Strongly agree b. Agree	55.7% 37.7%	(±9.6) (±9.4)	43.3%	(±2.6	
a. Strongly agree b. Agree c. Disagree	55.7% 37.7% 5.7%	(±9.6) (±9.4) (±4.5)	43.3% 9.3%	(±2.6 (±2.6 (±1.2	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree	55.7% 37.7%	(±9.6) (±9.4)	43.3%	(±2.6 (±2.6 (±1.2	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree last. d. Strongly disagree last. d. Strongly disagree	55.7% 37.7% 5.7% 0.9%	(±9.6) (±9.4) (±4.5) (±1.9)	43.3% 9.3% 3.1%	(±2.6 (±2.6 (±1.2 (±0.6	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree las. When I have problems at school, I am good at finding ways to solve them.	55.7% 37.7% 5.7% 0.9%	(±9.6) (±9.4) (±4.5) (±1.9)	43.3% 9.3% 3.1%	(±2.6 (±2.6 (±1.2 (±0.6	
137. I know how to disagree without starting a fight or argument. a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree	55.7% 37.7% 5.7% 0.9%	(±9.6) (±9.4) (±4.5) (±1.9) (±1.9)	43.3% 9.3% 3.1% (n=4) 34.4%	(±2.6 (±2.6 (±1.2 (±0.6 1,559) (±2.4	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree b. Agree	55.7% 37.7% 5.7% 0.9% (n= 41.1% 49.5%	(±9.6) (±9.4) (±4.5) (±1.9) (±1.9) (±9.5) (±9.6)	43.3% 9.3% 3.1% (n=4 34.4% 49.6%	(±2.6 (±2.6 (±1.2 (±0.6 (±0.6 (±2.4 (±2.6	
137. I know how to disagree without starting a fight or argument. a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree	55.7% 37.7% 5.7% 0.9%	(±9.6) (±9.4) (±4.5) (±1.9) (±1.9)	43.3% 9.3% 3.1% (n=4) 34.4%	(±2.6 (±2.0 (±1.2 (±0.6 (±0.6 (±2.4 (±2.4 (±1.5	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree b. Agree c. Disagree d. Strongly agree b. Agree c. Disagree d. Strongly agree	55.7% 37.7% 5.7% 0.9% (n= 41.1% 49.5% 7.5% 1.9%	(±9.6) (±9.4) (±4.5) (±1.9) (±9.5) (±9.6) (±5.1) (±2.6)	43.3% 9.3% 3.1% (n=4 34.4% 49.6% 12.6% 3.4%	(±2.6 (±2.6 (±1.2 (±0.6 (±2.4 (±2.6 (±1.5) (±2.6 (±0.7	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree b. Agree c. Disagree d. Strongly agree b. Agree c. Disagree d. Strongly agree b. Agree c. Disagree d. Strongly disagree	55.7% 37.7% 5.7% 0.9% (n= 41.1% 49.5% 7.5% 1.9%	(±9.6) (±9.4) (±4.5) (±1.9) (±1.9) (±9.5) (±9.6) (±5.1) (±2.6)	43.3% 9.3% 3.1% (n=4 34.4% 49.6% 12.6% 3.4%	(±2.6 (±2.6 (±1.2 (±0.6 (±0.6 (±2.4 (±2.6 (±1.5 (±0.7	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree b. Agree c. Disagree d. Strongly agree b. Agree c. Disagree d. Strongly agree a. Strongly disagree d. Strongly disagree	55.7% 37.7% 5.7% 0.9% (n= 41.1% 49.5% 7.5% 1.9% (n= 32.4%	(±9.6) (±9.4) (±4.5) (±1.9) (±9.5) (±9.6) (±5.1) (±2.6) (±9.0)	43.3% 9.3% 3.1% (n=4) 34.4% 49.6% 12.6% 3.4% (n=4) 35.1%	(±2.6 (±2.6 (±1.2 (±0.6 (±0.6 (±2.4 (±1.5 (±0.7 (±1.5 (±1.5)	
a. Strongly agree b. Agree c. Disagree d. Strongly disagree 138. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree b. Agree c. Disagree d. Strongly agree b. Agree c. Disagree d. Strongly disagree b. Agree c. Disagree d. Strongly disagree b. Agree d. Strongly disagree b. Agree b. Agree c. Disagree d. Strongly disagree	55.7% 37.7% 5.7% 0.9% (n= 41.1% 49.5% 7.5% 1.9% (n= 32.4% 56.5%	(±9.6) (±9.4) (±4.5) (±1.9) (107) (±9.5) (±9.6) (±5.1) (±2.6) (108) (±9.0) (±9.5)	43.3% 9.3% 3.1% (n=4) 34.4% 49.6% 12.6% 3.4% (n=4) 35.1% 47.2%	(±2.6 (±2.0 (±1.2 (±0.6 (±0.6 (±0.6 (±2.4 (±2.0 (±1.5 (±0.7 (±1.5 (±1.6	
37. I know how to disagree without starting a fight or argument. a. Strongly agree b. Agree c. Disagree d. Strongly disagree 38. When I have problems at school, I am good at finding ways to solve them. a. Strongly agree b. Agree c. Disagree d. Strongly disagree 39. When I make a decision, I think about what might happen afterward. a. Strongly agree	55.7% 37.7% 5.7% 0.9% (n= 41.1% 49.5% 7.5% 1.9% (n= 32.4%	(±9.6) (±9.4) (±4.5) (±1.9) (±9.5) (±9.6) (±5.1) (±2.6) (±9.0)	43.3% 9.3% 3.1% (n=4) 34.4% 49.6% 12.6% 3.4% (n=4) 35.1%	(±2.\(\pmu\) (±1.\(\pmu\) (±0.\(\pmu\) (±1.\(\pmu\) (±2.\(\pmu\) (±1.\(\pmu\) (±1.\	

Your Students Statewide % (±CI) % (±CI) 140. I get along well with students who are different from me. (n=110)(n=4,541)a. Strongly agree 47.3% (± 9.5) 42.6% (± 2.0) b. Agree 42.7% (± 9.4) 45.6% (± 1.8) c. Disagree 6.4% 8.9% (± 4.6) (± 1.3) d. Strongly disagree 3.6% (± 3.6) 3.0% (± 0.6) 141. I try to understand how other people feel and think. (n=108)(n=4.494)a. Strongly agree 50.9% (± 9.6) 42.8% (± 2.1) b. Agree 40.7% (± 9.4) 45.6% (± 1.8) c. Disagree 6.5% (± 4.7) 9.4% (± 1.3) 1.9% 2.2% d. Strongly disagree (± 2.6) (± 0.5)

Gambling

142. In the past 12 months, how often have you gambled (bet) for money or

possessions?		(n=107)		,728)
a. Never in the past year	82.2%	(±7.4)	77.9%	(±1.5)
b. Once or twice in the past year	10.3%	(±5.8)	12.6%	(±1.0)
c. A few times in the past year	4.7%	(±4.1)	5.5%	(±0.7)
d. Once or twice a month	1.9%	(±2.6)	2.3%	(±0.4)
e. At least once a week	0.9%	(±1.9)	1.7%	(±0.4)

School Climate

In the past few years Washington State has given increased attention to supportive learning environments. Students need a safe, nurturing, healthy, and civil learning environment if they are to be successful in school. This section provides information about student perceptions of school climate.

143. A student is being bullied when another student, or group of students, say or do nasty or unpleasant things to him or her. It is also bullying when a student is teased repeatedly in a way he or she doesn't like. It is NOT bullying when two students of about the same strength argue or

fight. In the last 30 days, how often have you been bullied?	(n=223)	(n=10,602)
a. I have not been bullied.	77.6% (±5.5)	72.0% (±1.8)
b. Once	11.7% (±4.2)	12.7% (±0.9)
c. 2–3 times	4.9% (±2.9)	7.6% (±0.6)
d. About once a week	2.2% (±2.0)	3.6% (±0.4)
e. Several times a week	3.6% (±2.5)	4.1% (±0.6)

144. When a student is being bullied at school, how often do teachers or other adults at school try to put a stop to it?

adults at school try to put a stop to it?	(n=	104)	(n=5,	,007)
a. Almost always	37.5%	(± 9.5)	38.9%	(±2.6)
b. Often	22.1%	(±8.1)	21.6%	(±1.5)
c. Sometimes	24.0%	(±8.4)	16.4%	(±1.4)
d. Once in a while	1.9%	(±2.7)	11.5%	(±1.0)
e. Almost never	14.4%	(±6.9)	11.5%	(±1.2)

	Your S	tudents	Statewide		
45. If you see bullying or have been bullied at school do you know how to	% (±CI) (n=106)		% (±CI)		
report it? a. Yes	(n= 84.0%	106) (±7.1)	(n=5 79.6%	(±2.1)	
- T- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1- 1-		` ,		` '	
b. No	3.8%	(±3.7)	8.7%	(±1.3)	
c. Not sure	12.3%	(±6.3)	11.6%	(±1.3)	
46. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school because of your race, ethnicity, or national origin or what someone thought it was?	(n=	107)	(n=5	5,084)	
a. 0 times	90.7%	(±5.6)	87.8%	(±1.1)	
b. 1 time	3.7%	(±3.7)	6.0%	(±0.7)	
c. 2–3 times	1.9%	(±2.6)	3.1%	(±0.5)	
d. About once a week	1.9%	(±2.6)	1.0%	(±0.3)	
e. Several times a week or more	1.9%	(±2.6)	2.1%	(±0.4)	
e. Several lines a week of more	1.570	(±2.0)	2.170	(±0.4)	
147. In the past 30 days, how often were you bullied, harassed, or intimidated at school or on your way to or from school: Because someone thought	,	100)	, -	. 000)	
you were gay, lesbian, or bisexual (whether you are or are not)? a. 0 times	(n= 94.3%	106) (±4.5)	(n=5 88.6%	(±1.3)	
b. 1 time	4.7%	(±4.1)	5.7%		
		,		(±0.7)	
c. 2–3 times	0.0%	(±0.0)	2.7%	(±0.5	
d. About once a week	0.0%	(±0.0)	1.1%	(±0.3	
e. Several times a week or more	0.9%	(±1.9)	1.8%	(± 0.5)	
148. During the past 30 days, on how many days did you not go to school because you felt you would be unsafe at school or on your way to and		407)	, ,	050)	
from school? a. 0 days	(n= 94.4%	(±4.4)	91.5%	.,953) (±1.2)	
b. 1 day	3.7%	,	3.4%		
•		(±3.7)		(±0.6)	
c. 2 or 3 days	1.9%	(±2.6)	2.5%	(±0.5)	
d. 4 or 5 days	0.0%	(±0.0)	1.1%	(±0.3)	
e. 6 or more days	0.0%	(±0.0)	1.6%	(±0.4)	
149. In the past 30 days, has someone used the computer or a cell phone to bully, harass or intimidate you?	(n=	107)	(n=5	5,070)	
a. Yes	11.2%	(±6.1)	13.2%	(±1.0)	
b. No	83.2%	(±7.2)	81.4%	(±1.3)	
c. Not sure	5.6%	(±4.4)	5.4%	(±0.7)	
50. Does your school provide a counselor, intervention specialist, or other school staff member for students to discuss problems with alcohol,	1-	440)	/o. 5	. 005)	
tobacco, or other drugs? a. No	(n= 8.2%	110) (±5.2)	7.3%	(+1 1)	
				(±1.1)	
b. Yes	61.8%	(±9.2)	65.2%	(±3.7)	
c. Not sure	30.0%	(±8.7)	27.5%	(±3.3)	
51. Does your school have a counselor?	,	105)	,	,561)	
	02 20/	(± 4.9)	92.7%	(±1.5)	
a. Yes	93.3%	(=1.0)	02.170		
a. Yes b. No	0.0%	(±0.0)	2.1%	(±0.5)	

			Statewide		
		students			
152. In the last year, did you have any contact with the counselor?	% (±CI) (n=107)		% (±CI) (n=4,659)		
a. Yes b. No		(±9.2)	42.5%	(±3.5)	
		(±9.2)	57.5%	(±3.5)	
153. There are people in this school who will help me if I need it?	(n=	108)	(n=4	1,586)	
a. Yes	81.5%	(±7.4)	78.8%	(±2.0)	
b. No	3.7%	(±3.6)	6.6%	(±1.0)	
c. Not sure	14.8%	(±6.8)	14.6%	(±1.7)	
154. Last year in school, were you taught about AIDS or HIV infection?	(n=109)		(n=4,968)		
a. Yes	85.3%	(± 6.8)	77.8%	(±5.9)	
b. No	11.9%	(± 6.2)	15.1%	(±4.5)	
c. Not sure	2.8%	(±3.1)	7.1%	(±1.8)	
155. Last year in school, were you taught about abstinence (not having sex) to prevent sexually transmitted diseases (STDs) and pregnancy?	/-	:106)	(n. /	I 570\	
a. Yes	79.2%	(±7.8)	67.5%	(±6.4)	
b. No	14.2%	(±6.7)	19.3%	(±4.7)	
c. Not sure	6.6%	(±4.8)	13.2%	(±2.2)	
156. Last year in school, were you taught about ways other than abstinence to prevent sexually transmitted diseases (STDs) and pregnancy?	(n=	:104)	(n=4	I,516)	
a. Yes	81.7%	(±7.6)	66.3%	(±6.4)	
b. No	10.6%	(±6.0)	18.9%	(±4.6)	
c. Not sure	7.7%	(±5.2)	14.9%	(±2.2)	

Quality of Life

Health-related quality of life is an individual's or group's perceived physical and mental health over time. At the individual level it involves a person's health and health-related conditions; at the community level it involves conditions that influence people's health. This section contains the results of the survey questions related to individual quality of life.

157. Youth Quality of Life (Computed from questions 158-162)	(n=108)	(n=4,867)	
a. Low	17.6% (±7.3)	23.1% (±2.0)	
b. Medium low	28.7% (±8.7)	21.3% (±1.4)	
c. Medium high	19.4% (±7.6)	21.4% (±1.1)	
d. High	34.3% (±9.1)	34.1% (±2.3)	

	Your S	Your Students			
59 I feel Law getting clong with my perente or guardians		% (±CI) (n=106)		% (±CI) (n=4,851)	
IS8. I feel I am getting along with my parents or guardians. a. 0 not at all true		(±2.6)	4.1%	(±0.7	
b. 1	2.8%	(±3.2)	1.7%	(±0.4	
c. 2	1.9%	(±2.6)	1.3%	(±0.3	
d. 3	2.8%	(±3.2)	2.4%	(±0.4	
e. 4	2.8%	(±3.2)	2.7%	(±0.5	
f. 5	5.7%	(±4.5)	5.6%	(±0.8	
g. 6	2.8%	(±3.2)	4.4%	(±0.5	
h. 7	10.4%	(±5.9)	9.2%	(±0.7	
i. 8	16.0%	(±7.1)	12.8%	` (±1.1	
j. 9	17.9%	(±7.4)	16.3%	(±1.4	
k. 10 completely true	34.9%	(±9.2)	39.5%	(±2.1	
59. I look forward to the future.	(n=	(n=108)		(n=4,928)	
a. 0 not at all true	1.9%	(± 2.6)	3.0%	(±0.6	
b. 1	0.0%	(± 0.0)	1.0%	(±0.3	
c. 2	1.9%	(±2.6)	1.3%	(±0.4	
d. 3	1.9%	(± 2.6)	2.8%	(±0.7	
e. 4	1.9%	(±2.6)	2.5%	(±0.5	
f. 5	5.6%	(±4.4)	6.3%	(±0.9	
g. 6	1.9%	(±2.6)	3.4%	(±0.6	
h. 7	8.3%	(± 5.3)	7.9%	(±0.7	
i. 8	11.1%	(± 6.0)	12.0%	(±0.8	
j. 9	17.6%	(± 7.3)	14.0%	(±1.3	
k. 10 completely true	48.1%	(±9.6)	45.9%	(±1.7	
60. I feel good about myself.		(n=108)		(n=4,922)	
a. 0 not at all true	3.7%	(±3.6)	4.6%	(±0.9	
b. 1	0.0%	(± 0.0)	2.1%	(±0.5	
c. 2	2.8%	(±3.1)	2.7%	(±0.5	
d. 3	1.9%	(±2.6)	4.5%	(±0.7	
e. 4	2.8%	(±3.1)	4.2%	(±0.6	
f. 5	6.5%	(±4.7)	6.6%	(±0.8	
g. 6	6.5%	(±4.7)	5.3%	(±0.7	
h. 7	10.2%	(± 5.8)	9.0%	(±0.9	
i. 8	15.7%	(± 7.0)	12.4%	(±1.0	
j. 9	16.7%	(±7.1)	15.4%	(±1.2	
k. 10 completely true	33.3%	(± 9.0)	33.1%	(±1.8	

	Your S	Your Students			
	% (% (±CI) (n=4,911)			
61. I am satisfied with the way my life is now.	(n=				
a. 0 not at all true	3.7%	(± 3.6)	5.5%	(± 0.8)	
b. 1	2.8%	(±3.1)	2.2%	(±0.4)	
c. 2	1.8%	(±2.6)	2.2%	(±0.5)	
d. 3	2.8%	(±3.1)	4.9%	(± 0.7)	
e. 4	4.6%	(±4.0)	4.1%	(± 0.5)	
f. 5	5.5%	(±4.4)	6.7%	(±0.8)	
g. 6	8.3%	(±5.2)	5.6%	(±0.6)	
h. 7	6.4%	(±4.7)	8.7%	(±0.9)	
i. 8	14.7%	(±6.8)	11.3%	(±1.0)	
j. 9	21.1%	(±7.8)	16.0%	(±1.2)	
k. 10 completely true	28.4%	(±8.6)	32.9%	(±1.8)	
162. I feel alone in my life.	(n=	(n=110)		(n=4,902)	
a. 0 not at all true	47.3%	(±9.5)	48.3%	(±2.1)	
b. 1	11.8%	(±6.1)	9.5%	(±1.1)	
c. 2	7.3%	(±4.9)	6.0%	(±0.6)	
d. 3	8.2%	(±5.2)	5.2%	(±0.8)	
e. 4	1.8%	(±2.5)	3.9%	(±0.6)	
f. 5	3.6%	(±3.6)	5.2%	(±0.8)	
g. 6	4.5%	(±4.0)	3.1%	(±0.6)	
h. 7	4.5%	(±4.0)	4.7%	(±0.6)	
i. 8	1.8%	(±2.5)	5.1%	(±0.7)	
j. 9	8.2%	(±5.2)	3.7%	(±0.5)	
k. 10 completely true	0.9%	(±1.8)	5.3%	(±0.8)	

[Question 163 appears only on the elementary version of the survey.]

Risk and Protective Factors

Decades of research have shown that certain risk factors are associated with increased likelihood of health risk behaviors including ATOD use, violence, and delinquent behaviors. Similarly, research from Drs. Hawkins and Catalano and associates at the University of Washington, has shown that protective factors exert a positive influence against the negative influence of risk factors. The premise of the risk reduction and protective factor enhancement approach to prevention is that preventing a problem before it occurs requires addressing the factors that predict the problem. Ideally, this strategy entails discovering the causes of the problem behavior and influencing those causes. Many of the survey questions were used to assess students' status on risk and protective factors in the community, school, and peer-individual domains. Composite scales were computed for use in local program planning.

Risk and Protective Factor Framework and Reporting Schedule

This table provides a list of risk and protective factors included in the Healthy Youth Survey by year.


	2002	2004	2006	2008	2010	2012	2014
Community Protective Factors							
Opportunities for Prosocial Involvement	Х	Xs	ΧS	ΧS	ΧS	Xs	χs
Rewards for Prosocial Involvement	X	Χ	Χ	Χ	XE	XE	XE
Community Risk Factors							
Transitions and Mobility		ΧS					
Perceived Availability of Handguns	χs	XS	χs	χs	XS	XS	
Laws And Norms Favorable to Drug Use	X	Χ	X	X	X	X	Χ
Low Neighborhood Attachment	χs		Xs	Xs	Xs		
Perceived Availability of Drugs	X	Χ	Х	Х	Х	Χ	X
Family Protective Factors							
Opportunities for Prosocial Involvement	Χţ	χΕ, †	Χţ	Χţ	Χţ	Χţ	Χ
Rewards for Prosocial Involvement	Χţ	XΕ, †	Χţ	Χţ	Χţ	Χţ	XE
Family Risk Factors							
Poor Family Management	χs, †	χs, †	χs, †	χs, †	χs, †	χs, †	χs
Parental Attitudes Favorable towards Drug Use		χs, †		χs, †	χs	χS	χS
Parental Attitudes Favorable to Antisocial Behavior		χs, †		~	,	,	^
	χs	Λ-, 1					
Antisocial Behavior Among Familiar Adults	X						
Peer-Individual Protective Factors	χS	VS	VS	VS	VS.	1/8	VS
Social Skills	χs	Χs	χs	Χs	Χs	Χs	χs
Interaction With Prosocial Peers	0	X	X	X	XS	ΧS	Xs
Belief in the Moral Order	Xs	Xs	Xs	ΧS	ΧS	ΧS	Χs
Prosocial Involvement		Χ	Χ	XE	XE	XE	XE
Peer-Individual Risk Factors							
Perceived Risk of Drug Use	X	X	X	X	X	X	X
Early Initiation of Drug Use	Xs	Xs	Xs	Xs	χs	χs	Xs
Early Initiation of Antisocial Behavior	Xs	ΧS	χs	χs	χs	χs	
Favorable Attitudes Towards Drug Use	X	X	X	X	X	Χ	Χ
Favorable Attitudes Towards Antisocial Behavior	XS	XS	XS	XS	XS		
Rewards for Antisocial Involvement	Xs	Χs	χs	χs	_	_	
Friends' Use of Drugs	XS	XS	XS	XS	XS	XS	χs
Interaction With Antisocial Peers		Xs	ΧS	χs	χs	χs	
Intentions to Use	Xs	Xs	Xs	Xs	Xs	XS	
School Protective Factors							
Opportunities for Prosocial Involvement	Xs	ΧS	ΧS	Χ ^S	ΧS	ΧS	ΧS
Rewards for Prosocial Involvement	X	Χ	Χ	Χ	Χ	Χ	Х
School Risk Factors							
Low Commitment to School	X	X	Х	X	X	X	X
Academic Failure	X	X	X	X	X	X	Χ

Note: X^S = Included only on the secondary version; X^E = Included only on the elementary version.

Risk and Protective Factor Scale Results and Graphs

For each risk factor scale, the percentage of students who are at risk (i.e., who agreed with statements that predict ATOD use or other problem behaviors) is reported; higher percentages indicate that more students are likely to engage in problem behaviors. For each protective factor scale, the percentage of students who are resilient (i.e., who agreed with statements that predict the ability to resist ATOD use or other problem behaviors) is reported; higher percentages indicate that fewer students are likely to engage in problem behaviors. These percentages are based on computational methods provided by the University of Washington's Social Development Research Group.


Community Domain	Your Students	Statewide
Risk Factors	% (±CI)	% (±CI)
Developed Availability of Drugo (Overstions 140, 151)	(n=111)	(n=5,249)
Perceived Availability of Drugs (Questions 148-151)	10.8% (±5.9)	17.1% (±1.8)
Laws And Norms Favorable to Drug Use (Questions 153-158)	(n=113)	(n=5,330)
Laws And Norms Favorable to Drug Ose (Questions 155-156)	14.2% (±6.5)	23.1% (±2.1)
Protective Factors		
Opportunities for Prosocial Involvement (Questions 159-162)	(n=109)	(n=5,150)
Opportunities for Prosocial involvement (Questions 159-102)	94.5% (±4.4)	75.3% (±3.2)
Rewards for Prosocial Involvement (Questions 163-165)	NA ^E	NA ^E




Note: NAS = Included only on the secondary version; NAE = Included only on the elementary version.

For more information, see the History of Risk and Protective Factor Report on www.AskHYS.net, under HYS Results – Frequency Reports - Additional Reports


Family Domain Risk Factors	Your Students % (±CI)	Statewide % (±Cl)	
Deer Ferrit, Management (Overstiere 400 470)	(n=109)	(n=4,599)	
Poor Family Management (Questions 166-173)	25.7% (±8.3)	30.6% (±2.4)	
Perental Attitudes Foverable Towards Drug Lles (Overtions 191, 192)	(n=113)	(n=5,330)	
Parental Attitudes Favorable Towards Drug Use (Questions 181–183)	15.0% (±6.7)	22.2% (±2.1)	
Protective Factors			
Opportunities for Prosocial Involvement (Questions 174–176)	(n=109)	(n=4,656)	
Opportunities for Frosocial involvement (Questions 174–170)	77.1% (±8.0)	68.4% (±2.1)	
Rewards for Prosocial Involvement (Questions 177–180)	NA ^E	NA ^E	




School Domain Risk Factors		Your Students % (±Cl)		ewide ±Cl)		
A	(n=106)		(n=5	,090)		
Academic Failure (Questions 184–185)	34.0%	(±9.2)	43.9%	(±2.3)		
Law Committee and to Colored (Overations 400, 400)	(n=112)		(n=112)		(n=5,312)	
Low Commitment to School (Questions 186–192)	23.2%	(± 7.9)	31.9%	(±1.9)		
Protective Factors						
Opportunities for Prosocial Involvement (Questions 193–197)	(n=111)		(n=5	,259)		
Opportunities for Prosocial Involvement (Questions 193–197)	74.8%	(±8.2)	70.0%	(±2.4)		
Deverde for Procesial Involvement (Overtions 100, 201)	(n=	110)	(n=5	,246)		
Rewards for Prosocial Involvement (Questions 198–201)	70.0%	(± 8.7)	52.8%	(±2.9)		




Peer-Individual Domain	Your Students		omain		State	wide
Risk Factors	% (:	±CI)	% (:	±CI)		
Parasitud Riels of Paras Hay (Occastions 2002, 2005)	(n=107)		(n=4	,912)		
Perceived Risk of Drug Use (Questions 202–205)	32.7%	(± 9.0)	37.9%	(± 3.5)		
Forty Initiation of Drug Llos (Questions 206 200)	(n=110)		(n=5	,048)		
Early Initiation of Drug Use (Questions 206-209)	6.4%	(±4.6)	13.7%	(± 2.0)		
Fourschie Attitudes Towards Drug Lies (Questions 246 240)	(n=110)		(n=4	,870)		
Favorable Attitudes Towards Drug Use (Questions 216-219) Friends' Use of Drugs (Questions 221-224)	15.5%	(±6.9)	23.8%	(±2.4)		
Friends' Hos of Drugs (Questions 224 224)	(n=105)		(n=4,248)			
Friends Use of Drugs (Questions 221-224)	6.7%	(±4.9)	15.3%	(±2.4)		
Protective Factors						
Interaction With Prosocial Peers (Questions 234-238)	(n=	106)	(n=4,249)			
interaction with rosocial reers (Questions 234-230)	74.5%	(±8.4)	61.5%	(±2.8)		
Polist in the Marel Order (Occasions 220 242)	ha Marral Orden (Occastions 200 040)		(n=5,164)			
Belief in the Moral Order (Questions 239-242)	76.4%	(±8.1)	71.8%	(±2.5)		
Opportunities for Prosocial Involvement (Questions 243-245)	N	ĄE	N	ĄΕ		
Social Skilla (Questions 246 249)	(n=	106)	(n=4	,212)		
Social Skills (Questions 246-248)	78.3%	(±8.0)	73.8%	(±2.3)		





Peer-Individual Protective Factors

Risk and Protective Factor Graph of All Scale Results



Note: NAS = Included only on the secondary version; NAE = Included only on the elementary version.

Risk and Protective Factors: Individual Question Results

The remainder of the report provides results for the individual survey questions used to compute the risk and protective factors.

Community Domain

Perceived Availability of Drugs (Questions 164-167)

		Your Students		ewide	
164. If you wanted to get some beer, wine, or hard liquor (for example vodka, whiskey, or gin), how easy would it be for you to get some?	% (±CI) (n=110)			% (±CI) (n=5,249)	
a. Very hard		(±9.1)	48.2%	(±1.8)	
b. Sort of hard	29.1%	(±8.6)	23.7%	(±1.3)	
c. Sort of easy	23.6%	(±8.1)	16.8%	(±1.0)	
d. Very easy	10.9%	(±5.9)	11.3%	(±1.1)	
65. If you wanted to get some cigarettes, how easy would it be for you to get					
a. Very hard	(n=111)		(n=5,243) 60.4% (±2.2		
·	68.5%	(±8.8)		(±2.2)	
b. Sort of hard	21.6%	(±7.8)	18.5%	(±1.2)	
c. Sort of easy	7.2%	(± 4.9)	10.9%	(±1.0)	
d. Very easy	2.7%	(±3.1)	10.1%	(±1.2)	
66. If you wanted to get some marijuana, how easy would it be for you to get					
some?	(n=	:111)	(n=5	5,240)	
a. Very hard	64.9%	(± 9.0)	65.8%	(± 2.9)	
b. Sort of hard	18.9%	(±7.4)	13.6%	(±1.1)	
c. Sort of easy	8.1%	(±5.2)	9.7%	(±1.2)	
d. Very easy	8.1%	(±5.2)	10.9%	(±1.6)	
167. If you wanted to get a drug like cocaine, LSD, or amphetamines, how					
easy would it be for you to get some?	(n=	:111)	(n=5	5,246)	
a. Very hard	87.4%	(± 6.3)	84.4%	(±1.6)	
b. Sort of hard	6.3%	(± 4.6)	9.4%	(±1.1)	
c. Sort of easy	5.4%	(± 4.3)	4.1%	(±0.6)	
d. Very easy	0.9%	(±1.8)	2.1%	(±0.4)	

Laws and Norms Favorable to Drug Use (Questions 168-173)

168. How wrong would most adults in your neighborhood^C/ neighborhood or community^A think it was for kids your age: To use marijuana?

community ^A think it was for kids your age: To use marijuana?	(n=113)	(n=5,239)
a. Very wrong	78.8% (±7.7)	65.5% (±2.6)
b. Wrong	17.7% (±7.1)	23.0% (±1.6)
c. A little bit wrong	3.5% (±3.5)	8.2% (±1.2)
d. Not wrong at all	0.0% (±0.0)	3.4% (±0.6)

	Your S	tudents	Statewide		
69. How wrong would most adults in your neighborhood ^C / neighborhood or community ^A think it was for kids your age: To drink alcohol?		± CI) 113)	•	± CI) 5,291)	
a. Very wrong	70.8%	(±8.5)	60.3%	(±2.4	
b. Wrong	23.0%	(±7.9)	28.9%	(±1.8	
c. A little bit wrong	5.3%	(±4.2)	8.2%	(±0.9	
d. Not wrong at all	0.9%	(±1.8)	2.6%	(±0.	
70. How wrong would most adults in your neighborhood ^C / neighborhood or community ^A think it was for kids your age: To smoke cigarettes?	(n	442)	(n. E	. 207)	
a. Very wrong	85.8%	113) (±6.5)	67.6%	(±2.2)	
b. Wrong	9.7%	(±5.5)	23.4%	(±1.0	
c. A little bit wrong	3.5%	(±3.5)	6.5%	(±0.	
d. Not wrong at all	0.9%	(±3.3) (±1.8)	2.5%	(±0.	
71. If a kid drank some beer, wine, or hard liquor (for example vodka, whiskey, or gin) in your neighborhood ^C / community ^A , would he or she be caught by the police?		108)	`	5,227)	
a. NO!	6.5%	(± 4.7)	9.1%	(±1.	
b. No	43.5%	(± 9.5)	40.1%	(±1.	
c. yes	38.9%	(± 9.3)	35.3%	(±1.	
d. YES!	11.1%	(± 6.0)	15.5%	(±1.	
72. If a kid carried a handgun in your neighborhood ^C / community ^A , would he or she be caught by the police?		109)	`	5,235)	
a. NO!	2.8%	(±3.1)	6.6%	(±0.	
b. No	13.8%	(± 6.6)	13.9%	(±1.	
c. yes	30.3%	(±8.8)	33.3%	(±1.	
d. YES!	53.2%	(± 9.5)	46.2%	(±2.	
73. If a kid used marijuana in your neighborhood ^C / community ^A , would he or	(n-	107)	(n-5	5,231)	
she be caught by the police?		,	9.9%	(±1.	
she be caught by the police? a. NO!	8.4%	(±5.3)			
		(±5.3) (±9.2)	31.4%	(±2.	
a. NO! b. No	8.4%		31.4% 34.0%	-	
a. NO!	8.4% 34.6%	(±9.2)		(±1.	
a. NO! b. No c. yes d. YES! cortunities for Prosocial Involvement (Questions 174-177) 174. There are adults in my neighborhood or community I could talk to about	8.4% 34.6% 37.4% 19.6%	(±9.2) (±9.3) (±7.6)	34.0% 24.6%	(±1. (±2.	
a. NO! b. No c. yes d. YES! ortunities for Prosocial Involvement (Questions 174-177)	8.4% 34.6% 37.4% 19.6%	(±9.2) (±9.3)	34.0% 24.6%	(±1.4 (±2.5 (5,290)	
a. NO! b. No c. yes d. YES! ortunities for Prosocial Involvement (Questions 174-177) 74. There are adults in my neighborhood or community I could talk to about something important.	8.4% 34.6% 37.4% 19.6%	(±9.2) (±9.3) (±7.6)	34.0% 24.6% (n=5	(±1.4 (±2.5 (±2.5) (±1.1)	
a. NO! b. No c. yes d. YES! ortunities for Prosocial Involvement (Questions 174-177) 74. There are adults in my neighborhood or community I could talk to about something important. a. NO!	8.4% 34.6% 37.4% 19.6%	(±9.2) (±9.3) (±7.6)	34.0% 24.6% (n=5	(±2.1 (±1.4 (±2.4 (±2.4 (±1.4 (±1.4 (±1.4	

Which of the following activities for people your age are available in your community?		Your Students		ewide	
	% (±CI)	% (±CI)	
175. Sports teams and recreation	(n=112)		(n=5,262)		
a. Yes	99.1%	(±1.8)	88.0%	(± 2.0)	
b. No	0.9%	(±1.8)	12.0%	(±2.0)	
176. Scouts, Camp Fire, 4-H Clubs, or other service clubs	(n=111)		(n=5	5,221)	
a. Yes	94.6%	(± 4.3)	69.6%	(± 4.0)	
b. No	5.4%	(±4.3)	30.4%	(±4.0)	
177. Boys and Girls Club, YMCA, or other activity clubs	(n=110)		(n=5,227)		
a. Yes	97.3%	(±3.1)	76.4%	(± 3.7)	
b. No	2.7%	(±3.1)	23.6%	(±3.7)	

Rewards for Prosocial Involvement (Questions 178-180)

[Questions 178-180 appear only on the elementary version of the survey.]

Family Domain

Poor Family Management (Questions 181-188)

181. My parents ask if I've gotten my homework done.	(n=109)		(n=4	,747)		
a. NO!	0.9%	(±1.8)	3.7%	(± 0.6)		
b. No	7.3%	(± 5.0)	6.2%	(± 0.8)		
c. yes	25.7%	(± 8.3)	31.9%	(±1.8)		
d. YES!	66.1%	(±9.0)	58.2%	(± 2.5)		
182. Would your parents know if you did not come home on time?	(n=	108)	(n=4	,606)		
a. NO!	1.9%	(± 2.6)	3.1%	(± 0.6)		
b. No	13.9%	(± 6.6)	10.8%	(±1.2)		
c. yes	30.6%	(± 8.8)	34.3%	(± 1.6)		
d. YES!	53.7%	(± 9.6)	51.8%	(± 2.3)		
183. When I am not at home, one of my parents knows where I am and who I am with.	(n=109)		(n=4	.,740)		
a. NO!	1.8%	(± 2.6)	3.2%	(± 0.7)		
b. No	7.3%	(± 5.0)	5.1%	(± 0.8)		
c. yes	22.0%	(± 7.9)	32.3%	(± 1.3)		
d. YES!	68.8%	(± 8.8)	59.3%	(±2.1)		
184. The rules in my family are clear.	(n=109)		(n=109)		(n=4	,687)
a. NO!	0.9%	(±1.8)	2.9%	(± 0.5)		
b. No	8.3%	(±5.2)	8.2%	(± 0.9)		
c. yes	33.0%	(± 9.0)	35.6%	(± 1.7)		
d. YES!	57.8%	(±9.4)	53.3%	(±2.2)		

Your Students % (±CI)		Statewide % (±CI) (n=4,656)		
	, ,		(±0.9	
	,		(±1.7	
73.4%	(±8.4)	64.9%	(±2.3	
(n=	107)	(n=4	.,576)	
1.9%	(±2.6)	6.1%	(±1.0	
17.8%	(±7.4)	17.3%	(±1.7	
31.8%	(±9.0)	27.6%	(±1.5	
48.6%	(±9.6)	49.0%	(±2.3	
(-	400)	(n. 4	ECC)	
,			(±0.7	
	` '		(±0.7	
	,		(±1.6	
67.9%	` '	66.1%	(±2.0	
01.1070	(=3.3)	00,0	(==:	
,		,	,576)	
	` '		(±0.7	
	, ,		(±1.0	
	,		(±1.6	
75 5%	(± 8.2)	67 00/	(±2 l	
70.070	(=0:=)	07.076	(±2.	
70.070	(=0.2)	07.078	(±2.3	
	(_ 0)		(±2.c	
	, ,		.,692)	
(n=	109)	(n=4	.,692) (±1.0	
(n= 2.8%	109) (±3.1)	(n=4 6.5%	(±1.0 (±0.9	
(n= 2.8% 11.0%	(±3.1) (±6.0)	(n=4 6.5% 9.6%	(±1.692) (±1.60.9 (±1.4	
(n= 2.8% 11.0% 21.1% 65.1%	(±3.1) (±6.0) (±7.8)	(n=4 6.5% 9.6% 32.4% 51.5%	(±1.692) (±1.60.9 (±1.4	
(n= 2.8% 11.0% 21.1% 65.1%	(±3.1) (±6.0) (±7.8) (±9.1)	(n=4 6.5% 9.6% 32.4% 51.5%	(±1.6 (±0.5 (±1.4 (±2.1	
(n= 2.8% 11.0% 21.1% 65.1%	(±3.1) (±6.0) (±7.8) (±9.1)	(n=4 6.5% 9.6% 32.4% 51.5%	(±0.5 (±0.5 (±1.4 (±2.1 (±0.8	
(n= 2.8% 11.0% 21.1% 65.1% (n= 2.7%	(±3.1) (±6.0) (±7.8) (±9.1) (±3.1)	(n=4) 6.5% 9.6% 32.4% 51.5% (n=4) 6.1%	(±1.692) (±1.692) (±1.40.5) (±2.10) (±2.10) (±0.80) (±1.30)	
(n= 2.8% 11.0% 21.1% 65.1% (n= 2.7% 10.0%	(±3.1) (±6.0) (±7.8) (±9.1) (±3.1) (±5.7)	(n=4) 6.5% 9.6% 32.4% 51.5% (n=4) 6.1% 15.5%	(±1.692) (±1.6 (±0.9 (±1.4 (±2.7 (±0.8 (±1.5) (±1.5)	
(n= 2.8% 11.0% 21.1% 65.1% (n= 2.7% 10.0% 45.5% 41.8%	(±3.1) (±6.0) (±7.8) (±9.1) (±3.1) (±5.7) (±9.5) (±9.4)	(n=4) 6.5% 9.6% 32.4% 51.5% (n=4) 6.1% 15.5% 37.9% 40.5%	(±0.5 (±1.4 (±2.7 (±2.7 (±1.3 (±1.5 (±2.6	
(n= 2.8% 11.0% 21.1% 65.1% (n= 2.7% 10.0% 45.5% 41.8%	(±3.1) (±6.0) (±7.8) (±9.1) (±3.1) (±5.7) (±9.5) (±9.4)	(n=4 6.5% 9.6% 32.4% 51.5% (n=4 6.1% 15.5% 37.9% 40.5%	(±1.6 (±0.5 (±1.4 (±2.1 (±0.8 (±1.4 (±0.8 (±1.5 (±1.5 (±1.5 (±2.0	
(n= 2.8% 11.0% 21.1% 65.1% (n= 2.7% 10.0% 45.5% 41.8%	(±3.1) (±6.0) (±7.8) (±9.1) (±3.1) (±5.7) (±9.5) (±9.4)	(n=4 6.5% 9.6% 32.4% 51.5% (n=4 6.1% 15.5% 37.9% 40.5%	(±1.692) (±1.692) (±1.40.8) (±2.10) (±2.10) (±1.30) (±1.50) (±1.50) (±1.20)	
(n= 2.8% 11.0% 21.1% 65.1% (n= 2.7% 10.0% 45.5% 41.8%	(±3.1) (±6.0) (±7.8) (±9.1) (±3.1) (±5.7) (±9.5) (±9.4)	(n=4 6.5% 9.6% 32.4% 51.5% (n=4 6.1% 15.5% 37.9% 40.5%	(±1.0 (±0.9 (±1.4 (±2.1 (±0.8 (±1.3 (±1.5 (±2.0	
	0.9% 5.5% 20.2% 73.4% 1.9% 17.8% 31.8% 48.6% (n= 0.9% 1.8% 29.4% 67.9%	% (±CI) (n=109) 0.9% (±1.8) 5.5% (±4.4) 20.2% (±7.7) 73.4% (±8.4) (n=107) 1.9% (±2.6) 17.8% (±7.4) 31.8% (±9.0) 48.6% (±9.6) (n=109) 0.9% (±1.8) 1.8% (±2.6) 29.4% (±8.7) 67.9% (±8.9) (n=110) 0.9% (±1.8) 2.7% (±3.1) 20.9% (±7.7)	% (±cl) % (tel) (n=109) (n=4 0.9% (±1.8) 3.0% 5.5% (±4.4) 7.7% 20.2% (±7.7) 24.3% 73.4% (±8.4) 64.9% (n=40) 1.9% (±2.6) 6.1% 17.8% (±7.4) 17.3% 31.8% (±9.0) 27.6% 48.6% (±9.6) 49.0% (n=109) (n=40) 0.9% (±1.8) 3.9% 1.8% (±2.6) 6.1% 29.4% (±8.7) 23.9% 67.9% (±8.9) 66.1% 0.9% (±1.8) 4.7% 2.7% (±3.1) 5.3% 20.9% (±7.7) 22.9%	

Rewards for Prosocial Involvement (Questions 192-195)

[Questions 192-195 appear only on the elementary version of the survey.]

Parental Attitudes Favorable Towards Drug Use (Questions 196-198)

196. How wrong do your parents feel it would be for you to: Drink beer, wine, or hard liquor (for example vodka, whiskey or gin) regularly (at least once or twice a month)?	Your Students % (±CI) (n=113)		% (±CI) % (±CI			
a. Very wrong	88.5%	(± 6.0)	84.5%	(±1.4)		
b. Wrong	6.2%	(± 4.5)	10.7%	(±1.0)		
c. A little bit wrong	2.7%	(±3.0)	3.4%	(± 0.6)		
d. Not wrong at all	2.7%	(±3.0)	1.3%	(± 0.3)		
197. How wrong do your parents feel it would be for you to: Smoke cigarettes?	(n=	:113)	(n=5	5,328)		
a. Very wrong	96.5%	(±3.5)	91.2%	(±1.1)		
b. Wrong	2.7%	(±3.0)	6.6%	(± 0.9)		
c. A little bit wrong	0.0%	(± 0.0)	1.6%	(± 0.3)		
d. Not wrong at all	0.9%	(±1.8)	0.6%	(±0.2)		
198. How wrong do your parents feel it would be for you to: Use marijuana?	(n=113)		(n=113)		(n=5	5,322)
a. Very wrong	94.7%	(±4.2)	87.6%	(±1.7)		
b. Wrong	2.7%	(±3.0)	7.8%	(±1.1)		
c. A little bit wrong	1.8%	(±2.5)	2.9%	(±0.6)		
d. Not wrong at all	0.9%	(±1.8)	1.7%	(± 0.5)		

School Domain

Academic Failure Questions (Questions 199-200)

199. Putting them all together, what were your grades like last year?	(n=	(n=218)		0,183)
a. Mostly As	67.0%	(± 6.3)	47.6%	(± 3.7)
b. Mostly Bs	25.2%	(±5.8)	32.7%	(± 2.3)
c. Mostly Cs	5.5%	(±3.1)	13.5%	(±1.5)
d. Mostly Ds	1.4%	(±1.6)	3.8%	(± 0.5)
e. Mostly Fs	0.9%	(±1.3)	2.4%	(±0.4)
200. Are your school grades better than the grades of most students in your class?	(n=	106)	(n=5	,128)
a. NO!	4.7%	(±4.1)	7.2%	(±0.9)
b. No	28.3%	(±8.7)	31.3%	(±1.5)
0.100		(. a = \	40 50/	
c. yes	50.0%	(± 9.7)	48.5%	(± 1.5)

Low Commitment to School (Questions 201-207)

		Your Students		Statewide		
01. How often do you feel the schoolwork you are assigned is meaningful		% (±CI) (n=112)		% (±CI) (n=5,320)		
and important? a. Almost always	(n= 17.0%	(±7.1)	24.9%	(±1.5)		
b. Often	34.8%	(±9.0)	30.0%	(±1.5)		
c. Sometimes	30.4%	(±8.6)	30.5%	(±1.4)		
d. Seldom	17.0%	(±7.1)	9.4%	(±0.8)		
e. Never	0.9%	(±1.8)	5.2%	(±0.8)		
202. How interesting are most of your courses to you?	(n=	112)	(n=5	,290)		
a. Very interesting and stimulating	8.0%	(±5.1)	10.1%	(±1.0)		
b. Quite interesting	35.7%	(± 9.0)	32.0%	(±1.5)		
c. Fairly interesting	34.8%	(± 9.0)	35.7%	(±1.5)		
d. Slightly dull	17.0%	(±7.1)	15.3%	(±1.1)		
e. Very dull	4.5%	(±3.9)	7.0%	(±0.9)		
03. How important do you think the things you are learning in school are going to be for you later in life?	(n=	112)	(n=5	5,317)		
a. Very important	30.4%	(±8.6)	36.1%	(±1.9)		
b. Quite important	35.7%	(±9.0)	28.5%	(±1.6		
	21.4%	(±7.7)	21.5%	(±1.3		
c. Fairly important	-1.170					
c. Fairly important d. Slightly important	11.6%	(±6.0)	10.9%	(± 0.9)		
d. Slightly important e. Not at all important		(±6.0) (±1.8)	10.9% 2.9%			
d. Slightly important e. Not at all important Think back over the past year in school. How often did you:	11.6% 0.9%	(±1.8)	2.9%	(±0.5)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you:	11.6% 0.9%		2.9%	(±0.5)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school?	11.6% 0.9% (n=	(±1.8)	2.9% (n=10	(±0.5) 0,285) (±0.8)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never	11.6% 0.9% (n=	(±1.8) 220) (±3.0)	2.9% (n=10) 8.7%	(±0.5) 0,285) (±0.8) (±0.7)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom	11.6% 0.9% (n= 5.5% 11.4%	(±1.8) (±3.0) (±4.2)	2.9% (n=10 8.7% 12.1%	(±0.5) 0,285) (±0.8) (±0.7) (±1.1)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes	11.6% 0.9% (n= 5.5% 11.4% 29.1%	(±1.8) 220) (±3.0) (±4.2) (±6.0)	2.9% (n=10) 8.7% 12.1% 32.7%	(±0.5) (±0.8) (±0.8) (±0.7) (±1.1)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6)	2.9% (n=1) 8.7% 12.1% 32.7% 28.9% 17.6% (n=5)	(±0.5) (±0.8) (±0.7) (±1.1) (±1.1) (±1.1)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2%	(±1.8) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6%	(±0.5) (±0.8) (±0.8) (±0.7) (±1.1) (±1.3) (±1.1)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6)	2.9% (n=1) 8.7% 12.1% 32.7% 28.9% 17.6% (n=5)	(±0.5) (±0.8) (±0.7) (±1.1) (±1.1) (±1.1) (±1.2)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2%	(±1.8) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6) 111) (±6.8)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% (n=5) 15.0%	(±0.5 0,285) (±0.8 (±0.7 (±1.1 (±1.3 (±1.1 6,304) (±1.2		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7%	(±1.8) (±3.0) (±4.2) (±6.0) (±5.6) (±6.2) (±5.6)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% (n=5) 15.0% 27.5%	(±0.5 0,285) (±0.8 (±0.7 (±1.1 (±1.3 (±1.1 6,304) (±1.2 (±1.7		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 104. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 105. Hate being in school? a. Never b. Seldom c. Sometimes conditions a school?	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7% 27.9%	(±1.8) (±3.0) (±4.2) (±6.0) (±5.6) (±6.2) (±5.6) (±6.8) (±9.2) (±8.5)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% (n=5) 15.0% 27.5% 36.4%	(±0.5) (±0.8) (±0.7) (±1.1) (±1.3) (±1.1) (±1.2) (±1.2) (±1.7) (±1.7)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7% 27.9% 13.5% 4.5%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6) 111) (±6.8) (±9.2) (±8.5) (±6.5) (±3.9)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% (n=5) 15.0% 27.5% 36.4% 13.1% 8.0%	(±0.5) (±0.8) (±0.8) (±0.7) (±1.1) (±1.3) (±1.1) (±1.2) (±1.7) (±1.7) (±1.0) (±1.0)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 206. Try to do your best work in school? a. Never	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7% 27.9% 13.5% 4.5% (n= 2.7%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6) 111) (±6.8) (±9.2) (±8.5) (±6.5) (±3.9) 112) (±3.0)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% 27.5% 36.4% 13.1% 8.0% (n=5) 2.7%	(±0.5) (±0.8) (±0.7) (±1.1) (±1.3) (±1.1) (±1.2) (±1.7) (±1.7) (±1.0) (±1.0)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 206. Try to do your best work in school? a. Never b. Seldom	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7% 27.9% 13.5% 4.5% (n= 2.7% 2.7%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6) 111) (±6.8) (±9.2) (±8.5) (±6.5) (±3.9) 112) (±3.0)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% 27.5% 36.4% 13.1% 8.0% (n=5) 2.7% 4.3%	(±0.5) (±0.8) (±0.7) (±1.1) (±1.3) (±1.1) (±1.7) (±1.7) (±1.0) (±0.4)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 206. Try to do your best work in school? a. Never b. Seldom c. Sometimes 206. Try to do your best work in school? a. Never b. Seldom c. Sometimes	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7% 27.9% 13.5% 4.5% (n= 2.7% 2.7% 5.4%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6) 111) (±6.8) (±9.2) (±8.5) (±6.5) (±3.9) 112) (±3.0)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% 27.5% 36.4% 13.1% 8.0% (n=5) 2.7% 4.3% 10.0%	(±0.5) (±0.8) (±0.7) (±1.1) (±1.3) (±1.1) (±1.7) (±1.7) (±1.0) (±1.0) (±0.4) (±0.6) (±1.1)		
d. Slightly important e. Not at all important Think back over the past year in school. How often did you: 204. Enjoy being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 205. Hate being in school? a. Never b. Seldom c. Sometimes d. Often e. Almost always 206. Try to do your best work in school? a. Never b. Seldom	11.6% 0.9% (n= 5.5% 11.4% 29.1% 30.9% 23.2% (n= 15.3% 38.7% 27.9% 13.5% 4.5% (n= 2.7% 2.7%	(±1.8) 220) (±3.0) (±4.2) (±6.0) (±6.2) (±5.6) 111) (±6.8) (±9.2) (±8.5) (±6.5) (±3.9) 112) (±3.0)	2.9% (n=10) 8.7% 12.1% 32.7% 28.9% 17.6% 27.5% 36.4% 13.1% 8.0% (n=5) 2.7% 4.3%	(±0.8) (±0.7) (±1.1) (±1.3) (±1.1) (±1.1) (±1.2) (±1.7) (±1.7) (±1.0)		

	Your Students				
07. During the LAST 4 WEEKS, how many whole days of school have you missed because you skipped or "cut"?	% (±CI) (n=112)		% (±CI) (n=5,301)		
a. None	90.2%	(±5.6)	84.7%	(±1.5	
b. 1	5.4%	(±4.2)	6.6%	(±0.7	
c. 2	3.6%	(±3.5)	3.5%	(±0.6	
d. 3	0.9%	(±1.8)	2.0%	(±0.4	
e. 4–5	0.0%	(±0.0)	1.5%	(±0.4	
f. 6–10	0.0%	(±0.0)	0.9%	(±0.3	
g. 11 or more	0.0%	(±0.0)	0.8%	(±0.3	
ortunities for Prosocial Involvement (Questions 208-212)					
208. In my school, students have lots of chances to help decide things like class activities and rules.	(n=	112)	(n=5	5,245)	
a. NO!	13.4%	(±6.4)	14.1%	(±1.7	
b. No	35.7%	(±9.0)	29.2%	(±1.7	
c. yes	41.1%	(±9.3)	44.8%	(±1.7	
d. YES!	9.8%	(±5.6)	11.9%	(±1.6	
209. There are lots of chances for students in my school to talk with a teacher one-on-one.	(n=	112)	(n=5	5,268)	
a. NO!	6.3%	(±4.6)	5.3%	(±0.7	
b. No	13.4%	(±6.4)	13.8%	(±1.4	
c. yes	43.8%	(± 9.3)	48.2%	(±1.6	
d. YES!	36.6%	(±9.1)	32.6%	(±2.4	
110. Teachers ask me to work on special classroom projects.	(n=	107)	(n=5	5,202)	
a. NO!	15.9%	(± 7.0)	14.8%	(±1.3	
b. No	39.3%	(± 9.4)	41.5%	(±1.8	
c. yes	37.4%	(± 9.3)	34.3%	(±1.6	
d. YES!	7.5%	(±5.1)	9.5%	(±0.8	
	(5	111)	(n-5	5,279)	
			2.6%	(±0.5	
11. There are lots of chances for students in my school to get involved in sports, clubs, and other school activities outside of class. a. NO!	2.7%	(±3.1)		-	
sports, clubs, and other school activities outside of class.	,	(±3.1) (±4.9)	4.4%	(± 0.8)	
sports, clubs, and other school activities outside of class. a. NO! b. No	2.7%	(±4.9)	4.4% 35.6%	-	
sports, clubs, and other school activities outside of class. a. NO!	2.7% 7.2%	(±4.9) (±9.2)	35.6%	(±2.5	
sports, clubs, and other school activities outside of class. a. NO! b. No c. yes d. YES!	2.7% 7.2% 37.8% 52.3%	(±4.9) (±9.2) (±9.4)	35.6% 57.4%	(±2.5 (±3.7	
sports, clubs, and other school activities outside of class. a. NO! b. No c. yes d. YES!	2.7% 7.2% 37.8% 52.3%	(±4.9) (±9.2) (±9.4)	35.6% 57.4% (n=5	(±2.5 (±3.1 5,267)	
a. NO! b. No c. yes d. YES! 212. I have lots of chances to be part of class discussions or activities. a. NO!	2.7% 7.2% 37.8% 52.3%	(±4.9) (±9.2) (±9.4) 111) (±4.3)	35.6% 57.4% (n=5) 3.6%	(±2.5 (±3.1 5,267) (±0.6	
sports, clubs, and other school activities outside of class. a. NO! b. No c. yes d. YES!	2.7% 7.2% 37.8% 52.3%	(±4.9) (±9.2) (±9.4)	35.6% 57.4% (n=5	(±0.8 (±2.5 (±3.1 5,267) (±0.6 (±1.2 (±2.0	

Rewards for Prosocial Involvement (Questions 213-216)

	Your Students		State	ewide
213. My teacher(s) notices when I am doing a good job and lets me know about it.		(±CI) :110)	% (± CI) (n=5,253)	
a. NO!	7.3%	(±4.9)	8.5%	(±1.1)
b. No	20.0%	(± 7.6)	24.7%	(±1.7)
c. yes	51.8%	(± 9.5)	49.3%	(±1.6)
d. YES!	20.9%	(±7.7)	17.4%	(±1.5)
214. The school lets my parents know when I have done something well.	(n=	:110)	(n=5	5,243)
a. NO!	16.4%	(± 7.0)	22.4%	(±1.9)
b. No	40.0%	(± 9.3)	41.3%	(±1.7)
c. yes	35.5%	(±9.1)	27.1%	(±2.1)
d. YES!	8.2%	(±5.2)	9.2%	(±1.0)
215. I feel safe at my school.	(n=	:223)	(n=1	0,566)
a. NO! ^{AC} /Definitely NOT true ^B	3.1%	(± 2.3)	4.4%	(± 0.7)
b. no ^{AC} /Mostly not true ^B	8.5%	(±3.7)	9.5%	(±1.1)
c. yes ^{AC} /Mostly true ^B	35.4%	(± 6.3)	51.8%	(±2.3)
d. YES! ^{AC} /Definitely true ^B	52.9%	(±6.6)	34.3%	(±3.2)
216. My teachers praise me when I work hard in school.	(n=	:111)	(n=5	5,201)
a. NO!	10.8%	(± 5.9)	14.7%	(±1.7)
b. No	26.1%	(±8.3)	35.6%	(±2.1)
c. yes	51.4%	(± 9.4)	38.5%	(±1.8)
d. YES!	11.7%	(±6.1)	11.3%	(±1.3)

Peer and Individual Domain

Perceived Risk of Drug Use (Questions 217-220)

How much do you think people risk harming themselves if they:

217. Smoke one or more packs of cigarettes per day?	(n=111)	(n=5,200)
a. No risk	0.0% (±0	0.0) 2.1% (±0.5)
b. Slight risk	0.9% (±1	.8) 3.6% (±0.6)
c. Moderate risk	9.0% (±5	5.4) 13.2% (±1.2)
d. Great risk	85.6% (±6	5.6) 75.2% (±2.6)
e. Not sure	4.5% (±3	3.9) 5.9% (±1.2)
218. Try marijuana once or twice?	(n=111)	(n=5,193)
a. No risk	16.2% (±7	7.0) 15.6% (±1.9)
b. Slight risk	18.9% (±7	7.4) 24.1% (±1.4)
c. Moderate risk	29.7% (±8	3.6) 27.6% (±1.9)
d. Great risk	31.5% (±8	3.8) 27.1% (±2.2)
e. Not sure	3.6% (±3	5.7% (±0.9)

	Your S	State	ewide	
	% (±CI)		% (±CI)
219. Use marijuana regularly (at least once or twice a week)?	(n=111)		(n=5,188)	
a. No risk	2.7%	(±3.1)	8.7%	(±1.6)
b. Slight risk	5.4%	(±4.3)	10.9%	(±1.5)
c. Moderate risk	18.0%	(± 7.3)	21.5%	(±1.4)
d. Great risk	70.3%	(±8.6)	53.2%	(±3.8)
e. Not sure	3.6%	(±3.5)	5.8%	(±0.9)
220. Take one or two drinks of an alcoholic beverage (wine, beer, a shot,				
liquor) nearly every day?	(n=	111)	(n=5,180)	
a. No risk	7.2%	(± 4.9)	6.6%	(± 0.7)
b. Slight risk	15.3%	(±6.8)	14.8%	(±1.3)
c. Moderate risk	29.7%	(±8.6)	30.3%	(±1.9)
d. Great risk	41.4%	(± 9.3)	42.9%	(±2.7)
e. Not sure	6.3%	(±4.6)	5.4%	(±0.9)

Early Initiation of Drug Use (Questions 221-224)

How old were you the first time you:

221. Used marijuana?	(n=2	(n=223)		0,348)
a. Never have	94.6%	(± 3.0)	89.6%	(±1.6)
b. 10 or younger	1.8%	(±1.8)	1.9%	(± 0.4)
c. 11	0.9%	(±1.2)	1.4%	(±0.4)
d. 12	0.9%	(±1.2)	2.8%	(± 0.6)
e. 13	0.9%	(±1.2)	3.4%	(± 0.5)
f. 14	0.4%	(± 0.9)	0.6%	(±0.2)
g. 15	0.0%	(± 0.0)	0.1%	(±0.1)
h. 16	0.0%	(± 0.0)	0.1%	(± 0.0)
i. 17 or older	0.4%	(±0.9)	0.1%	(±0.1)
222. Smoked a cigarette, even just a puff?	(n=	110)	(n=5	,068)
222. Smoked a cigarette, even just a puff? a. Never have	(n= ⁻	(±3.6)	(n=5 88.2%	(±1.7)
•	•		•	· · · · · · · · · · · · · · · · · · ·
a. Never have	96.4%	(±3.6)	88.2%	(±1.7)
a. Never have b. 10 or younger	96.4% 1.8%	(±3.6) (±2.5)	88.2% 4.3%	(±1.7) (±1.0)
a. Never haveb. 10 or youngerc. 11	96.4% 1.8% 0.9%	(±3.6) (±2.5) (±1.8)	88.2% 4.3% 1.7%	(±1.7) (±1.0) (±0.4)
a. Never haveb. 10 or youngerc. 11d. 12	96.4% 1.8% 0.9% 0.0%	(±3.6) (±2.5) (±1.8) (±0.0)	88.2% 4.3% 1.7% 2.6%	(±1.7) (±1.0) (±0.4) (±0.5)
a. Never haveb. 10 or youngerc. 11d. 12e. 13	96.4% 1.8% 0.9% 0.0% 0.9%	(±3.6) (±2.5) (±1.8) (±0.0) (±1.8)	88.2% 4.3% 1.7% 2.6% 2.3%	(±1.7) (±1.0) (±0.4) (±0.5) (±0.5)
a. Never haveb. 10 or youngerc. 11d. 12e. 13f. 14	96.4% 1.8% 0.9% 0.0% 0.9% 0.0%	(±3.6) (±2.5) (±1.8) (±0.0) (±1.8) (±0.0)	88.2% 4.3% 1.7% 2.6% 2.3% 0.4%	(±1.7) (±1.0) (±0.4) (±0.5) (±0.5) (±0.2)
 a. Never have b. 10 or younger c. 11 d. 12 e. 13 f. 14 g. 15 	96.4% 1.8% 0.9% 0.0% 0.9% 0.0%	(±3.6) (±2.5) (±1.8) (±0.0) (±1.8) (±0.0) (±0.0)	88.2% 4.3% 1.7% 2.6% 2.3% 0.4% 0.1%	(±1.7) (±1.0) (±0.4) (±0.5) (±0.5) (±0.5) (±0.2) (±0.1)

		Your Students		Statewide		
3. Had more than a sip or two of beer, wine, or hard liquor (for example	o of beer, wine, or hard liquor (for example % (±cı)		% (±CI)			
vodka, whiskey, or gin)?	(n=	(n=222)		0,348)		
a. Never have	81.5%	(±5.1)	71.0%	(±1.9		
b. 10 or younger	6.8%	(±3.3)	12.3%	(±1.1		
c. 11	3.2%	(±2.3)	4.3%	(±0.4		
d. 12	3.6%	(±2.5)	5.4%	(±0.5		
e. 13	3.2%	(±2.3)	5.9%	(±0.5		
f. 14	0.9%	(±1.3)	0.9%	(±0.2		
g. 15	0.5%	(±0.9)	0.1%	(±0.1		
h. 16	0.0%	(±0.0)	0.0%	(±0.0		
i. 17 or older	0.5%	(± 0.9)	0.1%	(±0.1		
4. Began drinking alcoholic beverages regularly, that is, at least once or twice a month?	(n=	111)	(n=5	(052)		
4. Began drinking alcoholic beverages regularly, that is, at least once or twice a month? a. Never have	(n= 95.5%	111) (±3.9)	(n=5 93.4%	i,052) (±1.1		
twice a month?				. ,		
twice a month? a. Never have	95.5%	(±3.9)	93.4%	(±1.1		
twice a month? a. Never have b. 10 or younger	95.5% 1.8%	(±3.9) (±2.5)	93.4% 1.4%	(±1.′ (±0.4		
twice a month? a. Never have b. 10 or younger c. 11	95.5% 1.8% 0.9%	(±3.9) (±2.5) (±1.8)	93.4% 1.4% 0.6%	(±0.4 (±0.4 (±0.4		
twice a month? a. Never have b. 10 or younger c. 11 d. 12	95.5% 1.8% 0.9% 0.9%	(±3.9) (±2.5) (±1.8) (±1.8)	93.4% 1.4% 0.6% 1.8%	(±0.4 (±0.2		
twice a month? a. Never have b. 10 or younger c. 11 d. 12 e. 13	95.5% 1.8% 0.9% 0.9% 0.0%	(±3.9) (±2.5) (±1.8) (±1.8) (±0.0)	93.4% 1.4% 0.6% 1.8% 2.0%	(±0.4 (±0.4 (±0.4 (±0.4		
twice a month? a. Never have b. 10 or younger c. 11 d. 12 e. 13 f. 14	95.5% 1.8% 0.9% 0.9% 0.0% 0.9%	(±3.9) (±2.5) (±1.8) (±1.8) (±0.0) (±1.8)	93.4% 1.4% 0.6% 1.8% 2.0% 0.4%	(±0.4 (±0.4 (±0.4 (±0.4 (±0.4		

Favorable Attitudes Toward Drug Use (Questions 225-228)

How wrong do YOU think it is for someone your age to:

regularly?	(n:	(n=110)		1,910)		
a. Very wrong	80.0%	(± 7.6)	69.3%	(± 2.3)		
b. Wrong	14.5%	(±6.7)	20.2%	(±1.6)		
c. A little bit wrong	3.6%	(±3.6)	8.0%	(±1.1)		
d. Not wrong at all	1.8%	(±2.5)	2.5%	(±0.5)		
226. Smoke cigarettes?	(n:	(n=111)		(n=111) (n=4		1,912)
a. Very wrong	82.9%	(±7.1)	75.6%	(±2.1)		
b. Wrong	15.3%	(±6.8)	17.5%	(±1.5)		
c. A little bit wrong	0.9%	(±1.8)	4.9%	(±0.8)		
d. Not wrong at all	0.9%	(±1.8)	2.0%	(±0.5)		
227. Use marijuana?	(n:	=110)	(n=4	1,874)		
a. Very wrong	78.2%	(±7.8)	72.4%	(±2.6)		
b. Wrong	15.5%	(± 6.9)	13.5%	(±1.2)		
c. A little bit wrong	4.5%	(±4.0)	8.7%	(±1.3)		
d. Not wrong at all	1.8%	(±2.5)	5.4%	(±1.2)		

	Your Students		State	ewide
228. Use LSD, cocaine, amphetamines, or another illegal drug?	% (= (n=1	,	± CI) ,864)	
a. Very wrong	89.1% (±5.9)		86.5%	(±1.4)
b. Wrong	9.1%	(± 5.5)	9.8%	(±1.0)
c. A little bit wrong	1.8%	(±2.5)	2.2%	(± 0.4)
d. Not wrong at all	0.0%	(±0.0)	1.5%	(±0.4)

Friends Use Drugs (Questions 229-232)

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have...

229. Smoked cigarettes?	(n=	106)	(n=4,258)	
a. None of my friends	94.3%	(± 4.5)	86.8%	(±2.0)
b. 1 of my friends	4.7%	(±4.1)	7.1%	(±1.1)
c. 2 of my friends	0.0%	(±0.0)	2.7%	(±0.6)
d. 3 of my friends	0.9%	(±1.9)	1.3%	(±0.4)
e. 4 of my friends	0.0%	(±0.0)	2.0%	(±0.5)
230. Tried beer, wine, or hard liquor (for example vodka, whiskey, or gin) when their parents didn't know about it?	(n=	106)	(n=4	l,254)
a. None of my friends	89.6%	(±5.9)	80.0%	(±2.3)
b. 1 of my friends	5.7%	(±4.5)	9.9%	(±1.1)
c. 2 of my friends	2.8%	(±3.2)	4.6%	(±0.8)
d. 3 of my friends	1.9%	(±2.6)	2.4%	(±0.6)
e. 4 of my friends	0.0%	(±0.0)	3.1%	(±0.7)
31. Used marijuana?	(n=	105)	(n=4	,252)
a. None of my friends	91.4%	(± 5.4)	82.8%	(± 2.6)
b. 1 of my friends	5.7%	(± 4.5)	7.4%	(±1.2)
c. 2 of my friends	1.0%	(±1.9)	3.9%	(±0.9)
d. 3 of my friends	1.0%	(±1.9)	2.0%	(±0.6)
e. 4 of my friends	1.0%	(±1.9)	4.0%	(±0.9)
32. Used LSD, cocaine, amphetamines, or other illegal drugs?	(n=	(n=105)		1,243)
a. None of my friends	96.2%	(±3.7)	93.9%	(±1.1)
b. 1 of my friends	2.9%	(±3.2)	3.1%	(±0.6)
c. 2 of my friends	0.0%	(±0.0)	1.0%	(±0.3)
d. 3 of my friends	0.0%	(±0.0)	0.8%	(±0.3)
e. 4 of my friends	1.0%	(±1.9)	1.2%	(±0.4)

Interaction with Prosocial Peers (Questions 233-237)

Think of your four best friends (the friends you feel closest to). In the past year (12 months), how many of your best friends have	Your Students		Statewide	
		% (±CI)		±CI)
233. Participated in clubs, organizations or activities at school? a. None of my friends	7.5%	(±5.1)	13.9%	(±1.5)
b. 1 of my friends	6.5%	(±4.8)	12.0%	(±1.2
	14.0%		14.8%	
c. 2 of my friends		(±6.7)		(±1.2
d. 3 of my friends e. 4 of my friends	12.1% 59.8%	(±6.3) (±9.4)	13.0% 46.4%	(±1.1 (±2.5
o. For my mondo	00.070	(±0.4)	10.170	(=2.0
234. Made a commitment to stay drug-free?	,	:107)	(n=4	,291)
a. None of my friends	16.8%	(± 7.2)	24.1%	(±2.3
b. 1 of my friends	6.5%	(±4.8)	7.4%	(±0.9
c. 2 of my friends	2.8%	(± 3.2)	5.8%	(±0.8
d. 3 of my friends	2.8%	(±3.2)	6.5%	(±0.8
e. 4 of my friends	71.0%	(±8.7)	56.2%	(±3.2
235. Liked school?	(n=105)		(n=4	1,294)
a. None of my friends	15.2%	(±7.0)	24.2%	(±2.0
b. 1 of my friends	11.4%	(±6.2)	12.3%	(±1.
c. 2 of my friends	13.3%	(±6.6)	15.5%	(±1.1
d. 3 of my friends	10.5%	(±6.0)	15.1%	(±1.
e. 4 of my friends	49.5%	(±9.7)	32.9%	(±2.4
236. Regularly attended religious services?	(n=	:103)	(n=4	l,220)
a. None of my friends	32.0%	(±9.2)	30.4%	(±2.6
b. 1 of my friends	23.3%	(±8.3)	22.7%	(±1.3
c. 2 of my friends	21.4%	(±8.0)	18.8%	(±1.2
d. 3 of my friends	9.7%	(±5.8)	11.2%	(±1.2
e. 4 of my friends	13.6%	(±6.7)	17.0%	` (±1.6
237. Tried to do well in school?	(n-	=106) (n=4,20		l,260)
a. None of my friends	0.9%	(±1.9)	7.0%	(±1.′
b. 1 of my friends	4.7%	(±4.1)	5.8%	(±0.9
c. 2 of my friends	2.8%	(±3.2)	7.4%	(±0.9
d. 3 of my friends	7.5%	(±5.2)	12.8%	(±1.1
e. 4 of my friends	84.0%	(±3.1) (±7.1)	66.9%	(±2.6
e. 4 of my menus	04.070	(±1.1)	00.970	(±∠.0
ief in the Moral Order (Questions 238-241)				
•				

Be

away with it.	(n=	(n=5,	,172)	
a. NO!	49.1%	(± 9.5)	53.8%	(± 2.3)
b. No	40.9%	(± 9.3)	36.1%	(±1.5)
c. yes	8.2%	(±5.2)	7.5%	(±1.0)
d. YES!	1.8%	(±2.5)	2.6%	(± 0.6)

	Varia Stridanta		State	Statevilde						
	Your Students			Statewide						
239. I think sometimes it's okay to cheat at school.	% (±CI) (n=108)		% (±CI) (n=5,170)							
a. NO!	56.5%	(±9.5)	52.2%	(±2.5)						
b. No	37.0%	(±9.3)	33.2%	(±1.4)						
c. yes	6.5%	(±4.7)	12.5%	(±1.6)						
d. YES!	0.0%	(±0.0)	2.0%	(±0.5)						
240. It is all right to beat up people if they start the fight.	(n=110)		(n=5,154)							
a. NO!	40.0%	(± 9.3)	38.0%	(± 2.6)						
b. No	34.5%	(±9.0)	26.5%	(±1.1)						
c. yes	20.0%	(±7.6)	22.9%	(±1.9)						
d. YES!	5.5%	(±4.3)	12.7%	(±1.5)						
241. It is important to be honest with your parents, even if they become upset										
or you get punished.	(n=109)		(n=5,152)							
a. NO!	8.3%	(±5.2)	6.9%	(±0.8)						
b. No	8.3%	(±5.2)	10.4%	(±1.0)						
c. yes	41.3%	(±9.4)	38.1%	(±1.8)						
d. YES!	42.2%	(±9.4)	44.7%	(±2.1)						

Prosocial Involvement (Questions 242-244)

[Questions 242-244 appear only on the elementary version of the survey.]

Social Skills (Questions 245-247)

her slip a CD under her coat. She smiles and says, "Which one do you want? Go ahead, take it while nobody's around." There is nobody in sight, no employees, and no other customers. (n=105)(n=4,186)a. Ignore her 9.5% (± 5.7) 15.2% b. Grab a CD and leave the store 4.8% (± 4.1) 6.3%

 (± 1.7) (± 1.1) c. Tell her to put the CD back 43.8% (± 9.6) 47.3% (± 2.1) d. Act like it's a joke and ask her to put the CD back 41.9% (± 9.6) 31.2% (± 1.3)

246. You are visiting another part of town and you don't know any of the people your age there. You are walking down the street and some teenager you don't know is walking toward you. He is about your size. As

245. You're looking at CDs in a music store with a friend. You look up and see

he is about to pass you, he deliberately bumps int	(n=	106)	(n=4,207)	
a. Push the person back	4.7%	(±4.1)	10.5%	(±1.3)
b. Say nothing and keep on walking	51.9%	(±9.7)	47.7%	(±1.9)
c. Say, "Watch where you're going," and keep on walking	31.1%	(±9.0)	30.8%	(±1.5)
d. Swear at the person and walk away	12.3%	(±6.3)	11.1%	(±1.4)

	Your Students		State	Statewide	
247. You are at a party at someone's house and one of your friends offers you a drink containing alcohol. What would you say or do?	% (±CI) (n=106)		% (±CI) (n=4,200)		
a. Drink it	8.5%	(±5.4)	11.6%	(±1.7)	
b. Tell your friend, "No thanks. I don't drink," and suggest that you and your friend go and do something else	52.8%	(±9.7)	48.5%	(±2.1)	
c. Just say, "No, thanks," and walk away	19.8%	(± 7.7)	23.5%	(±1.5)	
d. Make up a good excuse, tell your friend you had something else to do, and leave	18.9%	(±7.6)	16.3%	(±1.6)	

Questions by Topics

Questions about a single topic are not always grouped together in this report. For example, some questions about alcohol are presented in the Alcohol, Tobacco, and Other Drug (ATOD) Use section and others are presented in the Risk and Protective Factor section. The following list, groups the questions by topic so you can easily locate them in this report.

Abuse 122-126

Activities and Clubs 87, 175-177, 233

Alcohol

Access 46, 164 Age at first use 223-224 Consequences 54 Current use 32, 43-44 Drinking and driving 111, 113

Family influence 47-48, 185-186, 196

Lifetime use 17

Perceived norms 50-51, 53, 169, 171, 225, 230, 247

Perceived risks 52, 220 Prevention/intervention 62, 150 Use at school 49, 61 Usual type 45

Asthma 88-93

Bullying/Harassment 143-149

Demographics 1, 3-5, 7-9

Family

Food insecurity 68-69 Living situations 10-12 Military service 13-14 Parent's education 7-8

Fighting 119, 240

Fitness

Physical activity 79-82, 85-86 Sedentary behavior 83-84

Gambling 142

Gangs 120-121

HIV/STD/Pregnancy Prevention 154-156

Health or Health Care Diabetes 98 Doctor visit 94 Oral Health 95-96 Sleep 99

Honesty 15, 238-239, 241

Marijuana

Access 56, 166 Age at first use 221 Current use 33 Family influence 57-58, 198

Lifetime use 18 Perceived norms 60, 168, 173, 227, 231

Perceived risks 218-219 Use at school 59, 61 Using and driving 114-115

Usual type 55

Suicide 128-130

Mental Health
Anxiety and worry 133-134
Depression 127
Help with mental health 135-136

Nutrition

Breakfast 71
Food insecurity 68-69
Fruit/Vegetable servings 70
Junk food 77-78
Soda and Sugar Drinks 72-74

Other Drugs

Access 167 Consequences 54 Current use 34-37 Family influence 63, 185 Lifetime use 19-23

Perceived norms 64, 228, 232, 234

Perceived risks 65

Prevention/intervention 62, 150

Use at school 61

Quality of Life 157-162

Safety-related Behaviors Swimming 106-107 Wearing Safety Gear 105

School Climate

Absence 188, 207 Achievement 199-200

After-school activities 87, 175-177, 233 Bullying/harassment 143-149 Counseling and support 151-153

Engagement 201-206, 208-214, 216, 235, 237 Nutrition 73-74, 77-78

Physical activity 81-82, 85-86 Prevention/intervention 62, 136, 150 Safety at 121, 148, 215 Substance use at 49, 59, 61 Weapons at 116

weapons at 110

Sexual Behaviors 100-104

Sexual Orientation 9

Social and Emotional Learning 137-141

Substance Use Prevention 62, 150

Texting and Driving 108, 110

Tobacco

Access 165 Age at first use 222 Current use 25-31 Family 40-41, 197 Lifetime use 16

Perceived norms 42, 170, 226, 229

Perceived risks 217 Prevention/intervention 150 Secondhand Smoke 38-39

Weapons 116, 118, 172, 187

Weight and Weight Loss 66-67

Core Questions

"Core" questions appeared on both Forms A and B (the secondary versions of the survey) are listed below. All other questions appeared on either Form A or Form B, but not both. Core questions may or may not have appeared on Form C (the elementary version).

Activities

Participation in after school activities 87

Alcohol

Age when first drank alcohol 223
Binge drinking 43
Current alcohol drinking (past 30 days)

Current alcohol drinking (past 30 days) 32 Levels of alcohol use 44

Lifetime alcohol use 17

Bullying

Been bullied (past 30 days) 143

Demographics

Age 1

Education status of father 8 Education status of mother 7

Food insecurity 69

Gender 3

Language spoken in home 5

Loss of home due to family finances 12

Race/Ethnicity 4 Where you live 11 Who you live with 10

Fighting

Physical fighting (past 12 months) 119

Gangs

Gang involvement 120 Gangs at school 121

Honesty

Honesty in completing survey 15

Marijuana

Age when first used marijuana 221 Current marijuana use (past 30 days) 33 Lifetime marijuana use 18

Mental Health

Bothered by anxiety 133
Bothered by worrying 134
Depression (past 12 months) 127
Seriously considered attempting suicide 128

Other Drugs

Current drug use including marijuana (past 30 days) 35 Current drug use not including marijuana (past 30 days) 34 Current painkiller use (past 30 days) 36 School Climate

Been bullied (past 30 days) 143

Enjoyed being in school (past 12 months) 204

Feel safe at school 215

Grades in school (past 12 months) 199

Participation in after school activities 87

Weapon carrying on school property (past 12 months) 116

Texting and Driving

Texting and driving (past 30 days) 110

Tobacco

Current cigarette smoking (past 30 days) 25

Weapons

Weapon carrying on school property (past 12 months) 116

For more information on which survey forms each question was on, see the Survey Crosswalk at www.AskHYS.net, under HYS Results - QxQ