

Radon test result report for:**CREST DRIVE ELEMENTARY**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133060	A1	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133066	A2	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133448	A3	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133061	B4	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133062	B5	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133440	B6	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	1.5 ± 0.4	2018-12-17
9133070	BLANK	2018-12-10 @ 8:00 pm	2018-12-14 @ 1:00 am	< 0.3	2018-12-17
9133432	BLANK	2018-12-10 @ 8:00 pm	2018-12-14 @ 1:00 am	< 0.3	2018-12-17
9133445	C7	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133447	C8	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133444	C9	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133443	C9 - D	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133435	CAFETERIA	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	2.3 ± 0.4	2018-12-17
9133446	CMC	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	3.3 ± 0.4	2018-12-17
9133068	COMPUTER	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	0.8 ± 0.3	2018-12-17
9133433	GYM	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	1.9 ± 0.4	2018-12-17
9133437	GYM	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	1.5 ± 0.3	2018-12-17
9133069	IMC	2018-12-10 @ 8:00 pm	2018-12-14 @ 3:00 am	< 0.3	2018-12-17
9133067	IMC OFFICE	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	1.1 ± 0.3	2018-12-17
9133436	IMC OFFICE - D	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	1.4 ± 0.3	2018-12-17
9133438	LAB	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	2.5 ± 0.4	2018-12-17
9133442	LIBRARY	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	0.8 ± 0.3	2018-12-17
9133058	OFFICE	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	1.0 ± 0.3	2018-12-17
9133059	OFFICE OFFICE	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	0.5 ± 0.3	2018-12-17
9133450	P1	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133451	P1 - D	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	< 0.3	2018-12-17
9133454	P3	2018-12-10 @ 8:00 pm	2018-12-14 @ 3:00 am	< 0.3	2018-12-17
9133441	S CLASSROOM	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	2.3 ± 0.4	2018-12-17
9133439	STAFF	2018-12-10 @ 8:00 pm	2018-12-13 @ 10:00 pm	0.6 ± 0.3	2018-12-17