

Radon test result report for:
SOUTH EUGENE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133195	1	2018-11-26 @ 11:00 pm	2018-11-30 @ 12:00 am	< 0.3	2018-12-04
9133167	100A	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133179	100B	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133198	102	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133197	102	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133199	105	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133193	107	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133247	108A	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133170	111	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133162	113	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133227	123	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133119	13	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133158	13 LEFT	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133143	13 MIDDLE	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133145	13 RIGHT	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	0.5 ± 0.3	2018-12-04
9133128	17	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	0.5 ± 0.3	2018-12-04
9133401	2	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133127	20	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133155	202	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133140	203	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133136	204	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133121	205	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133153	205 RIGHT	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133156	209	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133150	22	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133256	23B	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133259	25	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133266	27	2018-11-26 @ 8:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133253	28	2018-11-26 @ 8:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133260	29	2018-11-26 @ 8:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133406	3	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133263	30	2018-11-26 @ 8:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133131	304	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133124	305	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133280	306	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133142	307	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133258	31	2018-11-26 @ 8:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04

Radon test result report for:
SOUTH EUGENE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133109	328	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133285	330	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133407	4	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133254	403	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133257	404	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133255	406	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133252	408	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133251	409	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133250	410	2018-11-26 @ 9:00 pm	2018-11-30 @ 12:00 am	< 0.3	2018-12-04
9133118	411	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133108	412	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133110	413	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133114	414	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133113	414L	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133111	415	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133112	415A	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133104	415L	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133101	416	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133116	416A	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133295	417	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133292	417A	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133290	418	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133294	418A	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133293	418L	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133103	418Y	2018-11-26 @ 9:00 pm	2018-11-30 @ 1:00 am	< 0.3	2018-12-04
9133296	419	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133297	419B	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133288	420	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133267	420A	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133289	421	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133291	421A	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133298	422RC	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133105	422S	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133403	5	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133264	502	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133272	504	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133248	517B	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04

Radon test result report for:
SOUTH EUGENE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133249	517C	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133246	520	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133225	520 OFFICE	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133233	521	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133226	522	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133231	522A	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133232	522A OFFICE	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133223	522B	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133244	523	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133222	524	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133228	526	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133230	527	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133032	528	2019-01-08 @ 6:00 am	2019-01-11 @ 6:00 am	< 0.3	2019-01-12
9133235	531	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133237	534	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	0.5 ± 0.3	2018-12-04
9133239	535	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	0.6 ± 0.3	2018-12-04
9133240	536	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133242	538	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133243	539	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133241	540	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133236	541	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	0.8 ± 0.3	2018-12-04
9133169	5A	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133173	5B	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133172	5BT	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133408	6	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133409	7	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133412	9	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133196	AD OFFICE	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133151	ADMIN AREA	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133279	AMAZON ROOM	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133123	ASSISTANT PRINCIPAL	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133164	ASSISTANT PRINCIPAL STEIN	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133274	AUDITORIUM	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133271	AUDITORIUM	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133268	AUDITORIUM	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133269	AUDITORIUM	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133273	AUDITORIUM	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04

Radon test result report for:
SOUTH EUGENE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133270	AUDITORIUM	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133262	AUDITORIUM OFFICE	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133265	AUDITORIUM RECEPTION AREA	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133148	AV	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133245	BAND	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133206	BAND	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133419	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133416	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133423	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133420	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133417	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133421	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133418	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133425	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133422	BLANK	2018-12-01 @ 11:00 am	2018-12-03 @ 4:00 pm	< 0.3	2018-12-04
9133182	BOYS LOCKER ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133176	BOYS LOCKER ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133186	BOYS PE OFFICE	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133133	BREAK ROOM	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133284	CAFETERIA	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133281	CAFETERIA	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133282	CAFETERIA	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133286	CAFETERIA	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133283	CAFETERIA	2018-11-26 @ 9:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133034	CAFETERIA	2019-01-08 @ 5:00 am	2019-01-11 @ 6:00 am	< 0.3	2019-01-12
9133224	CHOIR	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133261	COMPUTER OFFICE	2018-11-26 @ 8:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133166	CONFERENCE ROOM	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133171	COPY ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133130	COUNCILING OFFICE 1	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133149	COUNCILING OFFICE 2	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133154	CUSTODIAL SERVICES	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133180	EXAM ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133147	FILE OFFICE	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133163	FINANCE	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133187	GIRLS LOCKER ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133184	GIRLS LOCKER ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04

Radon test result report for:
SOUTH EUGENE

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133189	GIRLS PE ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133191	GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133177	GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133190	GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133192	GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	0.5 ± 0.3	2018-12-04
9133175	GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133185	GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133200	GYM LOBBY	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133205	IB COORDINATOR OFFICE	2018-11-26 @ 8:00 pm	2018-11-30 @ 1:00 pm	< 0.3	2018-12-04
9133122	LIBRARY	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133126	LIBRARY	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133125	LIBRARY	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133181	NURSES OFFICE	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133137	NW CONFERENCE ROOM	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133157	OFFICE	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133152	OFFICE MANAGER	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133135	OFFICE STORAGE	2018-11-26 @ 10:00 pm	2018-11-30 @ 12:00 am	< 0.3	2018-12-04
9133213	PRACTICE ROOM NEXT TO CHOIR	2018-11-26 @ 8:00 pm	2018-11-30 @ 12:00 am	< 0.3	2018-12-04
9133134	PRINCIPAL OFFICE	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133146	REGISTRAR	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133234	ROWING ROOM	2018-11-26 @ 7:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133132	SMALL GYM	2018-11-26 @ 11:00 pm	2018-11-30 @ 12:00 am	< 0.3	2018-12-04
9133174	SMALL GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133160	SMALL GYM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133120	SPARE OFFICE	2018-11-26 @ 10:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133275	STAGE	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133278	STAGE	2018-11-26 @ 8:00 pm	2018-11-30 @ 1:00 am	< 0.3	2018-12-04
9133178	TEAM ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133277	THEATER	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133276	THEATER	2018-11-26 @ 8:00 pm	2018-11-29 @ 10:00 pm	< 0.3	2018-12-04
9133159	WEIGHT ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04
9133144	WEIGHT ROOM	2018-11-26 @ 11:00 pm	2018-11-29 @ 11:00 pm	< 0.3	2018-12-04

Radon test result report for:
**SOUTH EUGENE
 MAIN BUILDING**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9133129	113	2018-11-26 @ 8:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133402	2	2018-11-26 @ 8:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133168	202	2018-11-26 @ 7:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133102	413	2018-11-26 @ 6:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133115	414	2018-11-26 @ 6:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133299	416	2018-11-26 @ 6:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133300	504	2018-11-26 @ 6:00 pm	2018-11-29 @ 7:00 pm	< 0.3	2018-12-05
9133107	521	2018-11-26 @ 6:00 pm	2018-11-29 @ 7:00 pm	< 0.3	2018-12-05
9133117	536	2018-11-26 @ 6:00 pm	2018-11-29 @ 7:00 pm	< 0.3	2018-12-05
9133194	AD OFFICE	2018-11-26 @ 8:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133138	AMAZON ROOM	2018-11-26 @ 7:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133139	ASSISTANT PRINCIPAL'S OFFICE	2018-11-26 @ 7:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133141	AV	2018-11-26 @ 7:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133183	BOY'S PE ROOM	2018-11-26 @ 8:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133161	CUSTODIAN'S OFFICE	2018-11-26 @ 7:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133165	FILE OFFICE	2018-11-26 @ 7:00 pm	2018-11-29 @ 8:00 pm	< 0.3	2018-12-05
9133188	GIRL'S PE ROOM	2018-11-26 @ 8:00 pm	2018-11-29 @ 9:00 pm	< 0.3	2018-12-05
9133106	STAGE	2018-11-26 @ 6:00 pm	2018-11-29 @ 7:00 pm	< 0.3	2018-12-05