

Radon test result report for:**Education Center**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9199567	1	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.4	2019-03-25
9199553	10	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199551	12	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.3	2019-03-25
9199549	13	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.4	2019-03-25
9199582	14	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.4	2019-03-25
9199576	15	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.3	2019-03-25
9199581	16	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199568	17	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.4	2019-03-25
9199573	18	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.8 ± 0.4	2019-03-25
9199569	19	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.8 ± 0.4	2019-03-25
9199591	2	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.3	2019-03-25
9199572	20	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.4	2019-03-25
9199268	225	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199584	23	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.4	2019-03-25
9199577	24	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.5 ± 0.3	2019-03-25
9199592	3	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.8 ± 0.4	2019-03-25
9199570	4	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.3	2019-03-25
9199574	5	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.3 ± 0.4	2019-03-25
9199578	6	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.3	2019-03-25
9199575	7	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.9 ± 0.4	2019-03-25
9199550	8	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.3	2019-03-25
9199552	9	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199540	ANTHONY	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199518	ANTHONY D	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.7 ± 0.3	2019-03-25
9199529	ASHLEY	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.9 ± 0.4	2019-03-25
9199586	AUDITORIUM	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199555	AUDITORIUM	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199291	BEHAVE RECORDS	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25
9199271	BEHAVIOR CONS	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25
9199541	BIG WAREHOUSE	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.4	2019-03-25
9199554	BIG WAREHOUSE	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	1.0 ± 0.4	2019-03-25
9199523	BIG WAREHOUSE	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.3	2019-03-25
9199542	BIG WAREHOUSE	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199534	BIG WAREHOUSE	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	1.0 ± 0.4	2019-03-25
9199524	BIG WAREHOUSE OFFICE	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199432	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199429	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25

Radon test result report for:**Education Center**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9199424	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199430	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199425	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199431	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199426	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199423	BLANK	2019-03-19 @ 12:00 pm	2019-03-22 @ 11:00 am	< 0.3	2019-03-25
9199547	BOITA	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	< 0.3	2019-03-25
9199511	BOITA D	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.7 ± 0.3	2019-03-25
9199612	CIS 1	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	< 0.3	2019-03-25
9199611	CIS 2	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	< 0.3	2019-03-25
9199610	CIS 3	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	< 0.3	2019-03-25
9199607	CIS 4	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	< 0.3	2019-03-25
9199608	CIS 5	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	< 0.3	2019-03-25
9199548	CIS MAIN	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	< 0.3	2019-03-25
9199594	CIS MAIN D	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.4	2019-03-25
9199506	COMM	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	1.2 ± 0.4	2019-03-25
9199508	COMM 1	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	2.2 ± 0.4	2019-03-25
9199504	COMM 1D	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	2.0 ± 0.4	2019-03-25
9199509	COMM BREAK	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.4	2019-03-25
9199513	COMM BREAK D	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	1.5 ± 0.4	2019-03-25
9199563	EEF	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.0 ± 0.4	2019-03-25
9199593	EEF 2	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199564	EEF D	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.3 ± 0.4	2019-03-25
9199507	ESS	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.0 ± 0.4	2019-03-25
9199533	ESS OFFICE	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.6 ± 0.3	2019-03-25
9199525	ESS RECORDS	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.9 ± 0.4	2019-03-25
9199300	FIANCE MAIN	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.6 ± 0.4	2019-03-25
9199589	FOOD 1	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	2.8 ± 0.5	2019-03-25
9199565	FOOD CONF	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.4 ± 0.4	2019-03-25
9199590	FOOD CONF D	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.8 ± 0.4	2019-03-25
9199587	FOOD CUBICLE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.0 ± 0.4	2019-03-25
9199557	FOOD MAIN	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.4 ± 0.4	2019-03-25
9199559	FOOD WAREHOUSE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.3	2019-03-25
9199588	FOOD WAREHOUSE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.0 ± 0.3	2019-03-25
9199560	FOOD WAREHOUSE D	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.4	2019-03-25
9199604	GROUND 1	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	2.1 ± 0.4	2019-03-25
9199606	GROUND 2	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	2.9 ± 0.5	2019-03-25

Radon test result report for:**Education Center**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9199603	GROUNDS 3	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	2.5 ± 0.4	2019-03-25
9199609	GROUNDS CONF	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	3.5 ± 0.5	2019-03-25
9199602	GROUNDS MAIN	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	2.1 ± 0.4	2019-03-25
9199605	GROUNDS MAIN D	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	2.0 ± 0.4	2019-03-25
9199601	GROUNDS SHOP	2019-03-18 @ 8:00 pm	2019-03-21 @ 6:00 pm	6.4 ± 0.6	2019-03-25
9199276	HART	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.2 ± 0.4	2019-03-25
9199561	HOPPER	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.3	2019-03-25
9199596	HOPPER OFFICES	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.4	2019-03-25
9199566	HOPPER OFFICES D	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.4	2019-03-25
9199519	HORN	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.0 ± 0.4	2019-03-25
9199274	HR 1	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.0 ± 0.3	2019-03-25
9199298	HR 10	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199294	HR 11	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199295	HR 2	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25
9199288	HR 3	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.5 ± 0.4	2019-03-25
9199269	HR 4	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.2 ± 0.4	2019-03-25
9199299	HR 5	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.7 ± 0.4	2019-03-25
9199293	HR 6	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199284	HR 7	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.0 ± 0.4	2019-03-25
9199283	HR 8	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199285	HR 9	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	3.0 ± 0.4	2019-03-25
9199279	HR MAIN	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.3 ± 0.4	2019-03-25
9199536	HUTCHINSON	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	< 0.3	2019-03-25
9199543	HUTCHISON D	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.5 ± 0.4	2019-03-25
9199292	IMC	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	2.0 ± 0.4	2019-03-25
9199297	IMC	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.7 ± 0.4	2019-03-25
9199275	IMC CLASSROOM	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	2.6 ± 0.5	2019-03-25
9199583	INS BREAK	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.3	2019-03-25
9199585	INS IMC	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.7 ± 0.4	2019-03-25
9199579	INSTRUCTIONS OFFICE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.8 ± 0.4	2019-03-25
9199580	INSTRUCTIONS OFFICE D	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.6 ± 0.4	2019-03-25
9199544	KLINE	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.9 ± 0.4	2019-03-25
9199521	LACTATION ROOM	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.7 ± 0.3	2019-03-25
9199538	LANCASTER	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199526	LANGE	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.8 ± 0.4	2019-03-25
9199517	LINDER	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.7 ± 0.4	2019-03-25
9199501	MACCIONNATH	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25

Radon test result report for:**Education Center**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9199597	MANN	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.2 ± 0.4	2019-03-25
9199600	MANN 2	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.3 ± 0.4	2019-03-25
9199537	MORIRATY	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.8 ± 0.4	2019-03-25
9199532	OFFICE MAIN DESK	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	0.8 ± 0.4	2019-03-25
9199514	PARR	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	1.0 ± 0.4	2019-03-25
9199505	PARR OFFICE	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	0.5 ± 0.4	2019-03-25
9199289	PAYROLL 1	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.2 ± 0.4	2019-03-25
9199290	PAYROLL 2	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25
9199277	PAYROLL 3	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.1 ± 0.4	2019-03-25
9199272	PAYROLL 4	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	0.7 ± 0.4	2019-03-25
9199278	PAYROLL 5	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25
9199282	PAYROLL 6	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.8 ± 0.4	2019-03-25
9199281	PAYROLL 7	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.5 ± 0.4	2019-03-25
9199296	PAYROLL 8	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.8 ± 0.4	2019-03-25
9199280	PAYROLL 9	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.5 ± 0.4	2019-03-25
9199539	PFAEFFLIN	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.6 ± 0.4	2019-03-25
9199503	PSYCHOLOGY	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.6 ± 0.4	2019-03-25
9199531	PSYCHOLOGY D	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.7 ± 0.4	2019-03-25
9199528	QUILLAN	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.9 ± 0.4	2019-03-25
9199522	SCHUCK	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.7 ± 0.4	2019-03-25
9199571	SMALL WAREHOUSE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.4 ± 0.4	2019-03-25
9199562	SMALL WAREHOUSE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	1.1 ± 0.4	2019-03-25
9199502	SMALL WAREHOUSE	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	0.9 ± 0.4	2019-03-25
9199598	SSD	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	3.0 ± 0.4	2019-03-25
9199599	SSD 2	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	2.5 ± 0.4	2019-03-25
9199287	SUPER	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.6 ± 0.4	2019-03-25
9199286	SUPER D	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.4 ± 0.4	2019-03-25
9199273	SUPER SECRETARY	2019-03-18 @ 5:00 pm	2019-03-21 @ 5:00 pm	1.2 ± 0.4	2019-03-25
9199545	THOMAS	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.0 ± 0.4	2019-03-25
9199527	TOWER 1	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.5 ± 0.4	2019-03-25
9199520	TOWER BREAK	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.9 ± 0.4	2019-03-25
9199512	TOWER ROOM	2019-03-18 @ 6:00 pm	2019-03-21 @ 7:00 pm	0.5 ± 0.3	2019-03-25
9199535	TOWER STAFF	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.9 ± 0.4	2019-03-25
9199546	TOWER STAFF D	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	0.9 ± 0.4	2019-03-25
9199510	TRANSFERS	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	1.3 ± 0.4	2019-03-25
9199516	TRANSFERS WAITING	2019-03-18 @ 6:00 pm	2019-03-21 @ 6:00 pm	1.2 ± 0.4	2019-03-25
9199558	WAREHOUSE 2	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	2.6 ± 0.4	2019-03-25

Radon test result report for:

Education Center

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9199556	WAREHOUSE 3	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	2.8 ± 0.4	2019-03-25
9199515	WAREHOUSE OFFICE 1	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	2.2 ± 0.4	2019-03-25
9199595	WAREHOUSE OFFICE 1D	2019-03-18 @ 7:00 pm	2019-03-21 @ 6:00 pm	2.8 ± 0.4	2019-03-25
9199530	WELCH	2019-03-18 @ 6:00 pm	2019-03-21 @ 5:00 pm	1.6 ± 0.4	2019-03-25

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498

Radon test result report for:

Education Center

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9178325	CIS BAY	2019-03-04 @ 7:00 pm	2019-03-07 @ 7:00 pm	2.9 ± 0.4	2019-03-11
9178326	CIS OFFICE	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	3.7 ± 0.5	2019-03-11
9178329	CIS WORKBENCH	2019-03-04 @ 7:00 pm	2019-03-07 @ 7:00 pm	1.6 ± 0.4	2019-03-11
9178337	WC 1	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.3 ± 0.4	2019-03-11
9178324	WC 2	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.5 ± 0.4	2019-03-11
9178323	WC 3	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.3 ± 0.4	2019-03-11
9178316	WC 4	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.4 ± 0.4	2019-03-11
9178322	WC 5	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.3 ± 0.4	2019-03-11
9178328	WC 6	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.4 ± 0.4	2019-03-11
9178336	WC LOBBY	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.3 ± 0.4	2019-03-11
9178335	WC OFFICE	2019-03-04 @ 7:00 pm	2019-03-07 @ 6:00 pm	1.1 ± 0.4	2019-03-11

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498