#### SHELDON HIGH SCHOOL ROOFING 2020 C.I.P. No. 420.652.209

ROBERTSON/SHERWOOD/ARCHITECTS pc 132 E. Broadway - Suite 540 Eugene, Oregon Project No. 1901

This Addendum forms a part of the Contract Documents and modifies the original Bid Documents dated February 24, 2020 as noted below. Acknowledge receipt of this Addendum in the space provided on the Bid Form. Failure to do so may subject Bidder to disqualification.

## PROJECT MANUAL

#### 1. DOCUMENT 00 11 16 - INVITATION BID

A. Pre-Bid Conference: A non-mandatory pre-bid conference was held at 3:00 PM on February 28, 2020. Sheldon High School roofs were toured by attendees. A list of attendees and meeting agenda are attached to this Addendum.

#### 2. DOCUMENT 00 22 13 – SUPPLEMENTARY INSTRUCTIONS TO BIDDERS

- A. Article 1.1, Subparagraph 2.1.3.2; <u>clarification</u>: Bidders may visit project site after checking in with staff in school office. Maintenance staff will need to provide access to roofs. Underside of stressed skin panels may be viewed in certain mechanical and custodial rooms
- 3. <u>DOCUMENT 00 41 13 BID FORM</u>
  - A. <u>Replace</u> Bid Form with new Bid Form attached to this Addendum. <u>Clarification</u>: Alternate No. 1 is included.
- 4. <u>SECTION 01 10 00 SUMMARY OF WORK</u>
  - A. Article 1.04: <u>Change</u> Paragraph B to read as follows:
    - "B. Perform work in order to achieve Substantial Completion by Friday, August 21, 2020."
- 5. <u>SECTION 01 23 00 ALTERNATES</u>
  - A. Add Section 01 23 00 attached to this Addendum.
- 6. <u>SECTION 02 41 00 DEMOLITION</u>
  - A. <u>Replace</u> Article 1.04 with the following:
    - "1.04 EXISTING CONDITIONS
      - A. Existing built-up roof assemblies have been sampled by the School District and have been tested for asbestos containment. Reports are available upon request at School District Facilities Office. All materials tested negative with

## 7. THERMOPLASTIC MEMBRANE ROOFING - SECTION 07 54 00

- A. Article 2.03, Paragraph E:
  - i) <u>Change</u> Sentence 2 to read to read as follows:
    - "2. Vapor Permeability: 0.5 perm inch or less, measured in accordance with ASTM E96/E96M."

#### 8. <u>ROOF ACCESSORIES – SECTION 07 72 00</u>

- A. Article 2.01 Paragraph A, Subparagraph 6; <u>Add</u> the following:
  - "e. KeyCurb Supports by JL Industries: www.activarcpg.com
  - f. Roof Top Blox: www.rooftopblox.com."

## <u>D R A W I N G S</u>

## 9. DRAWING SHEET 002

- A. <u>Replace</u> Drawing Sheet 002 with new Drawing Sheet attached to this Addendum.
  - i) <u>Clarification:</u>
    - (a) General Note 12 is added.
    - (b) Alternate No. 1 demolition work at Broadcasting Building is shown.
    - (c) Demolition Plan, A1/002: Existing roof repair overlays to be removed consist of cap sheet installed by Owner over previously existing built-up roof.

## 10. DRAWING SHEET 102

A. Roof Plan A1: At HVAC west of Courtyard Cover No. 6, add Detail Reference A3/201.

## 11. DRAWING SHEET 103

- A. <u>Replace</u> Drawing Sheet 103 with new Drawing Sheet attached to this Addendum.
  - i) <u>Clarification</u>: Work of Alternate No. 1 at Broadcasting Building is shown.

#### 12. DRAWING SHEET 104

A. <u>Change</u> Keyed Note 1 to read as follows:

"Plaster ceiling / Limited access from below through access hatches in courtyard; Install fall protection anchor per C1/202."

#### 13. DRAWING SHEET 201

- A. <u>Replace</u> Drawing Sheet 201 with new Drawing Sheet attached to this Addendum.
  - i) <u>Clarification</u>: Coping Detail E1 for Alternate No. 1 is added.

## 14. DRAWING SHEET 202

- A. Detail A1: <u>Clarification</u>:
  - i) Existing stressed skin panels are constructed with 5/8" plywood over 2x3 stringers at 16" on center with 5/8" foil backed gypsum board below.
  - ii) Existing mechanical penthouse roof decking is nominal 4x6 tongue-and-groove wood decking.
- B. Detail A2: <u>Delete</u> note "(E) BUR & cant to remain".

## 15. DRAWING SHEET 203

- A. <u>Replace</u> Drawing Sheet 203 with new Drawing Sheet attached to this Addendum.
  - i) <u>Clarification</u>: Scupper Detail B2 for Alternate No. 1 is added.

## <u>ATTACHMENTS</u>

Pre-Bid Conference List of Attendees Pre-Bid Conference Agenda Document 00 41 13 – Bid Form Section 01 23 00 – Alternates Drawing Sheet 002 Drawing Sheet 103 Drawing Sheet 201 Drawing Sheet 203

## END OF ADDENDUM NO. 1

PRE-BID WALK THRU Shjeldon High School Roofing 2020 Eugene, Oregon CIP # 420.652.209 Firday, February 29, 2929 @ 3:00 PM

Name	Company	Address and e-mail	Phone
Jack Dhelle	6BC Construction	Joel@gbg.censtruct.com	541-514-6245
5 triben Rosen trul	Frontice Roofing	5 to shen Offontic roofigile. com	503-832-7703
OCTAVIO VILLA	ALL AMERICAN ROOFING	ALL AMERICAN ROOFING ALLAMERICAN ROOFING201397 MAIL & COM	2039311792
Fernando gerez + Buildina	West Coast Rooking	Ferwerpamail.com	503-580-
Der Tomeknis	Umpru	1010 S Danebo Ave, Eugene, OR 97402 Ben@umpquaroofing.com	(541) 302-6850
Dove 1057	26-	1719 Irving Rd, Eugene, OR 97402 djost@2gconstruction.com	(541) 689-3850
Kill Ettenmille Rootine	Roofine	beitenniller @ rooflinesupply, cun SY1-731-0425	S41-731-0425
CALS RELLINAN	BELLO Bleet Lunt.	BELLO Bleet Lout: rob@ helcoecs. con	00p2-127-14-5
Rod Roach	Smith S/m	253 S 15th St, Springfield, OR 97477 estimator@smithsheetmetal.com	(541) 726-9194
TODY De Masker	McKenzie Comnicial	Hemesters Concembert. biz	£412-243-2143
Juan Navarrete	Wergreen haring	juan Qevergreen roofing. com	511-344-1915
MUNICIPALITY AND	E LE CHEER	Deriversities and an internet of	511-142-11A

SIGN-UP SHEET

KK-Eh5-[1h5]						
Rpaule" "						
came harperwinn.com (paule "						
CARLISLE						
CAM JACK & DAVIC AMOS	-					

## PRE-BID CONFERENCE AGENDA

- 1. INTRODUCTIONS: Kirk Gebb, Brian Hamilton
- 2. SIGN-IN SHEET: Non-mandatory Walk-Through: Provide phone number, address, & Email.
- 3. PERMIT: Plans are under review.
- 4. BIDS OPENED: 2:00 pm, Thursday, March 12. Substitution request deadline: 2:00 pm, Friday, March 6. See Section 01 60 01 for Substitution Request Form. Final addendum to be issued by March 9.
- 5. Bidders must submit Bid Security of not less than 10% of bid in the form of a Bid Bond, cashiers check, or certified check to be executed in favor of the District.
- 6. Successful Bidder will also have to provide the following (See Project Manual):
  - a. Performance & Payment Bond
  - b. Workers Compensation Insurance
  - c. General Liability Insurance
  - d. Auto Liability Insurance
  - e. Builders' All Risk Insurance.
  - f. Contract won't be signed by the District until all insurances and bonds in place.
- 8. PROJECT ESTIMATE: \$5,173,000
- 9. Prevailing Wage applies since the work will be over \$50,000.
- 10. TIME: Work may begin upon receipt of a notice to proceed from the Owner, but work on site may begin no earlier than June 12, 2020.
  - a. Substantial Completion: August 19, 2020 per Section 01 11 00. (Liquidated Damages: \$500.00 per calendar day past that date)
  - b. Final Completion: 7 days after Substantial Completion.
- 11: Direct all questions to Brian Hamilton, Robertson/Sherwood/Architects. Kirk Gebb is the Owner's representative and is responsible for any Owner-related decisions.
- 12. Submit questions by 12:00 PM, Friday, March 6 for inclusion into Addendum.
- 14. Addendum Items: a. Roofing at KRVM Building
- 13. QUESTIONS?
- 14. TOUR SITE

#### DOCUMENT 00 41 13 BID FORM

<b>BID FOR:</b>	Sheldon High School Roofing 2020	CIP Number: 420.652.209				
Submitted to:	Facilities Management Eugene School District 4J 715 West Fourth Avenue3 Eugene, Oregon 97402	Bid Deadline: 2:00 PM March 12, 2020				
Submitted by:	(Company Name)					
Base Bid:		\$\$				
(Word	·	(Figures)				
The undersigned agrees, if awarded the Contract, to substantially complete all Base Bid Package A work on or before						
the dates specified in Section 01 11 00.						
ALTERNATE BID The Undersigned proposes to add to the Base Bid indicated above the items of work relating to the following Alternates as described in the Project Manual, Section 01 23 00.						

Alternate No. 1: Roofing at Broadcasting Building:

Alternate Bid:	\$
(Words)	(Figures)
The undersigned agrees, if awarded the Contract, to substantially	complete all Alternate No. 1 work on or before dates
specified in Section 01 11 00.	-

#### **BID SECURITY**

Accompanying herewith is Bid Security, which is not less than ten percent (10%) of the total amount of the Base Bid plus additive alternates.

#### STIPULATIONS

The undersigned acknowledges the liquidated damages provision included in the Supplementary Conditions.

The undersigned agrees, if awarded the contract, to comply with the provisions of Oregon Revised Statutes 279C.800 through 279C.870 pertaining to the payment of prevailing rates of wage.

The undersigned agrees if awarded the contract to comply with Oregon Revised Statutes 326.603 giving the Owner authority to obtain fingerprints and criminal records check of Contractors, their employees, and subcontractors providing labor for the Project.

The undersigned agrees, if awarded the Contract, to execute and deliver to the Owner within ten (10) working days after receiving contract forms, an Agreement and a satisfactory Performance Bond and Payment Bond each in an amount equal to 100 percent (100%) of the Contract Sum.

For every Agreement of \$1000,000 or greater in value, all Contractors and Subcontractors shall have a public works bond in the amount of \$30,000, filed with the Construction Contractors' Board (CCB), in compliance with ORS 279C.836, before starting work on the project unless exempt. Contractor agrees to provide a copy of the Contractor's BOLI Public Works bond with the signed Agreement as Specified in the Supplementary Conditions.

The undersigned agrees that the Bid Security accompanying this proposal is the measure of liquidated damages which the Owner will sustain by the failure of the undersigned to execute and deliver the above named agreement and bonds; and that if the undersigned defaults in executing that agreement within ten (10) days after forms are provided or providing the bonds, then the Bid Security shall become the property of the Owner; but if this proposal is not accepted within sixty (60) days of the time set for the opening of bids, or if the undersigned executes and delivers said agreement and bonds, the Bid Security shall be returned.

By submitting this Bid, the Bidder certifies that the Bidder:

- a) has available the appropriate financial, material, equipment, facility and personnel resources and expertise, or the ability to obtain the resources and expertise, necessary to meet all contractual responsibilities;
- b) has a satisfactory record of past performance;
- c) has a satisfactory record of integrity, and is not disqualified under ORS 279C.440;
- d) is qualified legally to contract with the Owner; and
- e) will promptly supply all necessary information in connection with any inquiry the Owner may make concerning the responsibility of the Bidder.

Prior to award of a Contract, the Bidder shall submit appropriate documentation to allow the Owner to determine whether or not the Bidder is "responsible" according to the above criteria.

The contractor agrees with the provisions of Oregon Revised Statutes 279C.505, which requires that the contractor shall demonstrate it has established a drug-testing program for employees and will require each subcontractor providing labor for the Project to do the same.

The undersigned has received addenda numbers \_\_\_\_\_\_ to \_\_\_\_\_ inclusive and has included their provisions in the above Bid amounts.

The undersigned has visited the site to become familiar with conditions under which the Work is to be performed and has correlated the Bidder's personal observations with the requirements of the proposed Contract Documents.

The undersigned certifies that the Bidder is a \_\_\_\_\_\_ Bidder under ORS. ("Resident" or "Non-resident", to be filled in by Bidder)

Names of Firm:			
Street Address:			
	(City)	(State)	(Zip)
Telephone Number:	FAX Number:		
Email Address:			
Signed By:(Signature of Authorized Official. 2	Printed Name: If bid is from a partnership, one of the partners m	ust sign bid).	
Date Signed:			
Official Capacity:			
If corporation, attest:		Date:	
SEAL (If Corporate)	of Corporation) Co Pa: Inc	rtnership	

Enclosed: Bid Security, Non-Discrimination Requirement, Non-Collusion Affidavit, First-Tier Subcontractor Disclosure Form

#### NON-DISCRIMINATION REQUIREMENT

Contractor certifies that the Contractor has not discriminated against minorities, women, or emerging small business enterprises in obtaining any required subcontracts.

The Contractor agrees not to discriminate against any client, employee, or applicant for employment or for services, because of race, color, religion, sex, national origin, physical or mental handicap, sexual orientation or age, unless based upon bona fide occupational qualifications, and that they are otherwise in compliance with all federal, state and local laws prohibiting discrimination, with regard to, but not limited to, the following: Employment upgrading, demotion or transfer; Recruitment or recruitment advertising; Layoffs or termination; Rates of pay or other forms of compensation; Selection for training; Rendition of services. It is further understood that any vendor who is in violation of this clause shall be barred forthwith from receiving awards of any purchase order from the School District, unless a satisfactory showing is made that discriminatory practices have terminated and that a recurrence of such acts is unlikely.

FIRM NAME	
ADDRESS	
TELEPHONE	
BY	(Company on Eirm Officere)
	(Company or Firm Officer)
BY	
	(Type or Print Name)

## NON-COLLUSION AFFIDAVIT

STATE OF)
County of)
I state that I am of (Title)
and that I am authorized to make this affidavit on behalf of my firm, and its owners, directors, and officers. I am the person responsible in my firm for the price(s) and the amount of this bid.
I state that:
(1) The price(s) and amount of this bid have been arrived at independently and without consultation,
communication or agreement with any other contractor, bidder or potential bidder, expect as disclosed on the attached appendix.
(2) That neither the price(s) nor the amount of this bid, and neither the approximate price(s) nor approximate amount of this bid, have been disclosed to any other firm or person who is a bidder or potential bidder, and they will
not be disclosed before bid opening.
(3) No attempt has been made or will be made to induce any firm or person to refrain from bidding on this
contract, or to submit a bid higher than this bid, or to submit any intentionally high or noncompetitive bid or other form of complementary bid.
(4) The bid of my firm is made in good faith and not pursuant to any agreement or discussion with, or inducement
from, any firm or person to submit a complementary or noncompetitive bid.
(5), its affiliates, subsidiaries, officers, directors and (Name of my Firm)
(Name of my Firm) employees are not currently under investigation by any governmental agency and have not in the last four years been
convicted of or found liable for any act prohibited by State or Federal law in any jurisdiction, involving conspiracy or
collusion with respect to bidding on any public contract, except as described on the attached appendix. I state that understands and acknowledges that the above representations (Name of my Firm)
are material and important, and will be relied on by School District 4J in awarding the contract(s) for which this bid is
submitted. I understand and my firm understands that any misstatement in this affidavit is and shall be treated as
fraudulent concealment from School District 4J of the true facts relating to the submission of bids for this contract.
(Authorized Signature)
(Autorized Signature)
Sworn to and subscribed before me this day of, 2020
(Notary Public for Oregon)
My Commission Expires:
END OF BID FORM

## ALTERNATES

## PART 1 GENERAL

#### 1.01 SECTION INCLUDES

- A. Description of Alternates.
- B. Procedures for pricing Alternates.
- C. Documentation of changes to Contract Price and Contract Time.

#### 1.02 RELATED REQUIREMENTS

- A. Document 00 21 13 Instructions to Bidders: Instructions for preparation of pricing for Alternates.
- B. Document 00 52 13 Form of Agreement: Incorporating monetary value of accepted Alternates.

## 1.03 ACCEPTANCE OF Alternates

- A. Alternates quoted on Bid Forms will be reviewed and accepted or rejected at Owner's option. Accepted Alternates will be identified in the Owner-Contractor Agreement.
- B. Coordinate related work and modify surrounding work to integrate the Work of each Alternate.

#### 1.04 SCHEDULE OF Alternates

- A. Alternate No. 1 Roofing at Broadcasting Building:
  - 1. Base Bid Item: Broadcasting Building is outside scope of work.
  - 2. Alternate Bid Item: Provide new roofing at Broadcasting Building.

## PART 2 PRODUCTS - NOT USED

## PART 3 EXECUTION - NOT USED

#### END OF SECTION

# SCOPE OF WORK

1. REFER TO ROOF PLANS ON SHEETS 101, 102, 103, & 104, REFER TO A1/202 FOR ROOF ASSEMBLY DETAIL. 

- 2. (REMOVE EXISTING ROOF MATERIAL DOWN TO DECK. USE HAND SPUDDING DEMOLITION ONLY; DO NOT USE MECHANICAL SPUDDING. DO) NOT SAW CUT ROOF. DO NOT USE POWERED EQUIPMENT FOR DEMOLITION OF ROOF ASSEMBLY. PROTECT MATERIALS TO BE REUSED. angle repair damage to existing roof structure incurred during the work. See a1 / 102 for description of existing roof, STRUCTURE.
- 3. REMOVE AIR VENTS, ROOF VENTS AND OTHER EQUIPMENT AS REQUIRED TO EXTEND CURBS AND INSTALL FLASHINGS AS INDICATED ON DRAWINGS. REPLACE MOPPED-IN COLLAR FLASHINGS WITH NEW.
- 4. REMOVE SKYLIGHTS AND PROVIDE NEW SKYLIGHTS.
- 5. INSTALL FALL PROTECTION SYSTEMS.
- 6. INSTALL NEW VAPOR RETARDER, INSULATION, COVER BOARD, SINGLE-PLY ROOF, FLASHINGS, AND OTHER ITEMS AS DETAILED, SPECIFIED, AND AS REQUIRED TO PROVIDE COMPLETE ROOF SYSTEM.
- 7. REINSTALL EQUIPMENT AND FLASHINGS SALVAGED FOR REUSE.
- 8. PAINT NEW AND EXISTING ROOFTOP EQUIPMENT AND SHEET METAL EXCEPT PRE-FINISHED METAL, ALUMINUM, AND STAINLESS STEEL.

# FASTENING SCHEDULE

METAL FLANGES AT AIR VENTS:

PRE-FINISHED SHEET METAL SKIRTS AT EXHAUST FANS:

PRE-FINISHED FLASHING AND COUNTERFLASHING: CONTINUOUS CLEATS AND REGLETS TO WOOD: PLYWOOD BACKING:


LARGE HEAD HOT DIPPED 12 GA GALV ROOFING NAILS AT 4" O/C

PRE-FINISHED SHEET METAL SCREWS WITH NEOPRENE WASHERS AT 8" O/C; MINIMUM 2 FASTENERS PER SIDE. PRE-FINISHED SHEET METAL SCREWS WITH NEOPRENE WASHERS AT 24" O/C

GALVANIZED NAILS AT 12" O.C.

10d GALV NAILS AT 12" OC AT WOOD FRAMING / COMPRESSION PINS AT 18" OC, STAGGERED PATTERN AT CONCRETE OR CMU.

2



# **GENERAL NOTES**

1

- 1. PROTECT EXISTING BUILDINGS, YARDS, AND ADJACENT ROOF SURFACES FROM DAMAGE AND DEBRIS. REPAIR DAMAGE OCCURRING DURING THE WORK.
- 2. BUILDING DIMENSIONS AND LOCATIONS OF ROOF PENETRATIONS ARE APPROXIMATE. VERIFY DIMENSIONS, LOCATIONS, AND QUANTITIES.
- 3. INSPECT ROOF SUBSTRATE FOR DECAY AND REPORT UNSATISFACTORY CONDITIONS TO ARCHITECT FOR REMEDY.
- 4. MAINTAIN TEMPORARY WATERPROOF COVERINGS UNTIL ROOFING IS COMPLETE.
- 5. REPAIR EXISTING CEILINGS AND LIGHT FIXTURES DAMAGED DURING TEAR-OFF AND REROOFING WORK.
- 6. VERIFY LOCATIONS OF STAGING AREAS WITH OWNER.
- 7. DETAILS SHOW MINIMUM REQUIREMENTS FOR ROOFING COMPONENTS. FOLLOW SELECTED MANUFACTURER'S REQUIREMENTS WHEN THEY EXCEED THESE MINIMUMS.
- 8. DISCONNECT ELECTRICITY IN CONDUITS AFFECTED BY THE WORK, INCLUDING POWER TO MECHANICAL UNITS. RECONNECT AND TEST OPERATION OF UNITS. ELECTRICAL WORK SHALL BE PERFORMED BY LICENSED ELECTRICAL CONTRACTOR.
- 9. AT CHANGES IN ROOF PLANE, EASE EDGES WITH CANT STRIPS AND TAPERED EDGE STRIPS.
- 10. WHERE EXISTING WOOD ROOF DECKING IS EXPOSED TO INTERIOR SPACE BELOW. INSTALL PLASTIC SHEETING TO CATCH DEBRIS DURING DEMOLITION. AFTER PLASTIC IS REMOVED, ENSURE THAT ALL STAPLES AND/OR TAPE FASTENERS ARE ALSO REMOVED.
- 11. USE SHORTEST POSSIBLE FASTENERS REQUIRED TO ACHIEVE MANUFACTURERS' RECOMMENDED PENETRATION.
- 12. MOBILE FALL PROTECTION DEVICES WITH PENETRATING SPIKES MAY NOT BE USED.

# **DESIGN LOADS**

ASCE 7-10. ENVELOPE PROCEDURE, PART 2: LOW-RISE BUILDINGS EXPOSURE: B OCCUPANCY CATEGORY: III BASIC WIND SPEED (3-SECOND GUST): 105 MPH

DESIGN WIND LOADS


ZONE 1 (ROOF AREA FIELD): 23.8 PSF ZONE 2 (ROOF EDGE PERIMETER): 39.8 PSF ZONE 3 (ROOF EDGE CORNERS): 60.0 PSF

ROOF MINIMUM DESIGN UPLIFT-RESISTANCE CAPACITIES

ZONE 1 (ROOF AREA FIELD): 28.5 PSF ZONE 2 (ROOF EDGE PERIMETER): 47.7 PSF ZONE 3 (ROOF EDGE CORNERS): 71.9 PSF

EDGE METAL MINIMUM DESIGN WIND-RESISTANCE LOADS

ZONE 2	(ROOF	EDGE	PERIMETER	, VERTICAL):	47.7 F	SF
ZONE 3	(ROOF	EDGE	CORNERS,	VERTICAL):	71.9 PS	δF
ZONE 4	(WALL	EDGE	PERIMETER,	, HORIZONTA	L): 30.9	PS
ZONE 5	(WALL	EDGE	CORNERS.	HORIZONTAL	): 38.1	PSF





# **EXISTING ROOF ASSEMBLIES**

FOLLOWING LIST OF ASSUMED EXISTING ROOF ASSEMBLIES ARE BASED ON RECENT TEST CUTS BY OWNER AND DETAIL DRAWINGS FROM PREVIOUS ROOFING PROJECTS: (FIELD VERIFY)

- GENERAL:
- CAP SHEET • (2) INNER PLIES
- -OVER-
- CAP SHEET • (3) INNER PLIES
- BASE SHEET NAILED TO DECK RED ROSIN VAPOR RETARDER SHEATHING
- PENTHOUSES:
- CAP SHEET
- (4) INNER PLIES BASE SHEET
- 1½" RIGID INSULATION – OVER –
- 1" PERLITE RIGID INSULATION
- BASE SHEET NAILED TO DECK RED ROSIN VAPOR RETARDER SHEATHING
- REMOVE ROOF HATCH

INDICATES ADDITIONAL ROOF REPAIR OVERLAYS TO BE REMOVED; TOTAL AREA AT EAST SIDE OF BUILDING = APPROXIMATELY 16,150 SF









5

- ZONE 1 (ROOF FIELD) - ZONE 2 (ROOF EDGE PERIMETER) - ZONE 3" (ROOF EDGE CORNERS) - ZONE 4 (WALL EDGE PERIMETER) - ZONE 4 (WALL EDGE CORNERS)

2455 WILLAKENZIE ROAD, EUGENE, OREGON 97401



6

Robertson | Sherwood | Architects PC 132 EAST BROADWAY, SUITE 540 EUGENE, OREGON 97401 541-342-8077 www.robertsonsherwood.com RED 0  $\mathbf{N}$ 0 N C Ζ LL 0 Ο പ്റ **1**0 Ω N σ CH( D): D): 205 S Z N IIGH (1000) Õ Ö HIG CH 4 `Z Ű ОШО ΔΖŽ Ш ם ס ם ĪĎŦ SШO DATE DESCRIPTION MARK ADDM NO. 1 3/3/20 <u>/1</u> 3 MARCH 2020 **ISSUE DATE:** ISSUE: CONSTRUCTION DOCUMENTS 1901 **PROJECT NO:** DRAWN BY: BDH JMR CHECKED BY: C ROBERTSON | SHERWOOD | ARCHITECTS PC 2020 ORIGINAL SHEET SIZE: 24"x36" GENERAL NOTES SITE PLAN DEMOLITION PLAN 002

