

RADON MONITORING REPORT

Description of the measurement

The measurement was performed with an Activated Charcoal Adsorption detector (QuickScreen) and was analyzed by Alpha Energy Laboratories (NRPP ID: 101132 AL).

The detector(s) arrived to Alpha Energy Laboratories, Inc. **12/09/2022**. They were measured **12/09/2022**.

The detectors were deployed by PBS Engineering and retrieved by PBS Engineering

Property data and address

MEASURE SITE ADDRESS
Churchill High School Softball Comp

97405

BUILDING ID

Churchill Softball Building 2022

Test results

DETECTOR	MEASUREMENT PERIOD	DESCRIPTION / LOCATION	FLOOR	RADON RESULT
<i>RK108814 [QuickScreen]</i>	<i>12/05/2022 07:00 AM – 12/08/2022 07:00 AM</i>	<i>Coach's Office</i>		<i>0.8 ± 0.4 pCi/L</i>
<i>RK108855 [QuickScreen]</i>	<i>12/05/2022 07:00 AM – 12/08/2022 07:00 AM</i>	<i>Locker Room</i>		<i>< 0.7 pCi/L</i>
<i>RK108805 [QuickScreen]</i>	<i>12/05/2022 07:00 AM – 12/08/2022 07:00 AM</i>	<i>Locker Room</i>		<i>0.6 ± 0.3 pCi/L</i>
<i>RK108761 [QuickScreen]</i>	<i>12/05/2022 07:00 AM – 12/08/2022 07:00 AM</i>	<i>Concessions</i>		<i>< 1.3 pCi/L</i>
<i>RK108772 [QuickScreen]</i>	<i>12/05/2022 07:00 AM – 12/08/2022 07:00 AM</i>	<i>Room A</i>		<i>< 0.6 pCi/L</i>

Radon test result report for:

Indicates re-sampling that was not included in report dated 2/20/2019

Churchill High School

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9158439	105	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158413	112	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.3	2019-01-21
9158403	118	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.6 ± 0.3	2019-01-21
9158433	11E	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158396	ASSISTANT PRINCIPAL	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	0.7 ± 0.3	2019-01-21
9158556	ATTENDANCE OFFICE	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.3	2019-01-21
9158436	AUDITORIUM	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158440	AUDITORIUM	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.8 ± 0.3	2019-01-21
9158435	AUTOTORIUM	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158409	B1	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.3	2019-01-21
9158432	B1	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.6 ± 0.3	2019-01-21
9158406	B17	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	1.1 ± 0.3	2019-01-21
9158412	B4	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.5 ± 0.3	2019-01-21
9158426	B4	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.3	2019-01-21
9158485	BLANK 1	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158482	BLANK 2	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158420	BLANK 3	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158481	BLANK 4	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158479	BLANK 5	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158480	BLANK 6	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158483	BLANK 7	2019-01-14 @ 10:00 pm	2019-01-18 @ 2:00 pm	< 0.3	2019-01-21
9158518	BOYS LOCKER	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158503	BOYS LOCKER	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158502	BPYS LOCKER OFFICE	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.6 ± 0.3	2019-01-21
9158449	C10	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.9 ± 0.3	2019-01-21
9158428	C14	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.3	2019-01-21
9158414	C2	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.6 ± 0.4	2019-01-21
9158424	C5	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158416	C8	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.9 ± 0.3	2019-01-21
9158417	C9	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158410	C9	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.9 ± 0.3	2019-01-21
9158408	C9 LEFT OFFICE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.6 ± 0.3	2019-01-21
9158422	C9 RIGHT OFFICE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	1.1 ± 0.3	2019-01-21
9158591	CAFETERIA	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.9 ± 0.3	2019-01-21
9158401	CAFETERIA	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.7 ± 0.4	2019-01-21
9158519	CAFETERIA	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	1.2 ± 0.3	2019-01-21
9158520	CAFETERIA	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	1.0 ± 0.4	2019-01-21

Radon test result report for:**Churchill High School**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9158566	CAFETERIA	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.9 ± 0.3	2019-01-21
9158600	CAMPUS SUPERVISOR	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.3	2019-01-21
9158419	CHOIR PRACTICE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	1.1 ± 0.4	2019-01-21
9158421	CHOIR STORAGE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.5 ± 0.3	2019-01-21
9158555	COLLEGE CAREER	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.4	2019-01-21
9158535	COLLEGE CAREER	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	1.1 ± 0.4	2019-01-21
9158392	COUNSELOR	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.3 ± 0.4	2019-01-21
9158563	CUSTODIAN	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158402	D11	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.8 ± 0.3	2019-01-21
9158423	D13	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.3	2019-01-21
9158442	D2	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.4	2019-01-21
9158411	D2	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.3	2019-01-21
9158415	D2	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	1.0 ± 0.3	2019-01-21
9158585	DANCE ROOM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.8 ± 0.4	2019-01-21
9158386	DANCE ROOM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.6 ± 0.3	2019-01-21
9158448	ENG ACADEMY OFFICE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158548	F36	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.2 ± 0.4	2019-01-21
9158546	F37	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.6 ± 0.4	2019-01-21
9158508	F38	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.3	2019-01-21
9158383	F39	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.3	2019-01-21
9158550	F40	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.4	2019-01-21
9158561	F40A	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.4	2019-01-21
9158551	F43	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.3 ± 0.4	2019-01-21
9158521	F45	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.4	2019-01-21
9158388	F46	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.3	2019-01-21
9158524	F49	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.1 ± 0.3	2019-01-21
9158532	F53	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.1 ± 0.4	2019-01-21
9158517	F55	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.4	2019-01-21
9158559	F55	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.3	2019-01-21
9158552	F57	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.4	2019-01-21
9158537	F58	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.3	2019-01-21
9158516	F59	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.2 ± 0.4	2019-01-21
9158534	F60	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.3	2019-01-21
9158576	FACULTY	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	1.3 ± 0.4	2019-01-21
9158575	FACULTY	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.7 ± 0.4	2019-01-21
9158554	FITNESS	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158577	FITNESS	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21

Radon test result report for:**Churchill High School**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9158528	G10	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.3 ± 0.3	2019-01-21
9158513	G13	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.7 ± 0.4	2019-01-21
9158530	G29	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.6 ± 0.3	2019-01-21
9158574	GIRLS LOCKER	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.7 ± 0.3	2019-01-21
9158587	GIRLS LOCKER	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.7 ± 0.3	2019-01-21
9158581	GIRLS LOCKER OFFICE	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158380	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158573	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158586	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158564	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158580	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158571	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158584	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158595	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158390	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158579	GYM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158596	H1	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.3	2019-01-21
9158572	H11	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	0.9 ± 0.3	2019-01-21
9158567	H12	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	1.1 ± 0.3	2019-01-21
9158578	H12	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	0.9 ± 0.3	2019-01-21
9158525	H19	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.6 ± 0.3	2019-01-21
9158515	H20	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.7 ± 0.3	2019-01-21
9158512	H20	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.3	2019-01-21
9158511	H21	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.3	2019-01-21
9158533	H22	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.4	2019-01-21
9158543	H23	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.3	2019-01-21
9158592	H3	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.3	2019-01-21
9158599	H3	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	1.0 ± 0.3	2019-01-21
9158590	H4	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	0.7 ± 0.3	2019-01-21
9158582	H5	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.4	2019-01-21
9158594	H8	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	0.8 ± 0.3	2019-01-21
9158583	HI	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	0.7 ± 0.3	2019-01-21
9158549	HOME EC	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.3 ± 0.4	2019-01-21
9158522	HOME EC SUPPLIES	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.1 ± 0.3	2019-01-21
9158557	IHS STAFF	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.0 ± 0.3	2019-01-21
9158387	IMC	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	2.0 ± 0.4	2019-01-21
9158597	ITC	2019-01-14 @ 6:00 pm	2019-01-17 @ 9:00 pm	< 0.3	2019-01-21

Radon test result report for:**Churchill High School**

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9158553	J11	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	0.9 ± 0.3	2019-01-21
9158547	J11	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.2 ± 0.3	2019-01-21
9158395	J12	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.1 ± 0.3	2019-01-21
9158526	J13	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.0 ± 0.3	2019-01-21
9158523	J14	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	1.3 ± 0.3	2019-01-21
9158541	J15	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	0.9 ± 0.3	2019-01-21
9158545	J19	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.1 ± 0.4	2019-01-21
9158542	J19	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	1.2 ± 0.4	2019-01-21
9158400	J23	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.2 ± 0.4	2019-01-21
9158399	J23	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.1 ± 0.3	2019-01-21
9158398	J24	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.0 ± 0.3	2019-01-21
9158505	J26	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	0.7 ± 0.3	2019-01-21
9175607	J27	2019-02-05 @ 2:00 am	2019-02-08 @ 12:00 am	1.1 ± 0.4	2019-02-11
9158509	J28	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	0.9 ± 0.3	2019-01-21
9158301	J29	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	0.7 ± 0.3	2019-01-21
9158397	J9	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	0.8 ± 0.4	2019-01-21
9158385	J9	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.2 ± 0.4	2019-01-21
9158514	K3	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	< 0.3	2019-01-21
9158527	K4	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	< 0.3	2019-01-21
9158510	K4	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	< 0.3	2019-01-21
9158378	K7	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	< 0.3	2019-01-21
9158560	K8	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	< 0.3	2019-01-21
9158562	LAUNDRY	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.4 ± 0.4	2019-01-21
9158507	LIBRARY	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.2 ± 0.3	2019-01-21
9158506	LIBRARY	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.9 ± 0.4	2019-01-21
9158598	MATH OFFICE	2019-01-14 @ 6:00 pm	2019-01-17 @ 5:00 pm	0.8 ± 0.4	2019-01-21
9158593	MECHANICAL ROOM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	0.7 ± 0.3	2019-01-21
9158544	MECHCANICAL ROOM	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	0.7 ± 0.3	2019-01-21
9158418	MEETING ROOM	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158501	NW OFFICE	2019-01-14 @ 5:00 pm	2019-01-17 @ 5:00 pm	1.1 ± 0.3	2019-01-21
9158504	OFFICE	2019-01-14 @ 4:00 pm	2019-01-17 @ 4:00 pm	1.1 ± 0.4	2019-01-21
9158536	PRICIPAL	2019-01-14 @ 4:00 pm	2019-01-17 @ 4:00 pm	1.3 ± 0.4	2019-01-21
9158405	RACHEL CARLSON	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9158531	REGISTRAR	2019-01-14 @ 4:00 pm	2019-01-17 @ 4:00 pm	1.3 ± 0.4	2019-01-21
9158539	REGISTRAR	2019-01-14 @ 4:00 pm	2019-01-17 @ 4:00 pm	1.0 ± 0.4	2019-01-21
9158558	SCHOOL NURSE	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	0.9 ± 0.4	2019-01-21
9158447	SCHOOL TO WORK OFFICE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21

Radon test result report for:

Churchill High School

Kit #	Room Id	Started	Ended	pCi/L	Analyzed
9158588	SCIENCE OFFICE	2019-01-14 @ 6:00 pm	2019-01-17 @ 6:00 pm	1.0 ± 0.3	2019-01-21
9158538	STAFF LOUNGE	2019-01-14 @ 4:00 pm	2019-01-17 @ 5:00 pm	0.6 ± 0.3	2019-01-21
9158434	STAGE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.8 ± 0.3	2019-01-21
9158431	STAGE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.5 ± 0.3	2019-01-21
9158427	STAGE	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	< 0.3	2019-01-21
9175615	TEAM ROOM A	2019-02-05 @ 2:00 am	2019-02-08 @ 12:00 am	< 0.3	2019-02-11
9158529	TEXTBOOK	2019-01-14 @ 5:00 pm	2019-01-17 @ 6:00 pm	1.8 ± 0.4	2019-01-21
9158407	TUPAC ROOM	2019-01-14 @ 7:00 pm	2019-01-17 @ 8:00 pm	0.7 ± 0.4	2019-01-21
9158570	WEIGHT ROOM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158565	WEIGHT ROOM	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158568	WRESTLING	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21
9158569	WRESTLING	2019-01-14 @ 6:00 pm	2019-01-17 @ 7:00 pm	< 0.3	2019-01-21

Air Chek 1936 Butler Bridge Rd, Mills River, NC 28759-3892 Phone: (828) 684-0893 Fax: (828) 684-8498