Asthma Action Plan

School Division:			
Name	Date of Birth		Effective Dates / / to / /
Health Care Provider	Provider's Phon	e# Fax#	Last flu shot / / /
Parent/Guardian Parent/Guardia		n Phone	Parent/Guardian Email:
Additional Emergency Contact Contact Phon			Contact Email
Asthma Severity: Intermittent or Persistent: Mild Moderate Severe			
Asthma Triggers (Things that make your asthma worse) Colds Smoke (tobacco, incense) Dust Animals: Strong odors Mold/moisture Stress/Emotions Exercise Acid reflux Pests (rodents, cockroaches) Season (circle): Fall, Winter, Spring, Summer Other:			
Green Zone: Go! $-$ Take these CONTROL (PREVENTION) Medicines EVERY Day			
You have ALL of these: Breathing is easy No cough or wheeze Can work and play Can sleep all night Peak flow: to (More than 80% of Personal Best) Personal best peak flow:	Always rinse your mouth after using your inhaler and remember to use a spacer with your MDI. No control medicines required. Dulera Symbicort Advair , puff (s) times a day Combination medications: inhaled corticosteroid with long-acting β-agonist Plovent Pulmicort QVAR Inhaled Corticosteroid or Inhaled corticosteroid/long-acting β-agonist puff (s) MDI times a day Or nebulizer treatment (s) times a day Singulair or , take by mouth once daily at bedtime Leukotriene antagonist puffs with spacer 15 minutes before exercise		
Yellow Zone: Caution! — Continue CONTROL Medicines and ADD RESCUE Medicines			
You have ANY of these: Cough or mild wheeze First sign of cold Tight chest Problems sleeping, working, or playing Peak flow: (60% - 80% of Personal Best)	□ Albuterol or, puffs with spacer every hours as needed □ Albuterol or, one nebulizer treatment (s) every hours as needed □ Albuterol or, one nebulizer treatment (s) every hours as needed □ Inhaled β-agonist □ Call your Healthcare Provider if you need rescue medicine for more than 24 hours or two times a week, or if your rescue medicine doesn't work.		
Red Zone: DANGER! — Continue CONTROL & RESCUE Medicines and GET HELP!			
You have ANY of these: Can't talk, eat, or walk well Medicine is not helping Breathing hard and fast Blue lips and fingernails Tired or lethargic Ribs show Peak flow: <	□ Albuterol or, puffs with spacer every 15 minutes, for THREE treatments □ Albuterol or, one nebulizer treatment every 15 minutes, for THREE treatments Inhaled β-agonist Call your doctor while administering the treatments. IF YOU CANNOT CONTACT YOUR DOCTOR: Call 911 or go directly to the Emergency Department NOW!		
REQUIRED SIGNATURES: I give permission for school personnel to follow this plan, administer medication CHECK ALL THAT APPLY:			
and care for my child and contact my provider if necessary. I assume full responsibility for providing the school with prescribed medication and delivery/monitoring devices. I approve this Asthma Management Plan for my child.		Student instru	Y: ted in proper use of their asthma medications, and in my ARRY AND SELF-ADMINISTER INHALER AT SCHOOL.
PARENT/GUARDIAN		Student is to n	otify designated school health officials after using
SCHOOL NURSE/DESIGNEE OTHER		l	or. supervision or assistance to use inhaler.
CC: Principal Cafeteria Mgr Bus Driver/Transportation Student should NOT carry inhaler while at school.			
□ Coach/PE □ Office Staff □ School		MD/NP/PA SIGNATURE:	Date